

GROUP 245 FIBRE ABRASIVES

YORK
ABRASIVES

Fibre Hand Pads

A range of non-woven fibre hand pads for cleaning, blending and finishing applications. Supplied in packs of 10.

Size: 155 x 225mm.

White - non-abrasive: For the removal of oxides and coatings, produces a scratch-free finish.

Grey - XX-fine pad: for light finishing on all minerals as well as lacquer de-nibbing.

Maroon - X-fine: A general-purpose conformable hand pad which gives a finer finish than the Green hand pad.


Green - fine: General-purpose hand pad for cleaning and finishing. It can also be used for lacquer de-nibbing and matt finishing on solid surfaces.

Black - medium: For medium to coarse finishing and blending.

Brown - coarse: Heaviest duty pad in the range. Used for light deburring, cleaning and finishing applications, e.g. deburring edges of sheet materials to improve handling.

Pack of 6

Handy book with one of each: white, grey, maroon, green, black and brown.



| Colour | Grade | Size | Order Code YRK-245 | Price/10 TB |
|-----------|---------|-------------|--------------------|-------------|
| White | Non | | -2080K | 528.00 |
| Grey | XX-Fine | 155 x 225mm | -2100K | 557.00 |
| Maroon | X-Fine | | -2060K | 528.00 |
| Green | Fine | | -2040K | 528.00 |
| Black | Medium | 155 x 225mm | -2000K | 580.00 |
| Brown | Coarse | | -2020K | 932.00 |
| Pack of 6 | | 155 x 225mm | -3000K | 294.00 |

Industrial Steel Wool



Now with resin coat finish, protects against corrosion.

Versatile - available in a choice of seven grades for industrial, household, garden and trade use. For woodwork and preparation of polished surfaces between coats use the wire wool dry.

For removing paint spots - use with a white spirit, turpentine or liquid paint remover.

Always wear gloves. For household work - use with soap and water as required. Suitable for use with metallic pots and pans.



| Grade | Application | Weight each | Order Code YRK-245 | Price/1 TB |
|---------------|---|-------------|--------------------|------------|
| 000 Very Fine | Fine cabinet work, dulling of varnish, polishing metals and car bodies | 450g | -1010K | 245.00 |
| 00 Fine | Fine use between coats of varnish and paint, polishing wooden surfaces | 450g | -1030K | 215.00 |
| 0 Fine | General-purpose | 450g | -1050K | 215.00 |
| 1 Medium | For preparation prior to painting and varnishing | 450g | -1070K | 215.00 |
| 2 Medium | General-purpose | 450g | -1090K | 215.00 |
| 3 Coarse | Removal of paint varnish, rust etc. | 450g | -1110K | 215.00 |
| 4 Very Coarse | For rubbing down wooden surfaces, preparation of car bodies/exterior surfaces | 450g | -1130K | 215.00 |

Shaft Mounted Combi Wheels

Made from high quality nylon, which is both flexible, durable and does not clog as easily as standard abrasive. 6mm shank diameter. Ideal for matching/blending a finish, light deburring, decorative/cosmetic applications. Alternate flaps of abrasive are interleaved with a versatile high quality nylon. 6mm shank diameter. Suitable for: deburring, producing cosmetic finishes on most materials, rust removal and blending.

Finishing Wheels

EXTENDED RANGE

| Diameter x Width (mm) | Density Grade | Order Code YRK-245 | Price/1 TB |
|-----------------------|---------------|--------------------|------------|
| 50 x 25 | Coarse | -8310K | 381.00 |
| | Medium | -8320K | 381.00 |
| | Fine | -8330K | 381.00 |
| | Very Fine | -8340K | 381.00 |
| 50 x 50 | Coarse | -7560K | 528.00 |
| | Medium | -7570K | 528.00 |
| | Fine | -7580K | 528.00 |
| | Very Fine | -7590K | 528.00 |
| 60 x 30 | Medium | -7620K | 587.00 |
| | Medium | -8370K | 393.00 |
| 76 x 25 | Fine | -8380K | 393.00 |
| | Very Fine | -8390K | 393.00 |
| | Coarse | -8410K | 393.00 |
| 76 x 50 | Medium | -8420K | 627.00 |
| | Very Fine | -8440K | 533.00 |
| 100 x 50 | Medium | -7770K | 665.00 |
| | Fine | -7780K | 665.00 |

Interleaved Wheels

6mm SHANK

| Diameter x Width (mm) | Density Grade | Order Code YRK-245 | Price/1 TB |
|-----------------------|---------------|--------------------|------------|
| 50 x 25 | Coarse | -8710K | 487.00 |
| | Medium | -8720K | 487.00 |
| | Fine | -8730K | 463.00 |
| | Very Fine | -8740K | 463.00 |
| 50 x 50 | Coarse | -7960K | 528.00 |
| | Medium | -7970K | 528.00 |
| | Fine | -7980K | 528.00 |
| | Very Fine | -7990K | 528.00 |
| 60 x 30 | Coarse | -8010K | 432.00 |
| | Medium | -8020K | 432.00 |
| | Fine | -8030K | 432.00 |
| 76 x 25 | Coarse | -8760K | 663.00 |
| | Medium | -8770K | 663.00 |
| | Fine | -8780K | 663.00 |
| | Very Fine | -8790K | 663.00 |
| 76 x 50 | Coarse | -8810K | 663.00 |
| | Medium | -8820K | 663.00 |
| | Fine | -8830K | 663.00 |
| 100 x 50 | Coarse | -8160K | 998.00 |
| | Medium | -8170K | 998.00 |
| | Fine | -8180K | 998.00 |
| | Very Fine | -8190K | 998.00 |

York Abrasive Blocks

Rubber sanding blocks impregnated with abrasive. Remains abrasive throughout the block. For industrial sanding/cleaning components and surfaces.



| Grade | Weight each | Order Code YRK-245 | Price/1 TB |
|----------|-------------|--------------------|------------|
| Fine | 141g | -4000K | 311.00 |
| Medium | 110g | -4010K | 311.00 |
| Coarse | 119g | -4020K | 369.00 |
| X-Coarse | 122g | -4030K | 369.00 |

115mm Rust & Paint Removal Disc

Made of intertwined nylon fibres which are then immersed in synthetic resin and gently hardened. Ideal for removing old paint, rust and welding splatter without scratching the surface of the workpiece, cleaning and smoothing wood and plastic, polishing of stainless steel and removal of thermal bluing. DIN EN 13743.



| Size x Bore (mm) | Maximum RPM | Order Code YRK-245 | Price/1 TB |
|------------------|-------------|--------------------|------------|
| 115 x 22 | 10,500 | -3800K | 440.00 |

Non-Woven Roll

Non-woven roll for cleaning, blending and finishing.



| Colour | Grade | Size | Order Code YRK-245 | Price/1 TB |
|--------|--------|-------------|--------------------|------------|
| Maroon | X-Fine | 100mm x 10m | -1600K | 1003.00 |
| Green | Fine | | -1640K | 1408.00 |
| Black | Medium | | -1620K | 1408.00 |
| Maroon | X-Fine | 150mm x 10m | -1700K | 1936.00 |
| Green | Fine | | -1740K | 1936.00 |
| Black | Medium | | -1720K | 1936.00 |

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR


**YORK
ABRASIVES**

Clean & Strip Unitised Wheels

Cleans surfaces faster and more effectively than wire brushes, scrapers or pickling pastes. Produced by adhesively bonding and compressing web together to form a slab from which wheels are then cut. High stock removal producing a very good finish. As there are no metal components used in the manufacture of these wheels, accidental damage to the work piece is eliminated. Ideally suitable for preparation and cleaning of welds, rust removal and removal of discolouration.



6mm Mandrel
(supplied separately)



Requires Mandrel

| Size x Bore (mm) | Density Grade | Max. RPM | Order Code YRK-245 | Price/1 TB |
|---------------------|------------------|-------------|-----------------------|---------------|
| 100 x 12 | X/Coarse | 5500 | -5020K | 228.00 |
| 150 x 12 | | 3500 | -5040K | 411.00 |
| 200 x 12 | | 2500 | -5060K | 646.00 |

| Order Code YRK-280 | Price/1 TB |
|--------------------------------------|---------------|
| 6mm Mandrel for clean strip wheel | -5010K 857.00 |

Clean & Strip Unitised Discs



**Requires
Backing Pad**



**M14 Threaded
Backing Pad**
(supplied separately)

| Size (mm) | Density Grade | Maximum RPM | Order Code YRK-245 | Price/1 TB |
|------------------------|------------------|----------------|-----------------------|---------------|
| 75 | X/Coarse | 10000 | -5310K | 264.00 |
| Backing Pad M14 Thread | | | -3510K | 428.00 |

Clean & Strip Discs Kit

| Contents | Density Grade | Max. rpm | Order Code YRK-245 | Price/1 TB |
|---|------------------|-------------|-----------------------|---------------|
| 4x 75mm Discs 1x 12 M14 Backing Pad | X/Coarse | 10,000 | -9100K | 1284.00 |

Surface Preparation & Polishing Kit

Contents:

1x M14 backing pad, 1x surface conditioning discs Brown (CRS), 1x surface conditioning disc in Maroon (medium), Blue (very fine) and Grey (ultra fine), 1x felt disc (White), 1x bar of compound (Yellow).



| Number of Pieces | Order Code YRK-245 | Price/1 TB |
|---------------------|-----------------------|---------------|
| 7 | -9200K | 1408.00 |

XL Unitised Wheels

Produced by adhesively bonding and compressing web together to form a slab from which wheels are then cut.

Maximum RPM:

76mm diameter: 9,500.

152mm diameter: 4,700.


Density grade: 2SFIN.



| Nominal Size (mm) | Weight per 10 | Order Code YRK-245 | Price/1 TB |
|----------------------|------------------|-----------------------|---------------|
| 76 x 12 x 6.5 | 250g | -6550K | 528.00 |
| 76 x 25 x 6.5 | 540g | -6570K | 838.00 |
| 152 x 6 x 12.7 | 590g | -6610K | 1115.00 |
| 152 x 12 x 12.7 | 1080g | -6630K | 1936.00 |
| 152 x 25 x 12.7 | 2160g | -6650K | 4868.00 |

XL Unitised Discs

All products feature the twist on/twist off fixing system. Grade, size or product can be changed quickly and easily. Discs have no centre nut. Suitable for use with all types or portable drills, grinders etc. Can be used as a disc or wheel.



| Nominal Size (mm) | Density Grade | MOS rpm | Order Code YRK-245 | Price/1 TB |
|----------------------|------------------|------------|-----------------------|---------------|
| 50 x 6mm | Fine | 22,100 | -6810K | 228.00 |

Surface Preparation & Finishing Discs

A complete range of flexible surface preparation discs from coarse grit through to a fine polishing disc allows you to rapidly and consistently achieve the finish you require. Ideal for rust removal, preparing and cleaning welds. The threaded mounting allows rapid disc change when required.

Diameter: 75mm.



**M14 Threaded
Backing Pad**
(supplied
separately)

| Density Grade | Colour | Order Code YRK-245 | Price/1 TB |
|------------------------|--------|-----------------------|---------------|
| Ultra Fine | Grey | -3640K | 111.00 |
| Polishing | White | -3700K | 123.00 |
| Backing Pad M14 Thread | | -3510K | 428.00 |

FIBRE ABRASIVES

Surface Conditioning Discs

Fibre-Backed


For removing grinding marks and scratches leaving a greatly improved surface finish. For use with a regular (sanding disc) flexible backing pad.



| Nominal Size | Density Grade | MOS rpm | Order Code YRK-245 | Price/1 TB |
|-----------------|------------------|------------|-----------------------|---------------|
| 100mm | Coarse | 18000 | -6110K | 176.00 |
| 115mm | Coarse | 13000 | -6150K | 252.00 |
| 178mm | Coarse | 6000 | -6200K | 463.00 |

Hook & Loop Scrim-Backed

For removing grinding marks and scratches leaving a greatly improved surface finish.



| Nominal Size | Density Grade | MOS rpm | Order Code YRK-245 | Price/1 TB |
|-----------------|------------------|------------|-----------------------|---------------|
| 100mm | Fine | 18000 | -6010K | 130.00 |
| | Med | | -6020K | 730.00 |
| | Coarse | | -6030K | 131.00 |

Rigid Backing Pad

To suit scrim backed surface conditioning discs. M14 female thread.

Size: 100mm x M14.



| Description | Order Code YRK-280 | Price/1 TB |
|----------------------------------|-----------------------|---------------|
| 100mm x M14 Rigid Backing Pad | -4100K | 909.00 |