7 Multi-Purpose **Crimping Plier Kit**

Made from heavy gauge carbon steel heat treated to HRa 65/70. Chemically blackened with cushion grip handles for operator comfort.

Kit comes complete with 100 assorted insulated and non-insulated terminals in a neat plastic see through box.

Strip range: 0.75 - 6.

Crimp/cut capacity: 1.5 - 16mm.



Description	Order Code KEN-515	Price/1 TB	
Plier only	-5050K	349.00	
100 Piece Kit	-5090K	913.00	

5-Way Stripping & Crimping Kit

240mm heavy gauge hardened carbon steel wire crimper with anvil action cutters and PVC grip.

Insulation terminals: 1.5mm² (red), 2.5mm² (blue) and 6.0mm² (yellow).

Wire cutters: M2.6, M3.0, M3.5, M4.0 and M5.0mm. Non insulated terminals: 1.5mm², 2.5mm² 4.0 - 6.0mm². Wire strippers: 0.75, 1.0, 1.5, 2.5, 4.0 and 6.0mm². Kit Contents: 40mm 5-Way Crimping Tool.

Blade connectors: red - 2.3 x 10.4mm, blue - 2.8 x 9.0mm.

Push-on spade connectors - male: red - 6.3 x 0.8mm, blue - 6.3 x 0.8mm. Push-on spade connectors - female: red - 6.3 x 0.8mm, blue - 6.3 x 0.8mm.

Butt connectors: red - $0.5 \times 1.5 \text{mm}^2$, blue - $1.5 \times 2.5 \text{mm}^2$. Bullet connectors - male: red - 4.0mm², blue - 4.0mm². Bullet connectors - female: red - 4.0mm, blue - 4.0mm. Fork connectors: red - 4.0mm, blue - 4.0mm, yellow - 4.0mm. Ring connectors: red - 4.0mm, blue - 4.0mm, yellow - 6.0mm.

Description	Order Code KEN-515	Price/1 TB
361 Piece Ratchet Crimping Kit	-5530K	1442.00







Heavy duty 220mm ratchet crimper with a selection of pre-insulated red, blue and yellow electrical connector terminals, cable ties and insulation tape. Ratchet crimper has laminated steel jaws with strengthened PVC handle grips.

Suitable for crimping insulated terminals as follows: red channel: 0.5 - 1.00mm²,

blue channel: 1.5 - 2.5mm², yellow channel: 4.0 - 6.0mm². Supplied in a fitted case with slide locking clips and handle.

Kit contents: Heavy duty ratchet crimper, black insulation tape (19mm x 9m),

black cable ties (2.5 x 100mm).

TOOLS

HAND

Ring connectors: red - 3.7, 4, 5mm, blue - 3.7, 4, 5, 6mm, yellow - 4, 5mm.

Butt connectors: red - 1.5 x 1.5mm², blue - 1.5 x 2.5mm².

Push-on spade connectors - male: red, blue, yellow - 6.3×0.8 mm. **Push-on spade connectors - female:** red, blue, yellow - 6.3×0.8 mm. **Push-on spade covered connectors - female:** red, blue - 6.3 x 0.8mm.

Push-on piggy back connectors - female: red, blue - 6.3 x 0.8mm.

Bullet connectors - male: red, blue - 4mm. Bullet connectors - female: red, blue - 4mm.

Order Code KEN-515 Price/1 TB Description

552 Piece Ratchet Crimping Kit -5540K 2833.00

Terminals - Rings/Forks

Red ring 4BA, 2BA and 1/4. Blue ring 2BA, ½4 and 5/16. Yellow ring ½4, 5/16 and 3/8. Spade blue, red and yellow.

Average quantity: 300 pieces.



Туре	Average Quantity	Weight each	Order Code KEN-515	Price/1 TB
Terminals	300	0.60kg	-5620K	773.00

Terminals - Spades/Bullets/Butt Connectors

Contents:

Butt connectors: red, blue and yellow. **Spade connectors** (push-on female):

6.3mm - red, blue and yellow.

4mm - red and blue.

Female bullet connectors: 4mm - red, and blue. Male bullet connectors:

Туре	Average	Weight	Order Code	Price/1
	Quantity	each	KEN-515	TB
Terminals	240	0.40kg	-5610K	876.00









100



Standard Industrial **Terminals**

Durable low cost copper or brass connectors. Manufactured as single piece connectors. Electro tinned to protect from corrosion. Insulated with flared entry, colour coded vinyl sleeves. All disconnect terminals supplied with anti-vibration copper sleeve.

Push-on Female and Male Tab Connector Terminals Pack quantity: 100.



Push-on Fully Insulated Female Connector Terminals Pack quantity: 100.



Push-on Piggy Back Terminals Pack quantity: 100.





Type	Colour	Tab Size	Order Code	Price/Pk
(Female)		(mm)	KEN-515	TB
Push-on	Red	6.3	-3730K	453.00
Push-on	Blue	6.3	-3740K	567.00

Heat Shrink Tubing Kits

181

Suitable for connecting, end handling, electric wire insulating and harnessing, corrosion proofing metal rods and tubes, antenna protection. Made from halogen-free environmentally friendly polyolefin which is flame retardant and RoHS compliant. It's operating temperature is from 55°C to 125°C and shrinking starts at 70°C and becomes totally shrunk at 110°C. It's shrink ratio is 2:1 and has a maximum electrical rating of 600V. Assorted colours. For use with heat guns and gas torches.



-6910K


Blade Connector Terminals

Pack quantity: 100.





Fork and Ring Connector Terminals Pack quantity: 100.





Туре	Colour	Tab Size (mm)	Order Code KEN-515	Price/Pk TB
		3.2	-2200K	166.00
		3.5	-2210K	166.00
Fork	Red	4.0	-2220K	166.00
		5.0	-2230K	166.00
		6.0	-2240K	228.00
		3.2	-2260K	181.00
		3.5	-2270K	181.00
Fork	Blue	4.0	-2280K	181.00
		5.0	-2290K	181.00
		6.0	-2300K	240.00
		3.0	-2320K	274.00
Faul	Vallau	4.0	-2330K	274.00
Fork	Yellow	5.0	-2340K	274.00
		6.0	-2350K	355.00
		3.0	-2400K	150.00
		3.7	-2410K	150.00
		4.0	-2420K	166.00
Ring	Red	5.0	-2430K	166.00
		6.0	-2440K	228.00
		8.0	-2450K	228.00
		10.0	-2460K	320.00
		3.0	-2500K	181.00
		3.7	-2510K	181.00
		4.0	-2520K	181.00
Ding	Dive	5.0	-2530K	181.00
Ring	Blue	6.0	-2540K	240.00
		8.0	-2550K	250.00
		10.0	-2560K	320.00
		12.0	-2570K	567.00
		3.0	-2600K	274.00
		4.0	-2620K	274.00
		5.0	-2630K	302.00
Ring	Yellow	6.0	-2640K	401.00
		8.0	-2650K	421.00
		10.0	-2660K	421.00
		12.0	-2670K	582.00

Butt Connector Terminals Pack quantity: 100.

	-		S. Personal D.	
Туре	Colour	Pack Quantity	Order Code KEN-515	Price/Pk TB
Butt	Red	100	-2900K	246.00
Butt	Blue	100	-2910K	246.00
Butt	Yellow	100	-2920K	391.00

Female Socket and Male Bullet Connector Terminals Pack quantity: 100.





Туре	Colour	Bullet Dia. (mm)	Order Code KEN-515	Price/Pk TB	
Socket	Red	4.0	-3100K	332.00	
Socket	Blue	4.0	-3110K	348.00	
Socket Blue	5.0	-3120K	348.00		
Socket	Yellow	5.0	-3130K	503.00	
Bullet	Red	4.0	-3500K	255.00	
Bullet	Blue	4.0	-3510K	274.00	
bullet E	blue	5.0	-3520K	274.00	
Rullet	Yellow	5.0	-3530K	474.00	

🔽 Ferrule **Crimp Tool**

Ferrule crimp tool with full cycle ratcheting crimp frame and adjustable crimp pressure. Carbon steel jaws with a chemically blacked finish and PVC handles.

Model TCF 004

Capacity: 0.5, 0.75, 1.0, 1.5, 2.5 and 4mm². AWG 20, 18, 17, 16, 13 and 11.

Model TCF 016

Capacity: 6, 10 and 16mm².

AWG 10, 8 and 6.



Number KEN-515 TB TCF004 -5200K 1700.00 TCF016 -5210K 1803.00 Replacement Jaws (TCF004) -6200K 1029.00 Replacement Jaws (TCF016) -6300K 1029.00	Model	Order Code	Price/1
TCF016 -5210K 1803.00 Replacement Jaws (TCF004) -6200K 1029.00	Number	KEN-515	TB
Replacement Jaws (TCF004) -6200K 1029.00	TCF004	-5200K	1700.00
			1803.00
Replacement Jaws (TCF016) -6300K 1029.00	Replacement Jaws (TCF00	4) -6200K	1029.00
	Replacement Jaws (TCF01	.6) -6300K	1029.00

Uninsulated Terminal Crimp Tool

Model TCU 006


Uninsulated terminal crimp tool with full cycle ratcheting crimp frame and adjustable crimp pressure. Carbon steel jaws with a chemically blacked finish and PVC handles.

Tab width: 6.3mm.

Capacity: 0.5 - 1.0, 1.0 - 2.5 and

4.0 - 6.0mm².

HAND TOOLS



Model	Order Code	Price/1
Number	KEN-515	TB
TCU006	-5400K	1688.00
Replacement Jaws	-6400K	1029.00

Insulated Terminal Crimp Tool

Model TCI 006

Insulated terminal crimp tool, with full cycle ratcheting crimp frame and colour coded jaws, with adjustable and preset crimp pressure for accurate crimping. Carbon steel, hardened and tempered jaws with a chemically blacked finish and PVC handles.

Capacity:

Red: 0.5 - 1.5mm², AWG 20 - 16. Blue: 2.5mm², AWG 14.

Yellow: 4.0 - 6.0mm², AWG 12 - 10.



Model Number	Order Code KEN-515	Price/1 TB
TCI006	-5220K	2344.00
Replacement Jaws	-6220K	1029.00

Uninsulated Terminal Crimp Tool

Model TCU 016

Uninsulated terminal crimp tool with full cycle ratcheting crimp frame and adjustable crimp pressure. Carbon steel jaws with a chemically blacked finish and PVC handles.

Capacity: DIN 1 - 2, 6, 10 and 16mm². AWG 14, 10, 8 and 6.



Model Number	Order Code KEN-515	Price/1 TB
TCU016	-5420K	2837.00
Replacement Jaws	-6420K	1339.00

Crimp Tool Kit

Model TCK 005

Crimp tool kit with full cycle ratcheting crimp and adjustable crimp pressure frame. Five pairs of interchangeable hardened and tempered carbon steel jaws with a chemically blacked finish for terminals, connectors, ferrules and end sleeves. Supplied in a robust plastic carry case.











Replacement Jaws To suit Kennedy ratcheting frame crimping tools. Order Code KEN-515 Price/1 Crimp Type Ferrule Terminals Connai -6200K 1029.00 0.5mm2 - 4mm2 **Insulated Terminals** -6220K 1029.00 0.5mm² - 6.0mm² Ferrule Terminals 6mm² - 16mm² -6300K 1029.00 **Uninsulated Terminals** -6400K 1029.00 0.5mm² - 6.0mm² **Uninsulated Terminals** -6500K 999.00 1.5mm² - 10.0mm²

-5500K

Coaxial Crimp Tool

Model TCC 008

Coaxial crimp tool with full cycle ratcheting crimp frame and adjustable crimp pressure. Carbon steel jaws with a chemically blacked finish and PVC handles.

Suitable for RG cable: 6, 58, 59 and 62. Hexagonal crimp of 1.72, 2.5, 5.4, 6.48 and 8.22mm.



Modular Plug Crimp Tool

Model MCT 008


Replacement Jaws

Modular plug crimping tool complete with wire cutting and stripping facilities. Manufactured from hardened and tempered carbon steel with chemically blacked finished and tempered jaws with PVC handles.

-6340K

1029.00

Capacity: 8P8C/RJ-45, 6P/RJ-12, RJ-11 and 6P2C.




Model	Order Code	Price/1
Number	KEN-515	TB
TMCT008	-5460K	1586.00

Heavy Duty Crimp Tool

Model TCU 095

Heavy duty crimp tool for uninsulated terminals. Tool steel jaws and manufactured from ductile iron.

Capacity: cable lugs: 10mm² - 95mm². Aluminium AWG to 4/0. Copper 8WG to 250 MCM.



Model Number	Order Code KEN-515	Price/1 TB
TCHOOS	EAAOK	7107 00

Replacement Jaws -6440K

1751.00

5330.00



Steel jaws grip the cable with trigger action for rapid tightening, tensioning and trimming, ideal for production environments.

Capacity: 2.4 to 4.8mi	m width.	
Capacity (mm)	Order Code KEN-516	Price/1 TB
2.4 - 4.8	-8400K	1065.00

Mains Testers

With heavy duty one-piece moulded insulation sheaths covering both blade and transparent plastic handle for extra protection and safety. Will detect 'live' electricity supply.
Suitable for AC to 125 - 250V. 3mm wide tip.

Conforms to VDE 0630 Part 4.



-0550K

Wall Socket & Extension Tester

Fits into a three pin socket, Indicates correct, no neutral, L and E reversed,

L and N reversed and no earth wiring.

190mm Plastic 400g



Voltage	Order Code KEN-515	Price/1 TB
240V	-1000K	1007.00

Ties

Suitable for securing or retaining cables and objects of various shapes and sizes. Tensile strengths of 8 to 22kg. Heat resistant from 40°C to 85°C. Supplied in pack of 100.











Size	Order Code	EDI-515	Price/100
(mm)	Black	Natural	Τ̈́B
2.5 x 100	-2100K	-2110K	46.00
2.5 x 160	-2120K	-2130K	67.00
2.5 x 200	-2140K	-2150K	91.00
3.5 x 150	-2200K	-2210K	129.00
3.5 x 200	-2220K	-2230K	129.00
3.5 x 300	-2240K	-2250K	180.00
3.5 x 370	-2260K	-2270K	232.00
4.8 x 120	-2300K	-2310K	118.00
4.8 x 200	-2320K	-2330K	155.00
4.8 x 300	-2340K	-2350K	232.00
4.8 x 380	-2360K	-2370K	335.00
4.8 x 430	-2380K	-2390K	359.00
7.0 x 200	-2500K	-2510K	310.00
7.0 x 300	-2520K	-2530K	448.00
7.9 x 350	-2600K	-2610K	536.00
7.9 x 400	-2620K	-2630K	597.00
7.9 x 450	-2640K	-2650K	597.00
9.0 x 550	-2800K	-2810K	1090.00
9.0 x 760	-2820K	-2830K	1658.00
12.0 x 650	-2900K	-2910K	2498.00



EDISOR Locking Cable Tie

Assorted Cable Tie Sets

Contains 100 of each size: 2.5 x 100mm and 160mm,

3.5 x 200mm and 300mm, 4.8 x 200mm and 300mm.



600 PIECES

Colour	Weight	Order Code EDI-515	Price/1 TB
Black	645g	-3000K	1133.00
Natural	645g	-3010K	1133.00

Cable Tie Sets

Contents comprise of one width x two lengths:

2.5mm - 100mm and 160mm, 3.5mm - 200mm and 300mm, 4.8mm - 200mm and 300mm.

Width	Colour	Pk Qty	Order Code EDI-515	Price/1 TB
2.5mm	Black	300	-3040K	134.00
2.5mm	Natural	300	-3050K	134.00
3.5mm	Black	400	-3060K	469.00
3.5mm	Natural	400	-3070K	469.00
4.8mm	Black	500	-3080K	675.00
4.8mm	Natural	500	-3090K	675.00



Magnetic Cable Guider

An innovative tool for inserting cables through brick walls, cavity walls, studwork etc. Tested by major utilities - saves hours of engineers time. Includes three adaptors for 3.7 to 5.9mm cable diameters. Drill bit not included.







Attach to guider and pull back through



330mm (13")



Туре	Order Code KEN-516	Price/1 TB
Cable Guider	-9600K	1308.00
Caps (Pk 6)	-9620K	539.00

Page **377**

HAND TOOLS

