

KENNEDY
PROFESSIONAL

**Nylon Faced
Hammers**



Hard nylon faced hammer with two screw-on all purpose striking faces for light and heavy duty applications. Chrome plated head with a fully moulded polypropylene shaft with soft feel dual material grip.
Overall length: 305mm.



Group **597**



Face Ø (mm)	Weight each	Order Code KEN-527	Price/1 TB
32	435g	-3040K	746.00
38	627g	-3060K	1012.00
44	800g	-3080K	1249.00
50		-3100K	1486.00

Replaceable Hard Nylon Hammer Faces

Replaceable hard nylon face with thread. All purpose face suitable light and heavy duty applications. To suit nylon faced hammers and safeblow hammers.



Face Ø (mm)	Weight each	Order Code KEN-529	Price/1 TB
32	15g	-3040K	77.00
38	20g	-3060K	98.00
44	40g	-3080K	118.00
50	50g	-3100K	118.00



THOR HAMMER

**Thorex Nylon Faced
Hammers**

Chrome plated head with two screw on nylon striking faces.



NEW

Product Number	Face Ø (mm)	Length (mm)	Weight each	Order Code THO-527	Price/1 TB
Wooden Handle					
12-708N	25	250	250g	-0320N	773.00
12-710N	32	270	450g	-0321P	876.00
12-712N	38	270	675g	-0322Q	901.00
12-714N	44	310	900g	-0323R	927.00
12-716N	50	325	1250g	-0324S	1288.00
12-720N	63	355	1700g	-0325T	1648.00
Plastic Handle					
11-710	32	300	450g	-0203D	876.00
11-712	38	310	675g	-0205F	979.00
11-714	44	310	900g	-0207H	1288.00
11-716	50	350	1020g	-0208S	1442.00

Thorex Plastic Faced Hammers

Chrome plated head with two screw on medium hardness plastic striking faces. Polyurethane shaft with non-slip textured PVC grip. Available with a nylon handle with a non-slip textured PVC grip or a wooden handle.



NEW

Product Number	Face Ø (mm)	Length (mm)	Weight each	Order Code THO-527	Price/1 TB
Wooden Handle					
07-406	19	250	150g	-0200A	567.00
07-408	25	250	250g	-0201B	670.00
Plastic Handle					
07-410	32	280	450g	-0202C	773.00
07-412	38	290	675g	-0204E	876.00
07-414	44	305	900g	-0206G	1133.00
07-416	50	305	1250g	-0208J	1339.00

Spare Striking Faces

For the Thorex nylon faced hammers. Easy to change, simply screw in. The striking faces are colour coded to allow easy identification of material type and hardness.


Orange: polyurethane plastic medium hardness shore D45-55.

Yellow - extra hard: ABS Rockwell R103: extra hard faces for specialist applications only e.g. setting copper armatures.



NEW

Product Number	Face Ø (mm)	Weight Per 10	Order Code THO-529	Price/1 TB
Orange - Medium Hard				
73-406PF	19	40g	-0215K	57.00
73-408PF	25	70g	-0217M	67.00
73-410PF	32	168g	-0220Q	82.00
73-412PF	38	265g	-0223T	98.00
73-414PF	44	405g	-0226X	129.00
73-416PF	50	572g	-0230A	170.00
Yellow - Extra Hard				
73-408AF	25		-0216L	77.00
73-410AF	32		-0219P	88.00

THOR HAMMER Thorace Dead Blow Hammers

Hollow die cast head partially filled with steel shot, which adds to the weight of the impact and prevents rebound, delivering a dead blow. The handle is manufactured from aluminium alloy with a shock absorbent non-slip rubber grip.

Supplied with two screw in replaceable white nylon faces.

NEW

Product Number	Face Ø (mm)	Length (mm)	Weight each	Order Code THO-527	Price/1 TB
20-1010	32	275	525g	-0455M	1288.00
20-1212	38	305	750g	-0456N	1545.00
20-1414	44	310	950g	-0457P	1751.00
20-1616	50	325	1250g	-0458Q	1957.00
20-2020	63	370	2000g	-0459R	2884.00

Spare Striking Faces

For the Thorex nylon faced and Thorace hammers. Easy to change, simply screw in. The striking faces are colour coded to allow easy identification of material type and hardness.

NEW

Grey: Soft PVC shore A63-73.
Will not mark finished surfaces.

Red: Polyurethane medium plastic shore D45-55.
For light hammering applications.

Brown: Tough polyurethane shore D58-62.
Abrasive resistant suitable for striking sharp surfaces.

White: Hard nylon shore D61-65. All purpose face suitable for light and heavy duty applications.

Yellow: ABS extra hard rockwell R103.
For specialist applications.

Product Number	Face Ø (mm)	Weight per 10	Order Code THO-529	Price/1 TB
Grey - Soft PVC				
76-708VF	25	195g	-0380M	88.00
76-710VF	32	246g	-0381N	102.00
76-712VF	38	352g	-0382P	129.00
76-714VF	44	540g	-0383Q	160.00
76-716VF	50	734g	-0384R	205.00
Red - Medium Plastic				
76-708PF	25	128g	-0340K	67.00
76-710PF	32	165g	-0340M	88.00
76-712PF	38	244g	-0340P	118.00
76-714PF	44	368g	-0340R	129.00
76-716PF	50	498g	-0340X	170.00
Brown - Polyurethane				
76-710TF	32	220g	-0361B	155.00
76-712TF	38	322g	-0362C	170.00
76-714TF	44	494g	-0363D	205.00
76-716TF	50	658g	-0364E	258.00
76-720TF			-0365F	361.00
White - Hard Nylon				
76-708NF	25	170g	-0335A	102.00
76-710NF	32	184g	-0336B	129.00
76-712NF	38	275g	-0337C	155.00
76-714NF	44	420g	-0338D	205.00
76-716NF	50	540g	-0339E	258.00
76-720NF	63	680g	-0340F	308.00
Yellow - Extra Hard Nylon				
76-710AF	32	193g	-0321B	118.00
76-712AF	38	281g	-0322C	149.00
76-714AF	44	398g	-0323D	180.00
76-716AF	50	524g	-0324E	232.00


KENNEDY PROFESSIONAL Nylon Faced Safe Blow Hammers

Hard nylon faced hammer with 2 screw-on all purpose striking faces which can easily be replaced manually without the use of any other tools - minimising downtime.

Hollow chrome plated zinc head partially filled with steel pellets which impact a split second after the hammer face, reducing rebound, fitted with a fully moulded polypropylene shaft with soft feel dual material grip. There are no metal parts in the striking faces which could mar the workpiece as the head wears down.

The striking faces are reinforced for extra strength and to prevent fracture from 'off-target' hits.

Precision grooves in the metal head prevent faces from vibrating loose during use.

See Page **908**

Face Diameter	Overall Length	Order Code KEN-527	Price/1 TB
32mm	340mm	-2040K	1486.00
38mm	340mm	-2060K	1605.00
44mm	340mm	-2080K	1663.00
50mm	340mm	-2100K	1663.00

Junior Thorlite Rubber Hammer

Lightweight rubber faced hammer.
Aluminium alloy head with solid wooden handle.

Fitted with two rubber striking faces one soft (marked with red) and the other hard.

Product Number	Face Ø (mm)	Length (mm)	Weight each	Order Code THO-527	Price/1 TB
09-J612	40	280	320g	-0550D	670.00

Spare Striking Faces for the Junior Thorlite Hammer

Product Number	Face Ø (mm)	Weight Per 10	Order Code THO-529	Price/1 TB
75-612HF	40	350g	-0280P	98.00
75-612SF	40	412g	-0282R	118.00

Shaped Rubber Head Hammer Set

Five piece set contents: aluminium alloy hammer head with self locking wooden handle and four shaped rubber striking faces, flat, dome, cone and wedge.



Product Number	Face Ø (mm)	Length (mm)	Weight each	Order Code THO-527	Price/1 TB
09-616	50	305	560g	-0276K	1288.00

THOR HAMMER Soft Faced Hammers

NEW

A safer alternative for striking machined surfaces than conventional steel hammers. The impact resistant striking faces shape themselves to the component being struck, minimising rebound damage to the component and reducing noise pollution in the workplace. The striking faces can be easily replaced once they have become worn. Available as standard, with a choice of five interchangeable face types.

Rawhide Faced Hammers

Head manufactured from malleable iron fitted with two rawhide striking faces and solid wooden handle. Rawhide manufactured from genuine water buffalo hide, tightly coiled and pressed three times under powerful hydraulic presses to ensure uniform quality and maximum durability.



Product Number	Size Ref.	Face Ø (mm)	Length (mm)	Weight each	Order Code THO-527	Price/1 TB
01-008	A	25	230	340g	-0100A	1303.00
01-010	1	32	280	600g	-0101B	1777.00
01-012	2	38	305	825g	-0102C	2034.00
01-014	3	44	305	1300g	-0103D	2527.00
01-016	4	50	355	2000g	-0104E	3317.00
01-022	5	70	405	3150g	-0105F	5261.00
01-022	5	70	900	3150g	-0106G	3605.00

Copper Faced Hammers

Malleable iron head with two pure electrolytic copper faces, for high impact blows. Solid wooden handle.



Due to the fluctuating price of **COPPER**, SURCHARGES may apply

Product Number	Size Ref.	Face Ø (mm)	Length (mm)	Weight each	Order Code THO-527	Price/1 TB
04-308	A	25	230	475g	-0160G	1012.00
04-310	1	32	280	850g	-0161H	1600.00
04-312	2	38	305	1300g	-0162J	2192.00
04-314	3	44	305	1975g	-0163K	2784.00
04-316	4	50	355	2950g	-0164L	4561.00
04-316WT	4	50	355	2950g	-0164T	4561.00
04-317	4	50	760	3350g	-0165M	5272.00
04-322	5	70	915	6350g	-0167P	10365.00

Dual Purpose Rawhide and Copper Faced Hammers

Malleable iron head with solid wooden handle. The pure electrolytic copper striking face provides a safe high impact blow whilst the rawhide face gives a firm resilient blow that will not mark finished work.



Due to the fluctuating price of **COPPER**, SURCHARGES may apply

Product Number	Size Ref.	Face Ø (mm)	Length (mm)	Weight each	Order Code THO-527	Price/1 TB
03-208	A	25	230	400g	-0150A	1169.00
03-210	1	32	280	725g	-0151B	1612.00
03-212	2	38	305	1070g	-0152C	2073.00
03-214	3	44	305	1650g	-0153D	2666.00
03-216	4	50	355	2500g	-0154E	3850.00
03-222	5	70	915	5150g	-0155F	8825.00

Aluminium Faced Hammers

Malleable iron head fitted with solid shaft and two ductile aluminium faces.



NEW

Product Number	Size Ref.	Face Ø (mm)	Length (mm)	Weight each	Order Code THO-527	Price/1 TB
05-A308	A	25	230	340g	-0500A	567.00
05-A310	1	32	280	660g	-0501B	720.00
05-A312	2	38	305	950g	-0502C	876.00
05-A314	3	44	305	1440g	-0503D	1288.00
05-A316	4	50	355	2200g	-0504E	1854.00

Plastic Faced Hammers

Malleable iron head, fitted with two white high molecular weight polythene striking faces for high impact applications.




NEW

Product Number	Size Ref.	Face Ø (mm)	Length (mm)	Weight each	Order Code THO-527	Price/1 TB
18-908	A	25	220	470g	-0400A	670.00
18-910	1	32	280	600g	-0401B	824.00
18-912	2	38	305	790g	-0402C	1029.00
18-914	3	44	310	1700g	-0403D	1236.00
18-916	4	50	355	2000g	-0404E	1679.00
18-922	5	70	405	3000g	-0405F	2524.00

Spare Striking Faces

For malleable iron head hammers and split head hammers.



Due to the fluctuating price of **COPPER**, SURCHARGES may apply

Product Number	Size Ref.	Face Ø (mm)	Weight each	Order Code THO-529	Price/1 TB
Rawhide					
70-8R	A	25	18g	-0115A	350.00
70-10R	1	32	36g	-0116B	361.00
70-12R	2	38	54g	-0117C	415.00
70-14R	3	44	73g	-0118D	464.00
70-16R	4	50	97g	-0119E	652.00
70-22R	5	70	203g	-0120F	1148.00
Copper					
71-308C	A	25	86g	-0171N	249.00
71-310C	1	32	145g	-0172P	391.00
71-312C	2	38	241g	-0173Q	541.00
71-314C	3	44	352g	-0174R	757.00
71-316C	4	50	540g	-0175S	1148.00
71-322C	5	70	1283g	-0176T	2310.00
Aluminium					
71-310AF	1	32	47g	-0141E	98.00
Plastic					
77-908SPF	A	25	15g	-0411G	129.00
77-910SPF	1	32	20g	-0412H	160.00
77-912SPF	2	38	38g	-0413J	205.00
77-914SPF	3	44	47g	-0414K	258.00
77-916SPF	4	50	74g	-0415L	335.00
77-922SPF	5	70	146g	-0416M	499.00
Nylon					
76-125NF	1	32	20g	-0125L	258.00
76-150NF	2	38	32g	-0126M	283.00
76-175NF	3	44	47g	-0127N	304.00
76-200NF	4	50	63g	-0128P	464.00
76-275NF	5	70	138g	-0129R	567.00