

GROUP 539 CLAMPS

KENNEDY
QUALITY TOOLING

Lightweight Pressed Steel G-Clamps

Welded steel frame with chrome-plated steel screw, handle and swivel shoes.
Suitable for light duty applications.



Capacity (mm)	Throat Depth	Weight each	Order Code KEN-539	Price/1 TB
Standard				
25	27	80g	-1970K	148.00
50	25	130g	-1980K	181.00
75	35	310g	-1990K	272.00
100	48	600g	-2000K	390.00
Deep				
63	66	360g	-2010K	236.00

Medium Duty G-Clamps

Engineer's clamps with cast anti-twist ribbed frame. For tradesmen, light engineering, woodworker's etc.



Capacity (mm)	Throat Depth	Weight each	Order Code KEN-539	Price/1 TB
75	40mm	0.75kg	-2730K	360.00
100	52mm	1.40kg	-2740K	380.00
150	82mm	2.00kg	-2760K	550.00



Heavy Duty G-Clamps

Manufactured from drop forged ribbed anti-twist frame steel suited to fabrication and other heavy applications, etc.



Capacity (mm)	Throat Depth	Weight each	Order Code KEN-539	Price/1 TB
50	33mm	0.35kg	-2020K	361.00
75	40mm	0.75kg	-2030K	464.00
100	52mm	1.40kg	-2040K	670.00
150	82mm	2.00kg	-2060K	922.00
200	100mm	3.00kg	-2080K	1391.00
250	123mm	5.10kg	-2100K	3245.00
300	127mm	7.60kg	-2120K	3399.00

Extra Heavy Duty G-Clamps


Manufactured from drop forged steel ribbed anti-twist frame suited to fabrication and welding applications, etc.



Capacity (mm)	Throat Depth	Weight each	Order Code KEN-539	Price/1 TB
50	32mm	0.45kg	-2220K	417.00
75	43mm	0.70kg	-2230K	515.00
100	52mm	1.40kg	-2240K	675.00
150	72mm	1.90kg	-2260K	1344.00
200	110mm	4.50kg	-2280K	1957.00
250	123mm	6.00kg	-2300K	2853.00
300	130mm	9.00kg	-2320K	4151.00

Extra Heavy Duty G-Clamps - Copper Plate Screw

Manufactured from drop forged ribbed anti-twist frame steel suited to fabrication and welding applications, etc. Resistant to rusting and weld spatter.



Capacity (mm)	Throat Depth	Weight each	Order Code KEN-539	Price/1 TB
50	40mm	0.60kg	-2420K	469.00
75	50mm	0.70kg	-2430K	649.00
100	65mm	1.30kg	-2440K	881.00
150	90mm	3.00kg	-2460K	1499.00
200	110mm	4.50kg	-2480K	2019.00
250	130mm	5.90kg	-2500K	3381.00
300	150mm	9.10kg	-2520K	4208.00

Heavy Duty Deep Throat Clamps

Specialist clamp manufactured from drop forged steel, with extra throat depth for clamping workpieces further in from the edges, allowing a greater range of applications.



Capacity (mm)	Throat Depth	Weight each	Order Code KEN-539	Price/1 TB
50	60mm	460g	-2620K	509.00
75	80mm	955g	-2630K	811.00
100	115mm	2195g	-2640K	1131.00

Spare Shoes for Heavy, Medium Duty & Deep Throat G-Clamps


Shoe to fit (mm)	Weight each	Order Code KEN-567	Price/1 TB
50	10g	-5020K	52.00
75	15g	-5030K	57.00
100	30g	-5040K	67.00
150	40g	-5060K	129.00



SENATOR
QUALITY TOOLING

Light Duty Cast G-Clamps

Light duty cast steel. Suitable for tradesmen, engineers, woodworkers etc.




Capacity	Weight each	Order Code SEN-539	Price/1 TB
50mm	195g	-1020K	153.00
100mm	675g	-1040K	331.00
150mm	1340g	-1060K	533.00

KENNEDY
QUALITY TOOLING

90° Welding Angle Clamp

One man set up and operation, made from cast iron, copper plated spindle for spatter protection, T-Handle enables high pressure for secure clamping, easy fixing to a work bench or machine tool table.




NEW

Capacity (mm)	Weight each	Order Code KEN-539	Price/1 TB
60mm	05.3kg	-0360K	2575.00
90mm	10.5kg	-0390K	3348.00

G-Clamp Adaptor

Acts as a 'third arm' allowing many clamping set-ups not normally possible without the use of additional or oversized clamps. Locates onto the cross-section of the clamp frame allowing clamping pressure to be applied between the clamp frame and the workpiece.






G-Clamp Adaptor	Weight each	Order Code KEN-539	Price/1 TB
95mm (3 3/4")	420g	-3590K	834.00

KENNEDY
QUALITY TOOLING

Cantilever Clamps

Deep throat for greater access. Fully rotational nylon padded jaws. All-metal construction with steel pivot pins and powder-coat finish makes it ideal for assembly. Not recommended for heavy fabrication.



Capacity (mm)	Throat Depth (mm)	Weight each	Order Code KEN-539	Price/1 TB
165	120	1.30kg	-6060K	894.00

Spring Action Gripper Clamps

Designed for speed and convenience. One hand operation gripping most materials. Durable non marking jaws pivot to hold irregular shaped workpieces. Contoured handle for non-slip grip with serrated jaws for extra firm holding.



Provides a Third Hand

PACK OF 4




Overall Length	Jaw Opening (max.)	Throat Depth	Weight per 4	Order Code KEN-539	Price/Pk TB
120mm	40mm	45mm	248g	-5300K	134.00
150mm	60mm	65mm	250g	-5320K	206.00
210mm	90mm	100mm	772g	-5340K	263.00

Gripper Clamp Set

Spring loaded clamps, as above.

12 Piece Set Contents:

4x 120mm,
4x 150mm,
4x 210mm.



12 PIECES


Number of Pieces	Weight	Order Code KEN-539	Price/1 TB
12	1564g	-5400K	567.00

Sash Clamps

Used for a wide range of long reach clamping applications. SG ductile cast iron heads and slides, bars are manufactured from bright drawn steel. Main screw and handles are made from high grade steel.



Unique spring load pin mechanism:
For quick and easy adjustment. Can't drop out during use.



Group 445


High Grade Steel for Heavy Duty Applications

Capacity (mm)	Weight each	Order Code KEN-539	Price/1 TB
600	2.20kg	-3820K	2730.00
910	2.75kg	-3840K	3322.00
1220	3.25kg	-3860K	3529.00
1670	4.00kg	-3880K	3381.00

SENATOR
QUALITY TOOLING

Lightweight Sash Clamps

Manufactured from high grade lightweight aluminium. Lever sprung quick adjust tail slide mechanism allows one-handed instant adjustment. Large 3" clamping pads help reduce footprint on the workpiece. Designed for clamping large work pieces during assembly.



Capacity (mm)	Weight each	Order Code SEN-539	Price/1 TB
600	838g	-4020K	657.00
900	970g	-4040K	828.00
1200	1.0kg	-4060K	1018.00

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

GROUP 539 CLAMPS

KENNEDY
PROFESSIONAL

One Handed Quick Action Bar Clamps

Kennedy Professional Dual Action Quick Clamps are designed for use one handed for speed and convenience. The pistol grip handle houses a ratchet clamping mechanism that incrementally applies clamping force when you pull the trigger. To release or reposition the clamp jaw hold down the quick release button and slide the jaw along the bar. Can be used as a bar clamp or as a spreader simply by turning the handle around.

Features include: 90mm throat depth. Clamping force of up to 180kg. Quick release buttons for both jaws allows them to be positioned quickly anywhere on the bar and can be turned around to act as a spreader. Heavy duty steel bar. Non-slip clamp faces.



NEW

**UP TO
180kg
PRESSURE**

**2-IN-1 CLAMP
OR SPREADER**

Capacity (mm)	Spread Range (mm)	Clamping Force	Order Code KEN-539	Price/1 TB
175	190 - 425	180kg	-3330K	927.00
325	190 - 580	180kg	-3360K	1029.00
475	190 - 730	180kg	-3390K	1133.00
625	190 - 880	180kg	-3420K	1339.00
925	190 - 1125	180kg	-3450K	1648.00

SENATOR
QUALITY TOOLING

One-Handed Speed Clamp

Manufactured from pressed steel for strength and durability. Trigger adjustment based on the sealant cartridge applicator gun. Quick release thumb lever. High strength hexagonal steel thrust rod with swivel shoe for clamping non parallel surfaces. High strength plastic contact pads.



Capacity (mm)	Throat Depth (mm)	Order Code SEN-539	Price/1 TB
100	56	-5500K	366.00

KENNEDY
QUALITY INDUSTRIAL TOOLING

One-Handed, Quick Action Bar Clamps

Designed for speed and convenience with a comfortable ratchet handle design. The pistol grip handle allows you to hold the clamp and slide the jaw to work with one hand. Fitted with a quick release button and soft interchangeable pads which eliminate the need to find wood blocks to protect your work. Can be used as a bar clamp and can also convert into a spreader in seconds without the need for any other tools.



**THROAT DEPTH
85mm**

**UP TO
90kg
PRESSURE**

**2-IN-1 CLAMP
OR SPREADER**


Capacity (mm)	Spread Range (mm)	Clamping Force	Order Code KEN-539	Price/1 TB
150	120-350	90kg	-3060K	546.00
300	180-500	90kg	-3120K	597.00
450	180-650	90kg	-3180K	881.00
600	180-800	90kg	-3240K	1278.00



KENNEDY T-Handle Clamps

General purpose. Manufactured from medium heat treated carbon steel finished with nickel and chrome plating. Steel T-spindle for extra clamping force.

Quick Action



Capacity (mm)	Throat Depth (mm)	Order Code KEN-539	Price/1 TB
160	80	-0500K	894.00
200	100	-0520K	1101.00
250	110	-0540K	1178.00
300	110	-0560K	1723.00
400	110	-0580K	1782.00
500	110	-0600K	1960.00
600	110	-0620K	2197.00

Wooden Handle Speed Clamps

Manufactured from medium heat treated carbon steel with nickel and chrome plated finish. With a straight wooden handle for easy clamping.

Easy To Use



Capacity (mm)	Throat Depth (mm)	Order Code KEN-539	Price/1 TB
120	60	-0800K	716.00
160	80	-0820K	894.00
200	100	-0840K	1131.00
250	130	-0860K	1308.00
300	130	-0880K	1723.00
400	110	-0900K	1842.00
600	110	-0940K	2137.00

Heavy Duty T-Handle Clamps

Manufactured from heat treated carbon steel for extra strength. Finished with nickel and chrome plating. Textured T-spindle for extra clamping force.

Thicker Section For Greater Strength





Capacity (mm)	Throat Depth (mm)	Order Code KEN-539	Price/1 TB
150	60	-4200K	1427.00
200	100	-4220K	1842.00
300	100	-4280K	1930.00

Heavy Duty T-Handle Multi-Hold Clamps

Manufactured from heat treated carbon steel for extra strength. Finished with nickel and chrome plating. Textured T-spindle for extra clamping force. Supplied with three replaceable clamping pads for versatility.

Extremely Versatile



Capacity (mm)	Throat Depth (mm)	Order Code KEN-539	Price/1 TB
250	120	-4320K	3263.00
300	120	-4340K	3796.00
400	120	-4360K	3914.00
500	120	-4380K	4032.00
600	120	-4400K	4151.00

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR