Pro-Torq Groove Waterpump Pliers


Double polished head and joint with hardened steel jaws. The dual material grip handle manufactured with a polypropylene core for strength and durability with a soft thermoplastic outer for non-slip comfort grip. Ideal for environments where repetitive work is undertaken. Joint protector stops the handles closing together,



		3		
Overall Length	Jaw Opening	Weight each	Order Code KEN-558	Price/1 TB
265mm (10½")	45mm	420g	-6960K	981.00

Box Joint Waterpump Pliers

The slip joint head design prevent the pliers from twisting when pressure is applied. Hardened steel, ground jaws, sliding pivot joint for a wide range of jaw openings. Satin finish. The joint protector stops the handles closing together, preventing trapped fingers. Bonded anti slip vinyl grips



Groove Joint Waterpump Pliers

HAND TOOLS

Hardened chromed steel jaws. Sliding pivot joint allows the widest range of jaw openings. The handles cannot be closed together, preventing trapped fingers.



Overall Length	Jaw Opening	Weight each	Order Code KEN-558	Price/1 TB	
190mm (7 ¹ / ₂ ") 255mm (10") 320mm (12 ¹ / ₂ ") 405mm (16")	30mm 45mm 55mm 100mm	280g 400g 425g 580g	-3670K -3680K -3700K -3710K	673.00 786.00 1324.00 1852.00	
					_

Plastic Pipe Gripping Pliers

Ideal for screwing and unscrewing plastic pipe joints, round union nuts etc. up to 65mm diameter 4-position adjustable slip joint. Serrated gripping jaws with removable plastic jaw covers. Manufactured from chrome vanadium electric steel, oil-hardened and tempered with bonded vinyl grip for improved comfort and control.



Spring-Loaded Soft Touch Slip Joint Water Pump Pliers

Manufactured from hardened and tempered chrome vanadium steel with corrosion-resistant chemically blacked finish. Vinyl grip for improved comfort and control. Replaceable soft grip plastic inserts allow delicate or finished components to be gripped without damage. Eight position groove with spring-loaded rapid jaw adjustment.


Overall length: 250mm. Capacity: 40mm.



	Overall Length	Weight each	Order Code KEN-558	Price/1 TB
	250mm (10")	400g	-8920K	651.00
١	Soft Jaws To Suit Above	5g	-8930K	57.00

Slip Joint YAMOTO **Waterpump Pliers**

Industrial quality chrome vanadium steel, chemically blacked. With a sliding pivot to give a wide range of jaw openings. Bi-material grips.



Groove Joint Waterpump Pliers


Manufactured from chrome vanadium steel with a satin finish. Textured grip handles for improved comfort and control. Groove joint for quick adjustment with serrated jaws for extra grip.



Overall Length	Weight each	Order Code SEN-558	Price/1 TB
200mm (8")	275g	-4670K	250.00
255mm (10")	385g	-4680K	525.00
305mm (12")	415g	-4700K	550.00
420mm (16½")	570g	-4710K	1200.00

Box Joint Waterpump Pliers

Chrome vanadium steel with bonded vinyl coated handles. Overall length: 255mm (10").



3-Piece Professional Quality Chrome Vanadium Plier Sets



Contents	Product	Weight	Order Code	Price/1
	Number	each	KEN-558	TB
Adjustable Wrench 150mm Diagonal Cutters 160mm Combination 160mm	501-106 558-332 558-353	490g	-9820K	1576.00



Contents	Product Number	Weight each	Order Code KEN-558	Price/1 TB
Snipe Nose 160mm Diagonal Cutters 160mm Combination 160mm	558-321 558-332 558-352	490g	-9830K	2049.00



Contents	Product	Weight	Order Code	Price/1
	Number	each	KEN-558	TB
Adjustable Wrench 205mm Groove Joint 190mm Combination 180mm	501-108 558-367 558-346	840g	-9810K	2256.00



Contents	Product	Weight	Order Code	Price/1
	Number	each	KEN-558	TB
Snipe Nose 205mm Diagonal Cutters 180mm Linesman Combi 205mm	558-323 558-333 558-358	830g	-9850K	1803.00



Contents	Product	Weight	Order Code	Price/1
	Number	each	KEN-558	TB
Groove Joint 255mm Diagonal Cutters 180mm Combination 160mm	558-368 558-433 558-454	1000g	-9840K	2098.00

Pro-Torq Comfort Grip Pliers

Manufactured from specially selected steels. The dual material grip handle design allows the user to apply the greatest force with the minimum amount of effort. Manufactured with a polypropylene core for strength and durability with a soft thermoplastic outer for non-slip comfort grip. Especially suitable for production line environments where repetitive work is undertaken.



Number of Pieces	Contents		Order Code KEN-558	Price/1 TB
3	Snipe Nose 165mm Diagonal Nippers 140mm Combination Pliers 165mm	0.65kg	-7000K	1442.00
4	Groove Joint 265mm Snipe Nose 215mm Diagonal Nippers 165mm Combination Pliers 200mm	1.45kg	-7020K	2498.00

YAMOTO

Chrome Vanadium Plier & Wrench Sets



Manufactured from industrial quality chrome vanadium steel, chemically blacked with laser etched markings and bi-material grips.





HAND TOOLS

Hardened steel body with replaceable soft nylon jaws and bonded vinyl-coated handle. For use on delicate or finished components which normal steel jaw pliers would mark or damage. Dual position joint allows use across a wide range of diameters. With serrated parallel jaws for gripping flat workpieces and curved jaw for gripping nuts, pipes etc.



Overall Length	Jaw Opening	Weight each	Order Code KEN-558	Price/1 TB
165mm	50mm	180g	-8960K	864.00
Pair of Jaws	to suit	10g	-8970K	183.00

Universal Type Combination Pliers with Single Cutter

Chrome vanadium steel, bonded vinyl-coated handle. Double polished head and joint. Induction hardened cutting edges. Also with side cutter and serrated gripping and crimping jaws behind the head.



Overall	Weight	Order Code	Price/1
Length	each	KEN-558	TB
115mm (4½")	100g	-3500K	484.00
150mm (6")	217g	-3520K	518.00
180mm (7")	250g	-3530K	548.00
205mm (8")	367g	-3540K	579.00

Universal Type Combination Pliers with Joint Cutter

Chrome vanadium steel, bonded vinyl coated handle. Double polished head and joint. Induction hardened cutting edges. Also with side cutter, serrated gripping and crimping jaws behind the head and joint cutter for heavy duty wire cutting.



Overall	Weight	Order Code	Price/1
Length	each	KEN-558	TB
180mm (7")	350g	-3460K	537.00

YAMOTO Combination Pliers

Industrial quality chrome vanadium steel, chemically blacked. Particularly useful for engineers and electricians. Serrated jaws for gripping nuts, bolts, studs etc.



Overall Length	Weight each	Order Code YMT-558	Price/1 TB
160mm (6")	180g	-4560K	293.00
185mm (7")	310g	-4570K	331.00
210mm (8")	400g	-4580K	368.00

SENATOR Engineer's Pliers - Slip Joint

Chrome vanadium with a chrome finish and textured grip dipped handles. With serrated parallel jaws for gripping flat workpieces and curved jaw for gripping nuts, pipes etc. Dual position joint allows use across a wide range of diameters.



Overall	Weight	Order Code	Price/1
Length	each	SEN-558	TB
150mm (6")	190g	-4630K	150.00
200mm (8")	250g	-4640K	199.00
255mm (10")	405g	-4650K	250.00

Heavy Duty Lineman's Pliers

Heavy duty standard manufactured from chrome vanadium steel with a satin finish. Serrated jaws for gripping nuts, bolts, studs etc. Side cutting for wire up to 1.6mm diameter.

Also with serrated gripping and crimping jaws behind the head.



Overall Length	Weight each	Order Code SEN-558	Price/1 TB
160mm (63/8")	190g	-4560K	215.00
185mm (7½")	260g	-4570K	250.00
210mm (83/8")	330g	-4580K	275.00

grip handle design allows the user to apply the greatest force with the minimum amount of effort. Manufactured with a polypropylene core for strength and durability with a soft thermoplastic outer for non-slip comfort grip.

Pro-Torg Combination Pliers with Side Cutters


Especially suitable for production line environments where repetitive work is undertaken. Double polished head and joint. Induction hardened cutting edges with serrated jaws for gripping nuts



Overall Length	Weight each	Order Code KEN-558	Price/1 TB
150mm (6")	210g	-6820K	548.00
180mm (7")	293g	-4800K	640.00
200mm (8")	370g	-6840K	600.00

Pro-Torq Insulated Combination Pliers

Especially suitable for production line environments where repetitive work is undertaken. Double polished head and joint for gripping nuts.



Universal Type Heavy Duty Combination Pliers

Universal type heavy duty combination pliers with single cutter. Chrome vanadium steel with heavy duty insulated handle with slip guard. Double polished head and joint. Serrated parallel jaws for gripping flat workpieces and a serrated curved jaw for gripping nuts, etc. Also with side cutter with induction hardened cutting edges.



Overall Length	Weight each	Order Code KEN-558	Price/1 TB
160mm (63/8")	200g	-4520K	542.00
180mm (7")	275g	-4530K	549.00
205mm (8")	370g	-4540K	592.00

ATOR Multi-Function Plier Tools

A range of folding pliers with 'pen-knife' style blades. Featuring knives, can/bottle openers, metal/wood files (single and double cut), screwdrivers, chisels, saw blades, rules, wire benders, fish scalers, hook removers etc. Ideal for maintenance engineers, DIY enthusiast, fishermen and hobbyists.

Manufactured from the finest quality steel.

MTM610: 6 Blade - 10 Function

All stainless steel construction, spring-loaded pliers, easy to open blades.

Folds down to a compact 20 x 70mm.

Plier overall dimensions: 105 x 320mm.

Functions:

35mm clipt point mini knife blade, 5 x 25mm flat screwdriver, bottle opener with 2mm flat driver,

flat single/double cut file with hook remover, 35mm reamer,

tin opener, serrated jaw pliers,

wire cutting jaws, spring return opener, key ring.

6 Blades **10 Functions**

Model	Number of	Order Code	Price/1
Number	Functions	SEN-558	TB
MTM610	10	-5010K	374.00

MTS1016: 10 Blade - 16 Function

All stainless steel construction, easy to open blades. Folds down to a compact 30 x 115mm.

Plier overall dimensions: 55 x 180mm.

Functions:

55mm scalloped edge knife with 8mm chisel blade, 60mm wood cutting blade with hook remover, 65mm clipt point super sharp knife blade,

5 x 22mm flat screwdriver, 7mm flat screwdriver

with bottle opener, 2 x 25mm flat screwdriver

70mm single/double cut file, awl/punch tool. No.4 x 4mm crosspoint

screwdriver, tin opener, long nosed pliers with serrated jaws,

bypass action wire cutters.

10 Blades 16 Functions

Model	Number of	Order Code	Price/1
Number	Functions	SEN-558	TB
MTS1016	16	-5040K	403.00

MTS1015: 10 Blade - 15 Function

All stainless steel construction, easy to open blades. Folds down to a compact 25 x 100mm.

Plier overall dimensions: 50 x 163mm.

Functions:

60mm super sharp knife blade, 60mm scalloped edge knife,

5 x 22mm screwdriver blade,

7 x 25mm screwdriver blade, 2 x 20mm flat screwdriver,

awl/punch tool, 65mm single/double

cut file,

No.0 x 25mm crosspoint screwdriver, inch graduated rule with fish descaler and hook remover, tin opener,

long nose pliers with flat and curved serrated jaws, bypass action wire cutters.

10 Blades 15 Functions

Model	Number of Functions	Order Code	Price/1
Number		SEN-558	TB
MTS1015	15	-5030K	518.00

HAND TOOLS

160mm (63/8")

200mm (8")

HAND TOOLS

serrated jaws for gripping nuts.

Manufactured from specially selected steels. The dual material grip handle

design allows the user to apply the

greatest force with the minimum amount of effort. Manufactured with a polypropylene core for strength and durability with a soft thermoplastic outer for non-slip comfort grip. Especially suitable for production line environments where repetitive work is undertaken. Double polished head and joint. Induction hardened cutting edges with

-4820K

4840K

680.00

818.00

Pro-Torq Bent Nose Pliers with Side Cutter



Pro-Torg Insulated Bent Nose Pliers

165g

190g





Professional Glow Plug Connector Pliers

Suitable for the removal of hard to reach glow plug connectors found on the latest generation of engines. Made from chrome vanadium steel. Composite handle provides added comfort and control.



Bent Nose Pliers with Side Cutter

Chrome vanadium steel, bonded vinyl coated handle. Double polished head and joint with induction hardened cutting edges. Serrated jaws with side cutter.



Overall	Weight	Order Code	Price/1
Length	each	KEN-558	TB
160mm (63/8")	166g	-3250K	435.00
200mm (8")	234g	-3260K	578.00

Flat Nose Pliers

Ideal for general gripping especially thin materials. Bonded vinyl coated handle. Double polished head and joint. Induction hardened cutting edges.



* Serrated jaws

Overall	Weight	Order Code	Price/1
Length	each	KEN-558	TB
140mm (5 ^{1/} ₂ ")	108g	-3020K	514.00
*160mm (6 ³ / ₈ ")	183g	-3050K	496.00

Pointed Nose Assembly Pliers

Bonded vinyl-coated handle. Double polished head and joint with induction hardened cutting edges.



Overall	Weight	Order Code	Price/1
Length	each	KEN-558	TB
120mm (4 ³ / ₄ ")	91g	-3150K	573.00

Electrician's Flat Nose Pliers with Notched Wire Cutter

Bonded vinyl-coated handle. Double polished head and joint.



Overall	Weight	Order Code	Price/1
Length	each	KEN-558	TB
160mm (63/8")	166kg	-3140K	623.00

Snipe Nose Pliers

Chrome vanadium steel, with bonded vinyl coated handle. Double polished head and joint with induction hardened cutting edges. Also with side cutter and serrated gripping and crimping jaws behind the head.



Overall Length	Weight each	Order Code KEN-558	Price/1 TB
140mm (5½")	118g	-3200K	474.00
160mm (6 ³ / ₈ ")	147g	-3210K	496.00
200mm (8")	218g	-3230K	517.00

Long Jaw Round Nose Pliers

Bonded vinyl-coated handle. Double polished head and joint. Induction hardened cutting edges. The round nose jaws allow the forming of loops in wire or thin strips of material.



Long Nose YAMOTO Pliers

142g

160mm (63/8")

Industrial quality chrome vanadium steel, chemically blacked. Ideal for terminal loupe forming, wire manipulation and shape forming in confined spaces. Round jaw finish with smooth action single joints

-3120K

514.00



Overall	Weight	Order Code	Price/1
Length	each	YMT-558	TB
135mm (5 ¹ / ₄ ")	110g	-4180K	214.00
170mm (6 ³ / ₄ ")	110g	-4200K	252.00
190mm (7 ¹ / ₂ ")	120g	-4210K	297.00
200mm (8")	180g	-4230K	309.00

ENATOR Heavy Duty Snipe Nose Plier's with Cutter

Heavy duty standard manufactured from chrome vanadium with satin finish. Built-in serrated section behind head for gripping.

Hard wearing with PVC safety handles



Overall	Weight	Order Code	Price/1
Length	each	SEN-558	TB
125mm (5")	115g	-4200K	243.00
150mm (6")	160g	-4210K	268.00
200mm (8")	215g	-4230K	357.00

Manufactured from specially selected steels. The dual material grip handle design allows the user to apply the



greatest force with the minimum amount of effort. Manufactured with a polypropylene core for strength and durability with a soft thermoplastic outer for non-slip comfort grip. Especially suitable for production line environments where repetitive work is undertaken. Double polished head and joint. Induction hardened cutting edges with serrated jaws for gripping nuts.

Pro-Torq Snipe Nose Pliers with Side Cutter



Overall	Weight	Order Code	Price/1
Length	each	KEN-558	TB
150mm (6")	140g	-6860K	531.00
215mm (8 ¹ / ₂ ")	210g	-6880K	578.00

Pro-Torg Insulated Snipe Nose Pliers

VDC/IEC 900 DIN EN 60900



V			
Overall Length	Weight each	Order Code KEN-558	Price/1 TB
160mm (63/8")	157g	-5020K	554.00
205mm (8")	221d	-5040K	599 00

Heavy Duty Snipe Nose Pliers with Cutter



HAND TOOLS

Chrome vanadium steel, heavy duty handle with slip guard. Double polished head and joint with induction hardened cutting edges. Also with side cutter and serrated gripping and crimping jaws behind the head.



Overall Length	Weight each	Order Code KEN-558	Price/1 TB
140mm (5 ¹ / ₂ ")	125g	-4200K	667.00
160mm (6 ³ / ₈ ")	150g	-4210K	522.00
200mm (8")	200g	-4230K	552.00

Pro-Torg End **Cutting Nippers**

Manufactured from specially selected steels. Dual material grip handle. Manufactured with a polypropylene core for strength and durability with a soft thermoplastic outer for non-slip comfort grip. Double polished head and joint. Induction hardened cutting edges.



Overall	Weight each	Order Code	Price/1
Length		KEN-558	TB
160mm (6 ³ / ₈ ")	261g	-4860K	686.00
200mm (8")	408g	-4880K	785.00

Manufactured from specially selected steels. The dual material grip handle design allows the user to apply the greatest force with the minimum amount of effort. Manufactured with a polypropylene core for strength and durability with a soft thermoplastic outer for non-slip comfort grip. Especially suitable for production line environments where repetitive work is undertaken. Double polished head and joint. Induction hardened cutting edges.


Pro-Torq Diagonal **Cutting Nippers**

HAND TOOLS



Overall	weight	Order Code	Price/1
Length		KEN-558	TB
125mm (5")	170g	-6900K	531.00
165mm (6 ¹ / ₂ ")	210g	-6920K	548.00

Pro-Torq Insulated Diagonal Cutting Nippers



End Cutting Nippers

Bonded vinyl-coated handle, double polished head and joint with induction hardened cutting edges. The robust construction makes these ideal for twisting and cutting wire in the construction industry.



Overall	Weight	Order Code	Price/1
Length	each	KEN-558	TB
160mm (6 ³ / ₈ ")	1.30kg	-3620K	1491.00

High Tensile Diagonal Cutting Pliers

Chrome vanadium steel, with bonded vinyl coated handle. Double polished head and joint. Induction hardened cutting edges.



Overall	Weight each	Order Code	Price/1
Length		KEN-558	TB
160mm (6 ^{3/} 8")	216g	-3410K	668.00
180mm (7")	283g	-3430K	765.00

Heavy Duty Diagonal Cutting Nippers

Heavy duty handle with slip guard. Double polished head and joint. Induction hardened cutting edges.



Overall	Weight	Order Code	Price/1
Length	Per 6	KEN-558	TB
140mm (5 ^{1/} ₂ ")	0.83g	-4300K	529.00
160mm (6 ^{3/} ₈ ")	1.20g	-4320K	542.00
180mm (7")	1.30g	-4330K	724.00

Standard Diagonal **Cutting Nippers**

Bonded vinyl coated handle. Double polished head and joint. Induction hardened cutting edges. Designed to give added strength at the point yet still fit into confined spaces. The cutting edge is offset at a slight angle to the handles to allow close cuts to a flat surface.



Overall	Weight	Order Code	Price/1
Length	Per 6	KEN-558	TB
130mm (5½")	0.75kg	-3300K	484.00
160mm (63/8")	1.10kg	-3320K	518.00
180mm (7")	1.30kg	-3330K	706.00

7" Wire **Rope Cutters**



Contoured steel handles with vinyl grip for improved comfort and control. Heavy duty blades manufactured from tempered and hardened high carbon steel with polished finish. Spring-loaded cutting action for easy one-handed operation with safety lock.

Wire rope capacity: 4.8mm, Spring wire: 1.5mm.



Length	Weight	Order Code	Price/1
(mm)	each	KEN-558	TB
150mm	350g	-5700K	745.00



Chrome vanadium with textured dipped handles for use on hard wire.



Hardened cutting edges.

Also with serrated

Overall		Order Code	Price/1
Length		SEN-558	TB
175mm (7")	180g	-4430K	402.00

Heavy Duty Diagonal Cutting Nippers

Chrome vanadium steel with a satin finish. Also have a serrated section behind the head for gripping. Hard wearing heavy duty PVC safety handles.



Overall Length	Weight each	Order Code SEN-558	Price/1 TB
125mm (5")	170g	-4300K	254.00
150mm (6")	205g	-4320K	278.00
200mm (8")	270g	-4340K	370.00

YAMOTO Diagonal Cutting Nippers

Industrial quality chrome vanadium steel, chemically blacked. Designed to give added strength at the point and allow hard wire to be cut without damaging the edge.



Overall Length	Weight each	Order Code YMT-558	Price/1 TB
130mm (5½")	110g	-4300K	218.00
160mm (6 ¹ / ₄ ")	170g	-4320K	254.00
185mm (7 ¹ / ₄ ")	230g	-4340K	299.00

Heavy Duty Cable Cutters

For use when cutting aluminium and copper cable, using a slicing action. Manufactured from forged steel with PVC dipped handles.

Capacity: 60mm².



Overall	Weight	Order Code	Price/1
Length	each	KEN-558	TB
255mm	516g	-8220K	1491.00

Electronics Shear


Ground carbon steel blades. Cushion springloaded plastic grips. Steel plate spring. Non-bevelled cutting edges for flush cutting.



Grip	Overall	Weight	Order Code KEN-558	Price/1
Type	Length	each		TB
Standard	130mm	75g	-4060K	596.00

Light Duty Cable Cutters

For cutting copper cable, plastic pipe, wooden dowels, rope cord and similar materials up to 10mm diameter. Precision groundand hardened stainless steel blades 50~54HRC. Lightweight polypropylene handles with spring loaded action.



Cutting Capacity	Overall Length	Weight each	Order Code KEN-558	Price/1 TB
10mm	165mm	130g	-5640K	443.00

Cable Cutters

Drop-forged from high carbon micro alloyed steel induction hardened blades. Tough double tempered handles. For cutting copper cable up to 10mm diameter.



Overall	Weight	Order Code	Price/1
Length	each	KEN-558	TB
200mm		-5680K	1027.00

Ratcheting Cable Cutter

Manufactured from high tensile steel. For cutting copper, aluminium and multiple strand cable. Fully hardened cutting edges produce burr-free cuts. Compound lever action for maximum efficiency and moulded cushion grips for user comfort.



Cutting Capacity	Weight each	Order Code KEN-558	Price/1 TB
32mm	675g	-8200K	6525.00
Spare blades	75g	KEN-567-5500K	2073.00

Ratchet Type Cable Cutter

These cable cutters have heat treated cutting edgesi and are designed to cut copper/aluminium cables with minimal distortion.



Cutting		Weight	Order Code	
Capacity	Length	each	KEN-558	TB
32mm	335mm			
38mm	335mm	995g	-9510K	9785.00

PLIERS & GRIPS

Carpenter's Pincers

Ideal for the easy removal of tacks and nails. Bonded vinyl-coated handle, double polished head and joint with induction hardened cutting edges.



Overall Length	Weight Per 6	Order Code KEN-558	Price/1 TB
150mm (6")	2.20kg	-3730K	628.00
180mm (7")	2.00kg	-3740K	680.00
200mm (8")	2.40kg	-3760K	1015.00

Fencing Tool

Chrome vanadium steel, with heavy duty handle with slip guard. Double polished head and joint. Induction hardened cutting edges. Also with serrated gripping and crimping jaws behind the head.



	Overall Length	Weight each	Order Code KEN-558	Price/1 TB
l	270mm (10 ¹ / ₂ ")	716g	-3720K	869.00

Miniature Plier Set

5 Piece Set


Used for precision work on a number of applications. Spring tensioned pliers suited for repetitive use. Fitted with slip-resistant PVC cushion grip handles and heat-treated stainless steel blades.

Hardness: Pliers 42 - 45HRC

of Pi

Nippers 45 - 48HRC.

Set contents: diagonal nippers 90mm; 45° bent nose pliers, pointed nose pliers, round nose pliers, and flat nose pliers all 100mm.



nber ieces	Weight each	Order Code SEN-558	Price/1 TB
5	265g	-8010K	999.00

Lever Type Cable Cutter

These cable cutters have heat-treated cutting edges and are designed to cut copper/aluminium cables with minimal distortion. The soft grip handles are designed for user comfort whilst exerting force.



Cutting	Overall	Weight	Order Code	Price/1	
Capacity	Length	each	KEN-558	TB	
18mm	380mm	3.4kg	-9400K	2202.00	
25mm	550mm	3.4kg	-9410K	4571.00	
40mm	820mm	3.4kg	-9420K	5820.00	



Dissipative handles safely discharge any electrostatic energy, reducing possibility of damage to sensitive items. The dual material grip handle design allows the user to apply the greatest force with the minimum amount of effort. These are manufactured with a polypropylene

core for strength and durability with a soft thermoplastic outer for non-slip comfort grip. Electro Static Dissipative

Spring Loaded Return

Dual Material Grip

Туре	Overall Length	Order Code KEN-558	Price/1 TB
Flat Nose	130mm	-9120K	467.00
Bent Nose	140mm	-9160K	479.00
Long Nose	130mm	-9130K	467.00
Needle Nose	140mm	-9150K	479.00
Micro Diagonal Cutters	110mm	-9060K	435.00
Diagonal Cutters	115mm	-9080K	453.00

Side View End View Head Flat Nose **Bent Nose Long Nose Needle Nose** Micro Diagonal **Cutters** Diagonal Cutters

Electronics Pliers & Cutters

Made from high quality chrome vanadium with ground finish jaws and bonded vinyl grip for user comfort and control. Used for delicate,

fine and accurate work in a continuous production environment. Spring-loaded return for quick repetitive opening and operator comfort.

Overall length: 120mm.

Box Joint

TOOLS

HAND

Distributes tension equally to both sides of each jaw, avoiding 'twisting' of pliers.

Spring Loaded Return

Side View	End View	Head
Flat Nose		
Round Nose		3
Pointed Bent Nose		
Pointed Nose		
Diagonal Cutters		
End Cutters		333
Oblique Cutters		37
0		D-1 /4

Туре	Overall Length	Order Code KEN-558	Price/1 TB
Flat Nose	120mm	-7600K	1391.00
Round Nose	120mm	-7610K	1391.00
Pointed Bent Nose	120mm	-7620K	1610.00
Pointed Nose	120mm	-7630K	1610.00
Pointed Nose - Single Joint	120mm	-7330K	1610.00
Diagonal Cutters	120mm	-7640K	1728.00
End Cutters	120mm	-7650K	1965.00
Oblique Cutters	120mm	-7660K	1899.00

Stainless Steel Pliers & Cutters

Manufactured from heat-treated stainless steel. Hardness: pliers 42 - 45HRC; nippers 45 - 48HRC. Used for delicate, fine and accurate work in a continuous production environment.

Spring-loaded return for quick repetitive opening and operator comfort.


Cushioned foam safe-grip handles for user comfort and control.



Spring

Loaded

Return



Туре	Overall Length	Order Code KEN-558	Price/1 TB
Flat Nose	120mm	-2560K	283.00
Long Nose	120mm	-2530K	283.00
Bent Nose	120mm	-2520K	283.00
Needle Nose	120mm	-2510K	283.00
Diagonal Cutters	120mm	-2540K	283.00
End Cutters	120mm	-2550K	283.00
Long Needle Nose	180mm	-2610K	427.00

Miniature **Pliers**

Made from high quality chrome nickel steel with induction ground cutting edges. Double dipped PVC grips for user comfort and control. Used for delicate, fine and accurate work in a continuous

production environment. Spring loaded return for quick repetitive opening and operator comfort.

Double-Dipped PVC Grips





Side View	End View	Head
Flat Nose		
Bent Nose		
Long Nose		
Needle Nose		
Diagonal Cutters		3
End Cutters		3

Туре	Overall Length	Order Code KEN-558	Price/1 TB
Flat Nose	130mm	-1010K	427.00
Bent Nose	120mm	-1030K	417.00
Long Nose	130mm	-1040K	407.00
Needle Nose	150mm	-1020K	469.00
Diagonal Cutters	110mm	-1050K	479.00
End Cutters	110mm	-1060K	458.00

Set

Supplied in a cushioned zip around case with elasticated tool loops to keep the pliers and cutters secure.

Contents:

1x flat nose - 130mm, 1x bent nose - 120mm,

1x long nose - 130mm,

1x needle nose - 150mm,

1x diagonal cutters - 110mm,

1x end cutters - 110mm.

6 **PIECES**

Number of Pieces	Order Code KEN-558	Price/1 TB
6	-1100K	2796.00

Pro-Torq Miniature Pliers

The dual material grip handle design allows the user to apply the greatest force with the minimum amount of effort. These are manufactured with a polypropylene core for strength and durability with a soft thermoplastic outer for non-slip comfort grip. Made from high quality chrome nickel steel with induction ground cutting edges. Used for delicate, fine and accurate work in a continuous production

Spring-Loaded Return For quick, repetitive work and operator comfort.

Dual Material Grip

environment.



Side View		End View	Head
Flat Nose	-32		
Bent Nose	E		X
Long Nose	22	A	3
Needle Nose			
Diagonal Cutters	>= 1	1.4	2
End Cutters		ارس	3
Туре	Overall Length	Order Code KEN-558	Price/1 TB
Flat Nose Bent Nose Long Nose	130mm 120mm 130mm	-1210K -1230K	520.00 520.00 520.00

Туре	Overall Length	Order Code KEN-558	Price/1 TB
Flat Nose	130mm	-1210K	520.00
Bent Nose	120mm	-1230K	520.00
Long Nose	130mm	-1240K	520.00
Needle Nose	150mm	-1220K	541.00
Diagonal Cutters	110mm	-1250K	469.00
End Cutters	110mm	-1260K	469.00

Set

Supplied in a cushioned zip around case with elasticated tool loops to keep the pliers and cutters secure.

Contents:

1x flat nose - 130mm, 1x bent nose - 120mm,

1x long nose - 130mm,

1x needle nose - 150mm, 1x diagonal

cutters - 110mm, 1x end cutters - 110mm

> 6 **PIECES**





Manufactured from specially selected steels. The dual material grip handle design allows the user to apply the greatest force with the minimum amount of effort. These are manufactured with a polypropylene core for strength and durability with a soft thermoplastic outer for nonslip comfort grip. Double polished head and joint. Induction hardened cutting edges. Especially suitable for production line environments where repetitive work is undertaken.

Sprung Straight Jaw







European Pattern Circlip Pliers

Industrial quality chrome vanadium hardened and tempered. PVC cushion grip handles. Coil sprung to aid operation.



Circlip Capacity	Length (mm)	Order Code KEN-558	Price/1 TB
10 - 25mm	125	-6520K	369.00
12 - 65mm	175	-6570K	416.00
32 - 80mm	250	-6620K	815.00



Circlip Capacity	Length (mm)	Order Code KEN-558	Price/1 TB
10 - 25mm	125	-6530K	369.00
12 - 65mm	175	-6580K	416.00
32 - 80mm	250	-6630K	815.00



Circlip Capacity	Length (mm)	Order Code KEN-558	Price/1 TB
10 - 25mm	125	-6500K	369.00
12 - 65mm	175	-6550K	416.00
32 - 80mm	250	-6600K	815.00



Circlip Capacity	Length (mm)	Order Code KEN-558	Price/1 TB
10 - 25mm	125	-6510K	369.00
12 - 65mm	175	-6560K	416.00
32 - 80mm	250	-6610K	815.00

Circlip Pliers

Long Handled

Industrial quality chrome vanadium hardened and tempered. PVC cushion grip handles. Coil sprung to aid operation.

-6090K

2160.00

Circlip Capacity: 85 - 165mm Overall length: 300mm (12").

490g



Туре	Jaw	Order Code KEN-558	Price/1 TB
Internal	Straight	-6650K	1118.00
	90° angled	-6660K	1156.00
External	Straight	-6670K	1156.00
	90° angled	-6680K	1156.00

Heavy Duty Snap Ring Pliers

Ratcheting

HAND TOOLS

Heat-treated steel circlip pliers for large equipment repair. Replaceable tips and spring ratchet locking mechanism to securely hold against snap ring tension.

Black powder coated. Galvanised tips and lock lever. Insulated

lever handle.

Overall length: 510mm (20").

			9	1
Туре	Jaw	Circlip Capacity	Order Code KEN-558	Price/1 TB
Internal	Straight 90° angled	165 - 300mm	-6700K -6710K	3860.00 3642.00
External	Straight	4.05 000	-6720K	3642.00

Type	Jaw	Capacity	KEN-558	TB	_	_		
Internal	Straight 90° angled	165 - 300mm	-6700K -6710K	3860.00 3642.00	Spare Jaws	Io suit	Order Code KEN-567	Price/1 TB
External	Straight 90° angled	165 - 300mm	-6720K -6730K	3642.00 3642.00	Straight Angled	165 - 300mm	-3820K -3840K	344.00 344.00

HAND

TOOLS

Reversible Circlip Pliers

These straight and bent nose pliers are reversible for both internal and external circlip insertion and removal, made from high grade carbon steel with comfortable insulated handles.

Straight Jaw



Circlip Capacity	Length (mm)	Order Code KEN-558	Price/1 TB
10 - 18mm	150	-5870K	486.00
12 - 25mm	150	-5890K	483.00
18 - 48mm	210	-5910K	534.00

45° Angled Jaw



Circlip Capacity	Length (mm)	Order Code KEN-558	Price/1 TB
10 - 18mm	150	-5880K	486.00
12 - 25mm	150	-5900K	483.00
18 - 48mm	210	-5920K	534.00

Straight & Bent Nose 6 Piece Reversible **Circlip Plier Set**

Contents: one of each type and size as listed above. Supplied in moulded carry case.



Number of Pieces	Weight	Order Code	Price/1
	each	KEN-558	TB
6	1.30g	-5930K	3342.00

Interchangeable Head Circlip Plier Set

Four piece circlip plier set - six tools in one. Internal and external 0°, 45° and 90°.



Number of Pieces	Weight	Order Code	Price/1
	each	KEN-558	TB
4	210g	-6750K	620.00

Heavy Duty Wire Strippers

Multi-purpose tool with alloy steel jaws suitable for stripping, cutting and crimping all types of wire. Automatic wire stripper.



Crimps: non-insulated terminals 1.5, 2.5 and 4 - 6mm 12 - 10, 22 - 18 and 16 - 14 AWG).

Crimps: insulated terminals 1.5, 2.5 and 6mm (10 - 22 AWG).

Capacity: 0.13 - 6.0mm².

Overall	Order Code	Price/1
Length	KEN-558	TB
200mm	-3600K	1136.00

Manufactured from specially selected steels. The dual

material grip handle design allows the user to apply the greatest force with the minimum amount of effort. Manufactured with a polypropylene core for strength and durability with a soft thermoplastic outer for non-slip comfort grip.

Pro-Torq Wire Strippers

Double polished head and joint. Serrated parallel jaws and a serrated curved jaw. Also with side cutter with induction hardened cutting edges. Especially suitable for production line environments where repetitive work is undertaken.



Overall	Weight each	Order Code	Price/1
Length		KEN-558	TB
170mm (7")	223g	-4900K	730.00

Pro-Torq Insulated End Wire Strippers

Especially suitable for production line environments where repetitive work is undertaken. Double polished head and joint with induction hardened cutting edges.



Standard Duty Wire Strippers

Bonded vinyl coated handle, double polished head and joint with induction hardened cutting edges. Brass adjusting screw. Jaws can be reset for perfect stripping every



KEN-558	Price/1 TB
-3590K	560.00


Wire Twisting Pliers

Manufactured from chrome vanadium steel with ground and polished head. Cross knurled jaws with wire cutter. Used for safetywiring critical fasteners and electrical connectors.



Revolving Punch Pliers

Suitable for producing 2, 2.5, 3, 3.5, 4 and 4.5mm holes in a wide range of materials including card, PVC, etc. Hardened steel body with durable epoxy coating. The six revolving punches cutting edges are induction hardened. Compound lever action, requires 70% less force. Moulded contour grips with slip guards.



Revolving Punch Pliers

Standard Duty

250mm (10")

For producing 2, 2.5, 3, 3.5, 4 and 4.5mm holes in a wide range of materials including card, PVC etc. Hardened steel body with durable epoxy coating. Six revolving punches cutting edges are induction hardened. Moulded contour grips.



-3780K

Straight Jaw Bi-Material Handle Grip Wrenches

Rolled chrome vanadium steel bodies, drop-forged hardened steel jaws with corrosion-resistant bright nickel coating. The dual material handle design allows the user to apply the greatest force with the minimum amount of effort. The jaw opening and clamping pressure can be adjusted with the knurled head screw, fitted with wire spring to ensure efficient opening of the jaws. The locking mechanism holds the wrench in place once adjusted, leaving both hands free.



Size	Type	Order Code KEN-558	Price/1 TB
7"	Straight Jaw	-7030K	857.00
10"	Straight Jaw	-7040K	988.00

Grip Wrenches

Rolled chrome vanadium steel bodies, drop forged hardened steel jaws with corrosion-resistant bright nickel coating. The jaw opening and clamping pressure can be adjusted with the knurled head screw, fitted with wire spring to ensure efficient opening of the jaws. The locking mechanism holds the wrench in place once adjusted, leaving both hands free.

Straight Jaw

For general-purpose gripping.



Type/	Overall	Max Clamp	Weight	Order Code	Price/1
Duty	Length	Pressure	Per 10	KEN-558	TB
Standard	125mm (5")	660lb²in	1.90kg	-7050K	392.00
	180mm (7")	880lb²in	2.10kg	-7070K	423.00
	255mm (10")	1320lb²in	5.50kg	-7100K	449.00
Heavy	255mm (10")	2500lb ² in	6.00kg	-7130K	743.00

Set: Details as above.

Number of Pieces	Contents	Order Code KEN-558	Price/1 TB
2	1 each, 125 & 255mm	-7280K	1055.00

Long Nose

Specially designed with long slim jaws to enable access to restricted areas. With quick release.



Overall	Weight	Order Code	Price/1
Length	Per 6	KEN-558	TB
150mm (6")	2.00kg	-8060K	359.00
230mm (9")	3.60kg	-8070K	466.00

Grip Wrenches

Rolled chrome vanadium steel bodies, drop forged hardened steel jaws with corrosion-resistant bright nickel coating.

The jaw opening and clamping pressure can be adjusted with the knurled head screw, fitted with wire spring to ensure efficient opening of the jaws. The locking mechanism holds the wrench in place once adjusted, leaving both hands free.

Curved Jaw

Specially designed to grip circular objects. Ideal for plumbing and general pipe work.



Type/	Overall	Max Clamp	Weight	Order Code	Price/1
Duty	Length	Pressure	Per 10	KEN-558	TB
Standard	125mm (5")	660lb²in	1.90kg	-7150K	392.00
	180mm (7")	880lb²in	2.10kg	-7170K	423.00
	255mm (10")	1320lb²in	5.50kg	-7200K	449.00
Heavy	255mm (10")	2500lb ² in	6.00kg	-7230K	836.00

Set: Details as above.



Number of Pieces	Contents	Order Code KEN-558	Price/1 TB
2	1 each, 125 & 255mm	-7290K	1160.00

Curved Jaw Grip Wrenches

High strength grip wrench bodies are manufactured from rolled chrome vanadium steel with serrated drop forged hardened steel jaws for a positive high strength grip every time. Each wrench is fitted with a wire spring to ensure efficient jaw opening.



Overall	Weight	Order Code	Price/1
Length	each	SEN-558	TB
180mm (7")	310g	-7170K	263.00
255mm (10")	550g	-7200K	311.00

Straight Jaw Grip Wrenches

High strength.



Overall	Weight	Order Code	Price/1
Length	each	SEN-558	TB
180mm (7")	350g	-7070K	263.00
255mm (10")	550g	-7100K	306.00

HAND TOOLS

Hose Clamp

Long rounded jaws with smooth section. For pinching off hoses without serration and gripping small sections of pipes. Invaluable aid for brake repairs on cars.



Diameter	Overall	Weight	Order Code	Price/1
Capacity	Length	each	KEN-558	TB
30mm	235mm	380g	-8180K	1261.00

Self-Levelling Grip Wrenches

The two knurled swivel pads ensure fully flat contact with the workpiece at the clamping point. Suitable for clamping tapered surfaces without slippage. Narrow jaw profile allows use in areas of confined access and where C-clamps cannot reach.



	Capacity (mm)	Overall Length	Weight each	Order Code KEN-558	Price/1 TB
Π	0 - 45	235mm	640g	-8460K	1847.00
	0 - 100	300mm	790g	-8480K	1965.00

Grip Holder

Can be used as a normal C-type clamp or converts most 10"/12" grip wrenches into a versatile portable vice. Steel frame with butterfly



Capacity	Weight	Order Code	Price/1
(mm)	each	KEN-558	TB
0 - 63	200g	-8020K	603.00

Long Jaw Grip Wrenches

High strength grip wrench bodies are manufactured from rolled chrome vanadium steel with serrated drop forged hardened steel jaws for a positive high strength grip every time. Each wrench is fitted with a wire spring to ensure efficient jaw opening.



Overall	Weight	Order Code	Price/1
Length	each	SEN-558	TB
165mm (6 ¹ / ₂ ")	433g	-7260K	232.00
230mm (9")	600g	-7290K	306.00

Ideal Grip Wrench

Heavy duty chrome vanadium. With quick release. Two staged curved jaw design ideal for gripping small and large diameters. Particularly suited to gripping rounded off nuts and circular shaped objects.



Overall	Weight	Order Code	Price/1
Length	each	KEN-558	TB
255mm (10")	600g	-7270K	988.00

Parallel Plus Grip Wrench

Heavy duty chrome vanadium. With quick release. Self-adjusting lower jaw swivels into place. Grips squares, hexagons.



Overall	Weight	Order Code	Price/1
Length	each	KEN-558	TB
255mm (10")	340g	-7250K	

Multi-Purpose Grip Wrench

The jaw configuration allows straight, curved and convex shapes to be gripped.



Capacity	Overall	Weight	Order Code	Price/1
(mm)	Length	each	KEN-558	TB
0 - 63	235mm	630g	-8040K	1248.00

Flat & Convex Grip Wrench

The convex jaw shape allows clearance around small obstacles and the broad jaw profile ensures that flat workpieces are clamped securely.



Capacity	Overall	Weight	Order Code	Price/1
(mm)	Length	each	KEN-558	TB
0 - 100	300mm	810g	-8420K	2172.00



Welder's Clamp




Deep throated, suitable for clamping sheet metal, body panels and sills, with split jaws to allow maximum visibility and access to the working area when welding.

Overall	Weight	Order Code	Price/1
Length	each	KEN-558	TB
280mm (11")	790g	-8000K	1491.00

Locking C-Clamps

0 - 100

HAND TOOLS



890g

1300g

-8610K


-8620K

1705.00

3387.00

Locking C-Clamps - Swivel Pads

300mm 460mm



Capacity (mm)	Overall Length	Weight each	Order Code KEN-558	Price/1 TB
0 - 50	165mm	0.30kg	-8650K	1692.00
0 - 80	320mm	1.00kg	-8660K	2735.00
0 - 125	360mm	1.20kg	-8670K	3036.00
0 - 240	470mm	1.45kg	-8680K	4038.00
0 - 400	630mm	1.75kg	-8690K	4275.00

Axial Grip Wrenches

For auto body repair and steel fabrication. Chrome steel body with narrow profile jaws for confined areas. Straight line jaw motion allows clamping through holes. Push button release for one-handed clamp releasing. No provisional (or track) welding required to hold auto body parts for assembly.

Flanged Lap Joint Clamp

Clamps two flanged adjacent joints.




Capacity	Overall	Weight	Order Code	Price/1
(mm)	Length	each	KEN-558	TB
0 - 15	210	425g	-8330K	2084.00

Flanged, Lap & Adjacent Joint Clamp

Clamps two flanged and adjacent joints.

Jaw width: 45mm. Throat depth: 25mm.



Lap & Spot Weld Joint Clamp

The 'W' shaped jaw allows four consecutive spot welds without moving the tool.

Jaw width: 57mm. Throat depth: 36mm.



Capacity	Overall	Weight	Order Code	Price/1
(mm)	Length	each	KEN-558	TB
0 - 15	195	475g	-8350K	

Lap Joint Clamp

Clamps two lap joints.

Jaw width: 18mm.



Capacity	Overall	Weight	Order Code	Price/1
(mm)	Length	each	KEN-558	TB
0 - 18	195	410g	-8300K	1847.00

Angle Clamp

Clamps two sheet metal pieces of the same thickness at 90° to one another.

Jaw width: 50mm. Throat depth: 15mm.



Capacity	Overall	Weight	Order Code	Price/1
(mm)	Length	each	KEN-558	TB
0 - 10	200	460g	-8320K	3268.00

SENATOR Sheet Metal Clamp



Quick

elease

Lever



The wide jaws distribute the clamping force evenly to prevent damaging the workpiece being handled.

Weight

700g

		R
Price/1 TB		•
TB	79	۸

610.00

Welder's Clamp

Overall

length

255mm (10")



SEN-558

-7300K

Deep throated, suitable for clamping sheet metal, body panels and sills, with split jaws to allow maximum visibility and access to the working area when welding.

Overall	Weight	Order Code	Price/1
Length	each	SEN-558	TB
205mm (8")	680g	-7500K	

Locking C-Clamps



Overall	Weight each	Order Code	Price/1
length		SEN-558	TB
150mm (6")	185g	-7360K	425.00
280mm (11")	800g	-7410K	435.00

Adjustable Bar Clamp



Size	Weight	Order Code	Price/1
	each	SEN-558	TB
250 x 73 x 165mm	1.20kg	-7700K	644.00



Capacity (mm)	Overall length	Weight each	Order Code KEN-558	Price/1 TB
0 - 25	300mm	300g	-8720K	4393.00
0 - 100	330mm	800g	-8740K	5222.00

Table C-Clamp

Five holes in base to allow fixture to work surface as a permanent clamp. Swivel foot to clamp tapered workpieces.



Capacity	Overall	Weight	Order Code	Price/1
(mm)	length	each	KEN-558	TB
0 - 100	300mm	880g	-8160K	2735.00

Sill Clamps

The small gripping jaws allow close-up working. Deep throat enables access around bulky and awkward shapes such as door sills or holding together sheet metal, body panels when welding, gluing or marking off.



Overall	Weight	Order Code	Price/1
Length	each	KEN-558	TB
305mm (12")	1.20kg	-8120K	3036.00