


## GROUP 573 SCREWDRIVER BITS

### KENNEDY Heavy Duty Magnetic Driver

Square section mechanic's pattern handle. Suitable for use with 1/4" hexagon driver bits etc. Hexagonal blade also allows the application of a spanner for high torque.



Overall Length	Weight Per 5	Order Code KEN-573	Price/1 TB
200mm (8")	750g	-7070K	378.00

#### 6-in-1 Handles

Contoured grip plastic grip handle for improved comfort, control and higher torque. In-handle storage of up to six bits. Magnetic bit retention.

EXTENDED RANGE

#### Ratchet

Switchable forward, reverse and fixed positive industrial quality ratchet action. Bright finish chrome vanadium blade.



#### Fixed

Chrome vanadium steel blade with plastic sheaving to prevent damage to fragile components.



Supplied with 25mm long 6mm (1/4") hex bits:



	Crosspoint No.1 and 2.	PZ No.1 and 2.	Flat: 5 and 6mm.	
Handle Type	Ratchet	Ratchet	Fixed	
Overall Length	200mm (8")	200mm (8")	200mm (8")	
Weight each	175g	205g		
Order Code KEN-573	-7040K	-7060K		
Price/1 TB	493.00	567.00		

### KENNEDY Professional Magnetic Screwdriver Bit Set

11 piece 1/4" hexagon bits. Chrome vanadium steel blade with moulded dual grip handle designed for improved user comfort allowing more torque to be applied.

Switchable forward, reverse and fixed positive industrial quality ratchet action. Bright finish chrome vanadium blade.

11  
PIECES



#### Contents

##### 25mm Driver Bits:

- ⊕ Crosspoint: No.1, 2 and 3.
- ⊕ PZ: No.1, 2 and 3.
- ⊖ Flat: 3, 4, 5 and 6mm.




Product Number	Overall Length	Order Code KEN-573	Price/1 TB
DBH100	200mm (8")	-7050K	644.00

### Reversible Blade Screwdriver

145mm long reversible hexagon blade with 6mm flat point and No.2 crosspoint ends. Cabinet handle style.

Overall length: 155mm.




Overall Length	Weight	Order Code KEN-573	Price/1 TB
155mm/6"	55g	-7400K	344.00

### Magnetic Screwdriver Bit Holder

Chrome vanadium steel blade with moulded dual grip handle for improved user comfort allowing more torque to be applied. Fixed blade with a quick release magnetic chuck.

Overall length: 185mm.

Blade length: 80mm.




Overall Length	Order Code KEN-573	Price/1 TB
200mm (8")	-7420K	509.00



**KENNEDY** Screwdriver  
Bits

All Kennedy screwdriver bits have a hardness of 58 - 62HRC. High alloy chrome molybdenum steel for use on hand and power tools.



**1/4" Hex Drive Bits**

Flat



Tip Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
3.0	25	5g	-1360K	38.00
3.0	38	5g	-1760K	46.00
3.5	25	5g	-1370K	38.00
3.5	38	5g	-1770K	46.00
4.0	25	5g	-1380K	37.00
4.0	38	5g	-1780K	46.00
4.5	25	5g	-1390K	37.00
4.5	38	5g	-1790K	34.00
5.0	25	5g	-1400K	38.00
5.0	38	5g	-1800K	46.00
5.0	150	30g	-1170K	165.00
5.5	25	5g	-1410K	38.00
5.5	38	10g	-1810K	34.00
5.5	150	30g	-1172K	165.00
6.0	25	5g	-1420K	38.00
6.0	38	10g	-1820K	46.00
6.0	150	30g	-1174K	165.00
6.5	25	5g	-1430K	38.00
6.5	38	10g	-1830K	34.00
8.0	25	5g	-1460K	38.00
8.0	38	10g	-1860K	46.00
10.0	25	10g	-1500K	49.00

PZ



Point Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
No.0	25	5g	-1100K	52.00
No.1	25	5g	-1110K	38.00
No.1	50	10g	-1710K	46.00
No.1	150	30g	-1160K	165.00
No.2	25	5g	-1120K	38.00
No.2	50	10g	-1720K	46.00
No.2	150	30g	-1162K	165.00
No.3	25	5g	-1130K	38.00
No.3	50	10g	-1730K	46.00
No.3	150	30g	-1164K	165.00
No.4	25	5g	-1140K	52.00

Crosspoint



Point Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
No.0	25	5g	-1000K	38.00
No.1	25	5g	-1010K	38.00
No.1	50	10g	-1610K	46.00
No.1	150	30g	-1150K	165.00
No.2	25	5g	-1020K	38.00
No.2R	25	5g	-1022K	52.00
No.2	50	10g	-1620K	46.00
No.2	150	30g	-1152K	165.00
No.3	25	5g	-1030K	38.00
No.3	50	10g	-1630K	46.00
No.3	150	30g	-1154K	165.00
No.4	25	5g	-1040K	52.00
No.4	32	30g	-1156K	165.00

**1/4" Hexagon Drive Cup Hook Driver Bit**

A hollowed out 'Y' shaped driver bit designed for the driving in of cup hooks.

Overall length: 25mm.

Overall Length	Order Code KEN-573	Price/1 TB
25mm	-7500K	103.00

**1/4" Hex Contractor Packs**

The most popular style driver bits, multi-packed for economy. Supplied in plastic pocket cases that are ideal for the industrial user.

**Insert Bits:** plain shank for use with bit adaptors etc.  
**Direct Bits:** ball recessed for use in power tools.

No.2 PZ



Bit Style	Length (mm)	Pack Qty	Weight/ Pack	Order Code KEN-573	Price/1 TB
Insert	25	10	60g	-1125K	314.00
Insert	50	5	60g	-1725K	192.00
Direct	53	5	60g	-2125K	165.00

No.2 Crosspoint



Bit Style	Length (mm)	Pack Qty	Weight/ Pack	Order Code KEN-573	Price/1 TB
Insert	25	10	60g	-1025K	314.00
Insert	50	5	60g	-1625K	325.00

TX20



Bit Style	Length (mm)	Pack Qty	Weight/ Pack	Order Code KEN-573	Price/1 TB
Insert	25	10	60g	-3705K	361.00

Hexagon



Point Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
3/32"	25	5g	-3350K	38.00
1/8"	25	5g	-3360K	38.00
5/32"	25	5g	-3370K	38.00
3/16"	25	5g	-3380K	38.00
1/4"	25	5g	-3390K	38.00
7/32"	25	5g	-3400K	38.00
5/16"	25	5g	-3410K	38.00
1.5	25	5g	-3430K	62.00
2.0	25	5g	-3440K	62.00
2.5	25	5g	-3450K	38.00
3.0	25	5g	-3460K	38.00
4.0	25	5g	-3470K	38.00
5.0	25	5g	-3480K	38.00
5.5	25	5g	-3485K	72.00
6.0	25	5g	-3490K	38.00
7.0	25	5g	-3500K	38.00
8.0	25	5g	-3510K	38.00
10.0	25	5g	-3530K	62.00

Ball Point Hexagon



Hex Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
1.5	25	5g	-3540K	26.00
2.0	25	5g	-3542K	26.00
2.5	25	5g	-3544K	26.00
3.0	25	5g	-3546K	26.00
4.0	25	5g	-3548K	26.00
5.0	25	5g	-3550K	26.00
6.0	25	5g	-3552K	26.00

Tamperproof Hex



Hex Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
1.5	25	5g	-8680K	117.00
2.0	25	5g	-8682K	117.00
2.5	25	5g	-8684K	117.00
3.0	25	5g	-8686K	117.00
4.0	25	5g	-8688K	117.00
5.0	25	5g	-8690K	117.00
5.5	25	5g	-8692K	117.00
6.0	25	5g	-8694K	117.00
7.0	25	5g	-8696K	117.00
8.0	25	5g	-8698K	117.00

TX



Tip Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
<b>1/4" Hex Bits</b>				
TX5	25	5g	-3558K	52.00
TX6	25	5g	-3560K	46.00
TX7	25	5g	-3570K	46.00
TX8	25	5g	-3580K	46.00
TX9	25	5g	-3590K	46.00
TX10	25	5g	-3600K	46.00
TX15	25	5g	-3650K	46.00
TX20	25	5g	-3700K	46.00
TX25	25	5g	-3750K	46.00
TX27	25	5g	-3770K	46.00
TX30	25	5g	-3800K	46.00
TX40	25	5g	-3900K	46.00
TX45	25	5g	-3910K	52.00
TX50	25	5g	-3920K	52.00

Tamperproof TXS



For repair and servicing on electronic, electrical and mechanical equipment.

Tip Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
TX6	25	4g	-4100K	97.00
TX7	25	4g	-4110K	97.00
TX8	25	4g	-4120K	97.00
TX9	25	4g	-4130K	99.00
TX10	25	4g	-4140K	97.00
TX15	25	4g	-4150K	97.00
TX20	25	4g	-4160K	97.00
TX25	25	4g	-4170K	97.00
TX27	25	5g	-4180K	97.00
TX30	25	5g	-4190K	97.00
TX40	25	5g	-4200K	97.00



# GROUP 573 SCREWDRIVER BITS

**KENNEDY**  
QUALITY • INGENUITY • INNOVATION

## 1/4" Hex Bits

### Tri-Wing

Tip Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
No.0	25	4g	-2900K	34.00
No.1	25	4g	-2910K	34.00
No.2	25	4g	-2920K	38.00
No.3	25	4g	-2930K	38.00
No.4	25	5g	-2940K	38.00
No.5	25	5g	-2950K	38.00
No.6	25	6g	-2960K	38.00
No.7	25	7g	-2970K	52.00
No.8	25	8g	-2980K	52.00

### Phillips ACR® II

Tip Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
No.1	25	5g	-8640K	46.00
No.2R	25	5g	-8642K	46.00
No.2	25	5g	-8644K	46.00
No.3	25	5g	-8646K	46.00

### Phillips ACR®

Tip Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
No.1	25	5g	-8648K	46.00
No.2	25	5g	-8650K	46.00
No.3	25	5g	-8652K	46.00

### Pozi ACR® II

Tip Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
No.1	25	5g	-8630K	46.00
No.2	25	5g	-8632K	46.00
No.3	25	5g	-8634K	46.00

### SIT®

Tip Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
No.10	25	5g	-8620K	89.00
No.20	25	5g	-8622K	89.00
No.25	25	5g	-8624K	89.00
No.30	25	5g	-8626K	89.00
No.40	25	5g	-8628K	89.00

## Double-Ended 1/4" Hex Bits

All with overall length 60mm (2 3/8").

### Crosspoint x Slotted

Tip Width x Size	Weight each	Order Code KEN-573	Price/1 TB
4.5mm x No.1	10g	-5610K	50.00
5.5mm x No.2	10g	-5620K	66.00
7.0mm x No.3	10g	-5630K	66.00

### Slotted x PZ

Tip Width x Size	Weight each	Order Code KEN-573	Price/1 TB
4.5mm x No.1	10g	-5710K	66.00
5.5mm x No.2	10g	-5720K	70.00
7.0mm x No.3	10g	-5730K	70.00

### Crosspoint

Tip Width x Size	Weight each	Order Code KEN-573	Price/1 TB
No.1 x No.2	10g	-5810K	70.00
No.2 x No.3	10g	-5820K	70.00
No.2 x No.2	10g	-5920K	70.00

### PZ

Tip Width x Size	Weight each	Order Code KEN-573	Price/1 TB
No.1 x No.2	15g	-5850K	70.00
No.2 x No.3	15g	-5860K	70.00
No.2 x No.2	15g	-5950K	70.00

### Square

Tip Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
0	25	5g	-8510K	46.00
1	25	5g	-8512K	46.00
2	25	5g	-8514K	46.00
3	25	5g	-8516K	46.00
4	25	5g	-8518K	46.00

### Spline

Tip Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
4	25	5g	-8530K	82.00
5	25	5g	-8532K	82.00
6	25	5g	-8534K	82.00
8	25	5g	-8536K	82.00
10	25	5g	-8538K	82.00

### Spanner

Tip Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
No.4	25	5g	-8660K	117.00
No.6	25	5g	-8662K	117.00
No.8	25	5g	-8664K	117.00
No.10	25	5g	-8666K	117.00
No.12	25	5g	-8668K	117.00

### Torq® Sets

Tip Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
No.4	25	5g	-8600K	94.00
No.5	25	5g	-8602K	94.00
No.6	25	5g	-8604K	94.00
No.8	25	5g	-8606K	94.00
No.10	25	5g	-8608K	94.00
1/4"	25	5g	-8610K	94.00

### Clutch

Tip Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
5/32"	25	5g	-8580K	82.00
3/16"	25	5g	-8582K	82.00
1/4"	25	5g	-8584K	82.00

## 5/16" Hex Bits

### Crosspoint

Point Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
No.1	32mm	5g	-2410K	92.00
No.2	32mm	5g	-2420K	50.00
No.3	32mm	10g	-2430K	50.00
No.4	38mm	10g	-2440K	50.00

### PZ

Point Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
No.1	32mm	10g	-2510K	50.00
No.2	32mm	10g	-2520K	50.00
No.3	32mm	10g	-2530K	50.00
No.4	38mm	10g	-2540K	50.00

### Flat

Point Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
6.0	41mm	15g	-2720K	50.00
8.0	41mm	15g	-2780K	73.00
10.0	41mm	20g	-2800K	78.00
12.0	41mm	20g	-2820K	79.00
14.0	41mm	25g	-2880K	79.00

### TX

Point Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
TX25	35mm	10g	-4250K	55.00
TX30	35mm	10g	-4300K	105.00
TX40	35mm	15g	-4400K	105.00
TX45	35mm	15g	-4450K	105.00
TX50	35mm	15g	-5500K	105.00
TX55	35mm	20g	-5550K	105.00

## 10mm Hex Drive Bits

### TX

Tip Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
TX20	30	13g	-8750K	130.00
	75	43g	-8770K	153.00
TX25	30	13g	-8752K	130.00
	75	43g	-8772K	153.00
TX30	30	13g	-8754K	130.00
	75	43g	-8774K	153.00
TX40	30	14g	-8756K	130.00
	75	44g	-8776K	153.00
TX45	30	15g	-8758K	130.00
	75	45g	-8778K	153.00
TX50	30	16g	-8760K	130.00
	75	46g	-8780K	153.00
TX55	30	18g	-8762K	136.00
	75	48g	-8782K	171.00

### Hexagon

Point Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
4	30	12g	-8800K	52.00
5	30	15g	-8802K	52.00
6	30	16g	-8804K	52.00
7	30	15g	-8806K	52.00
8	30	16g	-8808K	52.00
10	30	19g	-8810K	52.00
12	30	24g	-8812K	62.00
4	75	42g	-8820K	62.00
5	75	44g	-8822K	62.00
6	75	44g	-8824K	62.00
7	75	45g	-8826K	62.00
8	75	46g	-8828K	62.00
10	75	64g	-8830K	62.00
12	75	67g	-8832K	62.00

### Spline

Point Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
5	30	12g	-8880K	62.00
6	30	13g	-8882K	82.00
8	30	14g	-8884K	82.00
10	30	17g	-8886K	82.00
12	30	18g	-8888K	82.00
5	75	39g	-8900K	82.00
6	75	40g	-8902K	82.00
8	75	42g	-8904K	82.00
10	75	46g	-8906K	93.00
12	75	54g	-8908K	93.00

## Yankee Screwdriver Bit

Manufactured from high quality chrome vanadium steel. To suit Yankee spiral ratchet screwdrivers.

### Heavy Duty

To suit Kennedy 620mm Yankee and Stanley® 131B™ Yankee.

Tip Size	Weight each	Order Code KEN-572	Price/1 TB
FLARED 7.0	40g	-8980K	221.00



Group 572



**KENNEDY Titanium Screwdriver Bits**

Titanium bits improve wear resistance. For use with hand and power tools.

**1/4" Hex Bits - Flat**

Point Size	Length (mm)	Order Code KEN-573	Price/1 TB
5.0	25	-8042K	58.00
6.0	25	-8044K	58.00

**1/4" Hex Bits - Crosspoint**

Point Size	Length (mm)	Order Code KEN-573	Price/1 TB
No.1	25	-8010K	58.00
No.2	25	-8012K	58.00
No.2	50	-8052K	85.00
No.2	150	-8032K	183.00
No.3	25	-8014K	58.00

**1/4" Hex Bits - PZ**

Point Size	Length (mm)	Order Code KEN-573	Price/1 TB
No.1	25	-8020K	58.00
No.1	50	-8060K	85.00
No.2	25	-8022K	58.00
No.2	50	-8062K	85.00
No.2	150	-8030K	183.00
No.3	25	-8024K	58.00
No.3	50	-8064K	85.00

**1/4" Hex Bits - Hex**

Point Size	Length (mm)	Order Code KEN-573	Price/1 TB
2.5	25	-8102K	58.00
3.0	25	-8104K	58.00
4.0	25	-8106K	58.00
5.0	25	-8108K	58.00
6.0	25	-8110K	62.00
8.0	25	-8112K	62.00

**1/4" Hex Bits - TX**

Point Size	Length (mm)	Order Code KEN-573	Price/1 TB
TX10	25	-8152K	62.00
TX15	25	-8154K	62.00
TX20	25	-8156K	62.00
TX25	25	-8158K	62.00
TX30	25	-8160K	62.00
TX40	25	-8162K	65.00

**1/4" Direct Drive Bits - Crosspoint**

Point Size	Length (mm)	Order Code KEN-573	Price/1 TB
No.2	50	-8072K	85.00

**1/4" Direct Drive Bits - PZ**

Point Size	Length (mm)	Order Code KEN-573	Price/1 TB
No.1	50	-8080K	85.00
No.2	50	-8082K	85.00

**1/4" Powerbit - PZ**

Point Size	Length (mm)	Order Code KEN-573	Price/1 TB
No.2	70	-8092K	129.00
No.2	90	-8094K	211.00

**5/16" Hex Bits - Crosspoint**

Point Size	Length (mm)	Order Code KEN-573	Price/1 TB
No.3	30	-8204K	90.00
No.4	30	-8206K	90.00

**5/16" Hex Bits - PZ**

Point Size	Length (mm)	Order Code KEN-573	Price/1 TB
No.2	30	-8212K	90.00
No.3	30	-8214K	90.00
No.4	40	-8216K	93.00

**Desoutter Shank Bits**

5/16" hex. with Desoutter style ball locator.

**Crosspoint**

Point Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
No.2	53	15g	-3020K	58.00
No.2	94	15g	-3180K	90.00

**PZ**

Point Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
No.1	53	15g	-3110K	125.00
No.2	53	15g	-3120K	125.00
No.3	53	20g	-3130K	125.00

**Desoutter Shank Adaptors**

5/16" hexagon shank with Desoutter style ball locator. For use with insert bits.

**Magnetic**

Socket Hex	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
1/4"	46	35g	-6110K	264.00

**Magnetic with Retainer**

Socket Hex	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
1/4"	55	35g	-6030K	495.00

**Socket Adaptor**

1/4" hex. drive.

Square Drive	Length (mm)	Weight each	Order Code KEN-573	Price/1 TB
1/4"	25	30g	-6250K	60.00
1/4"	50	60g	-6260K	52.00

**Socket Driver Adaptor**

1/4" Hexagon drive magnetic bit adaptor socket.

Square Drive	Length (mm)	Weight each	Order Code KEN-573	Price/1 TB
1/4"	25	16g	-8710K	331.00

**Direct Drive Adaptors for Power Tools**

1/4" hexagon shank with ball recess. For use with insert bits.

**Quick Release with Retainer**

Socket Hex	Length (mm)	Weight each	Order Code KEN-573	Price/1 TB
1/4"	60	50g	-6200K	428.00

**Magnetic with Retainer**

Socket Hex	Length (mm)	Weight each	Order Code KEN-573	Price/1 TB
1/4"	74	70g	-6150K	353.00
5/16"	74	50g	-6170K	353.00

**Magnetic**

Socket Hex	Length (mm)	Weight each	Order Code KEN-573	Price/1 TB
1/4"	60	20g	-6010K	249.00

**Direct Drive Bits for Power Tools**

1/4" Hex with ball recess.

**TX**

Point Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
TX7	38	5g	-3950K	55.00
TX8	38	5g	-3960K	55.00
TX9	38	5g	-4000K	55.00
TX10	38	5g	-4010K	55.00
TX15	38	5g	-4020K	55.00
TX20	38	5g	-4030K	55.00
TX25	38	5g	-4040K	55.00
TX27	38	10g	-4050K	70.00
TX30	38	10g	-4060K	55.00
TX40	38	10g	-4070K	55.00

**Flat**

Point Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
4.0	50	10g	-2180K	66.00
4.0	70	10g	-2320K	39.00
4.0	90	15g	-2340K	52.00
4.5	38	5g	-1520K	43.00
5.0	38	5g	-1530K	43.00
5.0	50	10g	-2200K	66.00
5.0	70	15g	-2322K	39.00
5.0	90	15g	-2342K	52.00
6.0	38	5g	-1550K	43.00
6.0	50	10g	-2220K	66.00
6.0	70	15g	-2324K	39.00
6.0	90	20g	-2344K	61.00
8.0	38	10g	-1560K	37.00
8.0	50	15g	-2260K	83.00
8.0	70	20g	-2326K	46.00
8.0	90	30g	-2346K	70.00
10.0	50	15g	-2300K	92.00
10.0	70	30g	-2328K	61.00
10.0	90	40g	-2348K	66.00

**Crosspoint**

Point Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
No.0	50	5g	-2000K	46.00
No.1	38	7g	-1210K	62.00
No.1	50	8g	-2010K	66.00
No.1	70	8g	-1340K	30.00
No.1	100	7g	-1350K	39.00
No.2	38	8g	-1220K	62.00
No.2	50	10g	-2020K	66.00
No.2	70	8g	-1342K	30.00
No.2	100	7g	-1352K	34.00
No.3	38	8g	-1230K	62.00
No.3	50	10g	-2030K	66.00
No.3	70	8g	-1344K	30.00
No.3	100	7g	-1354K	39.00
No.4	50	10g	-2040K	66.00

**PZ**

Point Size	Overall Length	Weight each	Order Code KEN-573	Price/1 TB
No.1	38	7g	-1310K	62.00
No.1	50	10g	-2110K	66.00
No.1	70	20g	-2150K	36.00
No.1	90	21g	-2160K	139.00
No.2	38	8g	-1320K	62.00
No.2	50	10g	-2120K	66.00
No.2	70	20g	-2152K	36.00
No.2	90	25g	-2162K	139.00
No.3	38	8g	-1330K	62.00
No.3	50	10g	-2130K	66.00
No.3	70	20g	-2154K	36.00
No.3	90	25g	-2164K	139.00




## GROUP 573 SCREWDRIVER BITS

### KENNEDY Screwdriver Bit Set

#### Contents:

- Hex:** 2, 2.5, 3, 4, 5 and 6mm.
- PZ:** No.1 x2, No.2 x3, No.3 x2.
- TX:** TX10, TX15, TX20 TX25, TX30, TX40.
- Crosspoint:** No.0, No.1 x2, No.2 x3, No.3 x2.
- Flat:** 3, 4, 5, 6 and 6.5mm.

1/4" magnetic drive adaptor.



**33  
PIECES**

Number of Pieces	Weight each	Order Code	Price/1 TB
33	240g	<b>KEN-573</b>	<b>683.00</b>

#### Flat & Crosspoint Bit Set

- Flat:** 3, 4, 5, 6 and 8mm.
  - Crosspoint:** No.0, 1, 2 and 3.
- All 1/4" hex. x 25mm overall length, complete with quick release 1/4" hexagon bit adaptor.



**10  
PIECES**

Number of Pieces	Weight each	Order Code	Price/1 TB
10	120g	<b>-6410K</b>	<b>596.00</b>

#### Tri-Wing Bit Set

- Tri-Wing:** 0, 1, 2, 3, 4, 5, 6, 7 and 8.
- All 1/4" hex. x 25mm. overall length, complete with quick release 1/4" hexagon bit adaptor.



**10  
PIECES**

Number of Pieces	Weight each	Order Code	Price/1 TB
10	125g	<b>KEN-573</b>	<b>689.00</b>

#### TX Bit Set

- T8, 9, 10, 15, 20, 25, 27, 30 and 40.

All 1/4" hex. x 25mm overall length, complete with quick release 1/4" hexagon bit adaptor.

**10  
PIECES**



Number of Pieces	Weight each	Order Code	Price/1 TB
10	120g	<b>-6430K</b>	<b>622.00</b>

#### Tamperproof TXS Bit Set

- T8, 9, 10, 15, 20, 25, 27, 30 and 40.

All 1/4" hex. x 25mm overall length, complete with quick release 1/4" hexagon bit adaptor.

**10  
PIECES**



Number of Pieces	Weight each	Order Code	Price/1 TB
10	115g	<b>KEN-573</b>	<b>616.00</b>

#### Engineer's Bit Set

All 1/4" hex. x 25mm overall length, complete with magnetic spinner handle, 1/4" hexagon bit adaptor and 1/4" square socket adaptor.

- Hexagon:** 2, 3, 4, 5, 6, 7 and 8mm. 3/32", 1/8", 5/32", 3/16", 1/4", 7/32" and 5/16"

- Flat:** 3, 4, 5, 5.5, 6.5 and 8mm.

- Crosspoint:** No.1, 2 and 3.

- PZ:** No.1, 2 and 3.

Number of Pieces	Weight each	Order Code	Price/1 TB
29	500g	<b>KEN-573</b>	<b>952.00</b>

**29  
PIECES**



#### Mechanic's Bit Set

All 1/4" hex. x 25mm overall length, complete with magnetic spinner handle, 1/4" hexagon bit adaptor and 1/4" square socket adaptor.

- TX:** T6, 7, 8, 9, 10, 15, 20, 25, 27, 30 and 40.

- Crosspoint:** No.1, 2 and 3.

- Flat:** 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5 and 8mm.

- PZ:** No.1, 2 and 3.

Number of Pieces	Weight each	Order Code	Price/1 TB
29	480g	<b>KEN-573</b>	<b>1066.00</b>

**29  
PIECES**



## SCREWDRIVER BITS



### 10mm AF Hexagon Drive Screwdriver Bits

**Torx®**

**Contents:** 1/2" Sq. drive x 10mm Hex. bit holder  
TORX 10 x 75mm: T20, T25, T30, T40, T45, T50 and T55  
TORX 10 x 30mm: T20, T25, T30, T40, T45, T50 and T55  
Torx is a registered trade mark of Camcar/Textron Inc.

**15  
PIECES**



Number of Pieces	Case Type	Weight each	Order Code KEN-573	Price/1 TB
15	Moulded	945g	-6340K	1293.00

### 10mm Hexagon Power Bit Set


This Impact Driver Bit Set is suitable for workshop and manufacturing use. Made from chrome molybdenum the range includes Hexagon, TX and Spline bits with 3/8" and 1/2" x 10mm Bit Adaptors that are suitable for hand and power impact drivers.

**Contents:**  
3/8" and 1/2" Square x 10mm Hexagon Bit Adaptors.

**75mm x 10mm Hexagon bits:**  
**Hexagon:** 4, 5, 6, 7, 8, 10 and 12mm.  
**TX:** Tx20, Tx25, Tx30, Tx40, Tx45, Tx50 and Tx55.  
**Spline:** 5, 6, 8, 10 and 12mm.

**30mm x 10mm Hexagon bits:**  
**Hexagon:** 4, 5, 6, 7, 8, 10 and 12mm.  
**TX:** Tx20, Tx25, Tx30, Tx40, Tx45, Tx50 and Tx55.  
**Spline:** 5, 6, 8, 10 and 12mm.

**40  
PIECES**



Number of Pieces	Case Type	Weight each	Order Code KEN-573	Price/1 TB
40	Moulded	1.75kg	-6490K	1539.00

### Service Set

1/4" hex. bit holders 1/4" and 3/8" square drive.

**1/4" Hex 25mm Long:**

**TX:** T6, 7, 8, 9, 10, 15, 20, 25, 27, 30 and 40.

**Flat:** 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 8 and 10mm.

**Crosspoint:** No. 0, 1, 2 and 3.

**PZ:** No. 1, 2 and 3.

**1/4" Hex 38mm Long:**

**Flat:** 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5 and 8mm.

**1/4" Hex 50mm Long Ball Retainer Fitting:**

**Flat:** 4, 5, 6, 8 and 10mm.

**PZ:** No. 1, 2 and 3.

**Crosspoint:** No. 0, 1, 2, 3 and 4.

**1/4" Hex 50mm Long Plain Hex Shank:**

**Crosspoint:** No. 1, 2 and 3.

**PZ:** No. 1, 2 and 3.

**1/4" Hex 60mm Long Double-Ended:**

No.1 **Crosspoint** x 4.5mm **Flat**

No.1 **PZ** x 4.5mm **Flat**

No.2 **Crosspoint** x 5.5mm **Flat**

No.2 **PZ** x 5.5mm **Flat**

No.3 **Crosspoint** x 6.5mm **Flat**

No.3 **PZ** x 6.5mm **Flat**.

**64  
PIECES**



Number of Pieces	Weight each	Order Code KEN-573	Price/1 TB
64	840g	-6500K	3106.00

**PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR**





### Mechanic's Screwdriver Bit Set

**Crosspoint:** No.1, No.2, No.3.  
**Pozidriv®:** No.1, No.2 (x2), No.3.  
**Torx®:** 6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40.  
**Slotted:** 3, 3.5, 4, 4.5, 5, 5.5, 6.5, 8mm.  
**Spline:** 5, 6, 8, 10mm.  
 1/4" hex x 60mm quick release magnetic bit holder.  
 1/4" square drive.  
 1/4" hex magnetic bit holder.  
 Supplied in a moulded case with a belt clip.

**32  
PIECES**




Number of Pieces	Case Type	Weight each	Order Code <b>KEN-573</b>	Price/1 TB
32	Moulded	260g	<b>-6320K</b>	<b>864.00</b>

### Engineer's Screwdriver Bit Set



**Crosspoint:** No.1, No.2, No.3.  
**Pozidriv®:** No.1, No.2, No.3.  
**Torx®:** 15, 20.  
**Slotted:** 3.5, 4.5, 5, 5.5, 6.5, 8mm.  
**Hexagon:** 2, 3, 4, 5, 6, 8, 10mm, 3/32", 1/8", 5/32", 3/16", 1/4", 5/16".  
**Square:** 1, 2, 3.  
 1/4" hex x 60mm quick release magnetic bit holder.  
 1/4" square drive.  
 1/4" hex magnetic bit holder.  
 Supplied in a moulded case with a belt clip.

**32  
PIECES**




Number of Pieces	Case Type	Weight each	Order Code <b>KEN-573</b>	Price/1 TB
32	Moulded	270g	<b>-6300K</b>	<b>864.00</b>

### Mechanic's Screwdriver Bit Set

**SBM060**  
**Mechanic's screwdriver bit set contents:**  
 1/4" sq. drive dual density spinner handle.  
 1/4" sq. drive - 1/4" Hex Magnetic bit holder.  
**1/4" Hex x 25mm Screwdriver Bits:**  
**Crosspoint:** No.1, No.2, No.3.  
**Pozidriv®:** No.1, No.2, No.3.  
**Torx:** T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40.  
**Slotted:** 3.5, 4.5, 5.5, 6.5, 8.  
**Hexagon:** 1.5, 2, 2.5, 3, 4, 5, 6, 7, 8.  
**Tri-Wing:** No.3, No.4, No.5.  
**Torq Set:** TS.5, TS.6, TS.8, TS.10.  
**SIT:** No.10, No.20, No.25, No.30, No.40.  
**1/4" Sq Drive Single Hex Sockets:**  
 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm.  
 1/4" Hex Y adaptor for cup hook.

Number of Pieces	Case Type	Order Code <b>KEN-573</b>	Price/1 TB
60	Metal	<b>-6360K</b>	<b>1930.00</b>



**60  
PIECES**

### Master Screwdriver Bit Set

1/4" hex x 25mm insert bits. Manufactured from chrome molybdenum. Bit holder made from chrome vanadium hardened steel, tempered and chrome plated. Uniquely packaged in a moulded plastic case for easy organisation and storage.

**Crosspoint:** No.0, No.1, No.2R, No.2, No.3, No.4.  
**Pozidriv®:** No.0, No.1, No.2, No.3, No.4.  
**Square:** 0, 1, 2, 3, 4.  
**Torx®:** T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50.  
**Clutch:** 5/32, 3/16, 1/4.  
**Hex:** 1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10.  
**Slotted:** 3, 3.5, 4.5, 5.5, 6.5.  
**Crosspoint ACR II:** No.1, No.2R, No.2, No.3.  
**Pozidriv® ACR:** No.1, No.2, No.3.  
**Spline:** 4, 5, 6, 8.

**Torq®Set:** 4, 5, 8, 10, 1/4".  
**Spanner:** 4, 6, 8, 10, 12.  
**Torx® Tamper Resistant:** T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40.  
**Hex Tamper Resistant:** 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 7, 8.  
**Tri-Wing:** No.1, No.2, No.3, No.4, No.5.  
 1/4" square drive x 1/4" hex magnetic bit holder - 25mm.  
 1/4" hex x 1/4" hex magnetic bit holder - 60mm.  
 1/4" hex x 1/4" square drive socket adaptor - 25mm.  
 1/4" hex x 1/4" square drive socket adaptor - 50mm.  
 "Y" Adaptor for cup hook or screw eye.

**Dimensions (H x W x D):** 123 x 177 x 35mm.



Number of Pieces	Case Type	Weight each	Order Code <b>KEN-573</b>	Price/1 TB
100	Moulded	690g	<b>-6350K</b>	<b>2167.00</b>


**100**

**KENNEDY** *Impact Driver Sets*

Industrial quality impact driver with switchable forward and reverse screwdriver rotation. When the impact resistant handle is struck with a hammer the downward force is converted by the impact driver's internal mechanism into a powerful high torque screwdriver rotation action. Ideal for ensuring fasteners are securely tightened and for freeing stuck fasteners. Hex drive nose pieces can be removed to allow use with 1/2" square drive impact sockets.

**14-Piece Set**

To suit 5/16" hex, 3/8" and 1/2" square drives. **Complete with: Crosspoint:** No.1, 2, 3 and 4. **Flat Bits:** 6, 8, 10 and 12mm. **Hex Bits:** 4,5, 6 and 8mm.



Number of Pieces	Case Type	Weight each	Order Code KEN-573	Price/1 TB
14	Moulded	1.20kg	-7100K	947.00

**14  
PIECES**

**5-Piece Set**

To suit 5/16" hex and 1/2" square drives. **Complete with: Crosspoint:** No.2 and 3. **Flat Bits:** 8 and 10mm.

**5  
PIECES**



Number of Pieces	Weight each	Order Code KEN-573	Price/1 TB
5	0.75kg	-7080K	583.00

**40  
PIECES**

**40-Piece Impact Driver Set**

1/2" square to 5/16" hexagon bit adaptor 1/2" square to 3/8" hexagon bit adaptor.

**80mm x 3/8" Hexagon bits, Hexagon:** 8mm, 6mm, **TX:** Tx40, Tx45, Tx50, **Crosspoint:** No.2, No.3, **Slotted:** 8mm and 10mm,

**35mm x 3/8" Hexagon bits, Hexagon:** 4mm, 5mm, 6mm, 7mm, 8mm, **TX:** Tx20, Tx25, Tx30, Tx40, Tx45, Tx50,

**Crosspoint:** No.1, 2, 3 & 4, **Slotted:** 5mm, 6mm, 8mm, 10mm, 12mm,

**30mm x 5/16" Hexagon bits, Hexagon:** 10mm, 12mm, **TX:** Tx55, **Spline:** 5mm, 6mm, 8mm, 10mm, and 12mm.



Number of Pieces	Case Type	Weight each	Order Code KEN-573	Price/1 TB
40	Moulded	1.20kg	-7140K	1705.00

**PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR**