

GROUP 580 WORKSHOP SPANNERS



Open Jaw Spanners

Made from forged and hardened steel. Black oxidised finish. Conform to **DIN 894**. **Single-Ended**



Size (mm)	Overall Length	Weight each	Order Code KEN-580	Price/1 TB
6	77	10g	-1060K	70.00
7	78	10g	-1070K	70.00
8	95	20g	-1080K	70.00
9	100	20g	-1090K	82.00
10	105	25g	-1100K	82.00
11	125	34g	-1110K	82.00
12	125	36g	-1120K	89.00
13	135	44g	-1130K	89.00
14	140	52g	-1140K	100.00
15	140	49g	-1150K	136.00
17	160	57g	-1170K	136.00
18	160	65g	-1180K	136.00
19	170	86g	-1190K	136.00
22	195	118g	-1220K	136.00
24	205	145g	-1240K	152.00
27	235	225g	-1270K	177.00
30	260	285g	-1300K	272.00
32	265	330g	-1320K	302.00
36	300	428g	-1360K	331.00
38	300	424g	-1380K	473.00
41	345	545g	-1410K	479.00
46	375	800g	-1460K	776.00
50	410	980g	-1500K	1012.00
55	455	1260g	-1550K	1190.00
60	490	1650g	-1600K	1427.00
65	575	1895g	-1650K	1842.00
70	570	2340g	-1700K	2742.00
75	610	2610g	-1750K	3471.00
80	645	3330g	-1800K	5800.00
85	690	3490g	-1850K	8350.00
90	850	3455g	-1900K	9350.00
95	900	3500g	-1950K	14200.00

Double-Ended
Conform to **DIN 895**.



Size (mm)	Overall Length	Weight each	Order Code KEN-580	Price/1 TB
6x7	95	12g	-3060K	59.00
7x8	108	20g	-3080K	59.00
8x9	117	28g	-3100K	59.00
8x10	115	28g	-3140K	82.00
9x11	122	28g	-3180K	82.00
10x11	122	31g	-3200K	94.00
10x13	123	45g	-3240K	94.00
11x13	140	54g	-3280K	100.00
12x13	140	50g	-3300K	100.00
12x14	142	55g	-3320K	100.00
13x14	142	53g	-3340K	112.00
13x15	160	69g	-3360K	124.00
13x17	160	74g	-3380K	124.00
14x15	160	74g	-3420K	124.00
14x17	160	70g	-3460K	124.00
16x18	170	104g	-3540K	124.00
17x19	170	99g	-3580K	153.00
17x21	193	143g	-3620K	180.00
19x22	195	119g	-3700K	201.00
19x24	205	191g	-3740K	201.00
22x24	220	216g	-3820K	232.00
24x27	244	257g	-3900K	302.00
24x30	265	283g	-4000K	361.00
30x32	273	450g	-4100K	479.00
30x36	305	528g	-4150K	539.00
32x36	305	534g	-4200K	597.00
36x41	340	705g	-4250K	627.00
41x46	380	985g	-4300K	657.00
46x50	420	1170g	-4350K	1172.00
50x55	460	1530g	-4400K	1723.00
55x60	500	1645g	-4500K	2099.00

Reversible Ratchet Podger Spanners

Chrome vanadium steel. Suitable for heavy-duty construction applications. Ratchet action for use in confined spaces. Reversible head has two internal bi-hexagon sizes. Podger wrenches have tapered handle for alignment of fixing holes on jigs and fabrications.



Size	Order Code KEN-580	Price/1 TB
13 & 17mm	-8430K	575.00
17 & 19mm	-8450K	1149.00
19 & 24mm	-8460K	1540.00
24 & 27mm	-8470K	1540.00
27 & 30mm	-8480K	2565.00
30 & 32mm	-8490K	2694.00

Open End Podger Spanners

Designed to engage the nut from the side. As it only engages on two faces of the fastener, care must be taken to ensure that the correct size spanner is always used. Tapered handle for assisting with alignment of fixing holes on jigs and fabrications.



Size	Overall Length	Order Code KEN-580	Price/1 TB
17mm	220	-8510K	488.00
19mm	240	-8520K	551.00
24mm	280	-8530K	664.00
27mm	300	-8540K	816.00
30mm	320	-8550K	1058.00
32mm	340	-8560K	1244.00
36mm	355	-8570K	1450.00
46mm	390	-8590K	2289.00

Ring End Podger Spanners

Cranked handle assists with location of spanner on to fixings within a recess.



Size	Overall Length	Order Code KEN-580	Price/1 TB
17mm	275	-8710K	527.00
19mm	305	-8720K	576.00
24mm	345	-8730K	706.00
27mm	365	-8740K	839.00
30mm	400	-8750K	1129.00
32mm	425	-8760K	1481.00
36mm	460	-8770K	1481.00
46mm	505	-8790K	2487.00

Ring Slogging Spanners

Manufactured from forged and hardened steel with machined drive faces to ensure good contact with the fastener. With flat striking faces to allow hammer blows to be used to loosen or tighten stubborn fasteners. Manufactured to **DIN 7444**.



Size (mm)	Overall Length	Weight each	Order Code KEN-580	Price/1 TB
Metric				
24	165	0.40kg	-7010K	823.00
27	180	0.40kg	-7020K	1082.00
30	190	0.50kg	-7030K	1288.00
32	190	0.50kg	-7040K	1338.00
36	205	0.50kg	-7050K	1750.00
41	230	0.80kg	-7060K	2240.00
46	240	1.00kg	-7070K	2369.00
50	225	1.10kg	-7080K	2780.00
55	270	1.50kg	-7090K	3116.00
60	280	1.80kg	-7100K	3296.00
65	300	2.20kg	-7110K	4326.00
70	330	3.30kg	-7120K	4737.00
75	330	3.30kg	-7130K	5119.00
80	360	4.00kg	-7140K	7622.00
85	360	4.00kg	-7150K	9064.00
90	390	5.50kg	-7160K	11845.00
95	420	5.30kg	-7170K	12463.00
100	420	6.50kg	-7180K	13905.00
105	420	6.50kg	-7190K	15450.00
110	450	8.00kg	-7200K	18540.00
115	450	7.80kg	-7210K	25750.00
120	480	10.0kg	-7220K	26780.00
125	480	9.70kg	-7230K	27810.00
130	520	13.2kg	-7240K	59740.00
135	520	13.0kg	-7250K	62830.00
140	520	18.5kg	-7260K	74160.00
145	580	18.5kg	-7270K	98880.00
150	580	18.2kg	-7280K	106090.00
Inch				
1 ¹ / ₁₆ "	180	0.40kg	-7500K	1126.00
1 ¹ / ₈ "	180	0.40kg	-7510K	1126.00
1 ³ / ₁₆ "	190	0.50kg	-7520K	1126.00
1 ¹ / ₄ "	190	0.50kg	-7530K	1338.00
1 ⁵ / ₁₆ "	190	0.50kg	-7540K	1169.00
1 ³ / ₈ "	205	0.50kg	-7550K	2408.00
1 ⁷ / ₁₆ "	205	0.50kg	-7560K	2408.00
1 ¹ / ₂ "	205	0.50kg	-7570K	2408.00
1 ⁹ / ₁₆ "	230	0.80kg	-7580K	2369.00
1 ⁵ / ₈ "	230	0.80kg	-7590K	2369.00
1 ¹¹ / ₁₆ "	230	0.80kg	-7600K	2369.00
1 ³ / ₄ "	240	1.00kg	-7610K	2487.00
1 ¹³ / ₁₆ "	240	1.00kg	-7620K	2487.00
1 ⁷ / ₈ "	240	1.00kg	-7630K	2487.00
1 ¹⁵ / ₁₆ "	225	1.10kg	-7640K	2606.00
2"	225	1.10kg	-7650K	2724.00
2 ¹ / ₁₆ "	225	1.10kg	-7660K	2843.00
2 ¹ / ₈ "	270	1.50kg	-7670K	2843.00
2 ³ / ₁₆ "	270	1.50kg	-7680K	2961.00
2 ¹ / ₄ "	270	1.50kg	-7690K	3080.00
2 ⁵ / ₁₆ "	280	1.80kg	-7700K	3198.00
2 ³ / ₈ "	280	1.80kg	-7710K	3317.00
2 ⁷ / ₁₆ "	280	1.80kg	-7720K	3376.00
2 ¹ / ₂ "	300	2.20kg	-7730K	3495.00
2 ⁹ / ₁₆ "	300	2.20kg	-7740K	3554.00
2 ⁵ / ₈ "	300	2.20kg	-7750K	3850.00
2 ³ / ₄ "	330	3.30kg	-7760K	4087.00
2 ¹³ / ₁₆ "	330	3.30kg	-7770K	7761.00
2 ⁷ / ₈ "	330	3.30kg	-7780K	8292.00
2 ¹⁵ / ₁₆ "	330	3.30kg	-7790K	8884.00
3"	330	3.30kg	-7800K	9476.00
3 ¹ / ₈ "	360	4.50kg	-7810K	9773.00
3 ¹ / ₄ "	360	4.50kg	-7820K	12618.00
3 ¹ / ₂ "	390	5.50kg	-7840K	13030.00
3 ⁵ / ₈ "	420	5.30kg	-7850K	17768.00
3 ⁷ / ₈ "	420	6.50kg	-7870K	23690.00
4 ¹ / ₄ "	450	8.00kg	-7900K	24875.00
4 ⁵ / ₈ "	450	7.80kg	-7920K	33000.00

HAND TOOLS



EXTENDED RANGE

Open Jaw Slogging Spanners


Forged and hardened steel. Flat striking faces to allow hammer blows to be used to loosen or tighten stubborn fasteners. To **DIN 133**.



Size (mm)	Overall Length	Weight each	Order Code KEN-580	Price/1 TB
Metric				
24	180	0.40kg	-6010K	742.00
27	180	0.40kg	-6020K	823.00
30	190	0.50kg	-6030K	1015.00
32	190	0.50kg	-6040K	1029.00
36	215	0.50kg	-6050K	1370.00
41	235	0.90kg	-6060K	1544.00
46	225	1.20kg	-6070K	2112.00
50	275	1.20kg	-6080K	2421.00
55	300	1.90kg	-6090K	2678.00
60	320	2.60kg	-6100K	3142.00
65	340	3.40kg	-6110K	4326.00
70	375	4.40kg	-6120K	5253.00
75	375	4.40kg	-6130K	7209.00
80	410	6.30kg	-6140K	8239.00
85	410	6.30kg	-6150K	9269.00
90	445	7.30kg	-6160K	9785.00
95	445	7.30kg	-6170K	10815.00
100	485	12.2kg	-6180K	12875.00
105	485	12.2kg	-6190K	13905.00
110	510	13.5kg	-6200K	14935.00
115	510	13.5kg	-6210K	15965.00
Inch				
1 1/16"	180	0.40kg	-6500K	1015.00
1 1/8"	180	0.40kg	-6510K	1029.00
1 3/16"	190	0.40kg	-6520K	1370.00
1 1/4"	190	0.50kg	-6530K	1544.00
1 5/16"	215	0.50kg	-6540K	2112.00
1 3/8"	215	0.50kg	-6550K	2421.00
1 7/16"	215	0.55kg	-6560K	2678.00
1 1/2"	235	0.55kg	-6570K	3142.00
1 9/16"	235	0.55kg	-6580K	4326.00
1 5/8"	235	0.90kg	-6590K	5253.00
1 11/16"	255	0.90kg	-6600K	7209.00
1 3/4"	225	0.90kg	-6610K	8239.00
1 13/16"	225	1.20kg	-6620K	9269.00
1 7/8"	225	1.20kg	-6630K	9785.00
1 15/16"	275	1.50kg	-6640K	10815.00
2"	275	1.50kg	-6650K	12875.00
2 1/16"	275	1.50kg	-6660K	13905.00
2 1/8"	300	1.70kg	-6670K	13905.00
2 3/16"	300	1.90kg	-6680K	13905.00
2 1/4"	300	1.90kg	-6690K	13905.00
2 5/16"	320	2.60kg	-6700K	13905.00
2 3/8"	320	2.60kg	-6710K	13905.00
2 7/16"	320	2.60kg	-6720K	13905.00
2 1/2"	340	3.40kg	-6730K	13905.00
2 9/16"	340	3.40kg	-6740K	13905.00
2 5/8"	340	3.40kg	-6750K	13905.00
2 3/4"	375	4.40kg	-6760K	13905.00
2 13/16"	375	4.40kg	-6770K	13905.00
2 7/8"	375	4.40kg	-6780K	13905.00
2 15/16"	375	4.40kg	-6790K	13905.00
3"	375	4.40kg	-6800K	14420.00
3 1/8" AF	410	6.30kg	-6810K	14523.00
3 1/2" AF	445	7.30kg	-6840K	14626.00
3 5/8" AF	445	7.30kg	-6850K	14729.00
3 7/8" AF	485	12.20kg	-6870K	14935.00
4 1/4" AF	510	13.50kg	-6900K	15450.00

C-Hook Spanners

Chrome vanadium steel. Specifically designed for use with slotted retaining rings. Conform to **DIN 1810A**.



Range (mm)	Overall Length	Weight each	Order Code KEN-580	Price/1 TB
16/20	108	20g	-5160K	373.00
25/28	135	45g	-5250K	390.00
34/36	170	90g	-5340K	390.00
40/42	170	95g	-5400K	390.00
45/50	205	160g	-5450K	390.00
52/55	205	165g	-5520K	509.00
58/62	240	270g	-5580K	580.00
68/75	240	270g	-5680K	657.00
80/90	280	410g	-5800K	1071.00

Scaffolding Tools

Manufactured to surpass the performance test **BS2558: 1954**. The sockets locate directly onto the handle relieving stress on the rivet. All sockets are plated, hardened and stress relieved to ensure they retain their shape.

Double Ended Swing Over Spanner

Swingover handle spanner with a 7/16" Whitworth socket end and 1/2" socket end for use on fixings. Suitable for use with all popular scaffold fixings used in the UK.

Overall length: 320mm.
Bar diameter: 15mm.
Socket size: 7/16"W x 1/2"W.

Socket Size	Weight each	Order Code KEN-580	Price/1 TB
7/16"W x 1/2"W	545g	-9040K	1096.00

Spinner Head Spanner

The handle is produced from a one piece drop forging with a 7/16" and 1/2" Whitworth double ended socket for use on fixings. Features a taper podger end used to line up holes and manipulate fixings. Rotating socket offers a single tool for two fastener sizes.

Overall length: 245mm.
Socket size: 7/16"W x 1/2"W.

Socket Size	Weight each	Order Code KEN-580	Price/1 TB
7/16"W x 1/2"W	490g	-9080K	1303.00

Combination Podger Spanner

Swingover handle spanner with a 7/16" Whitworth socket end for use on fixings. Features a cranked taper square podger end for use on eyebolt and jacking collars.

Overall length: 295mm.
Bar diameter: 15mm.

Socket Size	Weight each	Order Code KEN-580	Price/1 TB
7/16"W	430g	-9060K	741.00

Podger Hammer

Manufactured from a one piece forging. Features a hammer end and cranked round taper podger end used to line up holes and manipulate fixings.

Overall length: 275mm.
Bar diameter: 15mm.
Head diameter: 35mm.
Head length: 45mm.

Head Diameter	Weight each	Order Code KEN-580	Price/1 TB
35mm	660g	-9100K	1537.00

Scaffold Key

Manufactured with a hook end and cranked taper square podger end for aligning and tightening eyebolts, jacking collars and loop fixings, both ends are hardened and tempered to improve tool life.

Overall length: 305mm.
Bar diameter: 15mm.
Head width: 20mm.

Head Width	Weight each	Order Code KEN-580	Price/1 TB
20mm	460g	-9070K	534.00

Single Ended Swing Over Spanners

Single ended swingover handle spanners. Available in 7/16" or 1/2" Whitworth socket end size for use on fixings.

Standard

Heavy Duty

Chunky

Size	Bar Dia.	Type	Order Code KEN-580	Price/1 TB
7/16"	15mm	Standard	-9020K	652.00
7/16"	15mm	Heavy Duty	-9010K	1540.00
7/16"	15mm	Chunky	-9050K	693.00
1/2"	20mm	Standard	-9030K	652.00

HAND TOOLS

GROUP 580/581 RATCHET SPANNERS/BOX SPANNERS

KENNEDY *Box Spanners*



Manufactured from high quality steel tube. Zinc plated for corrosion resistance, each supplied with tommy bar.



HAND TOOLS

Metric	Size	Length (mm)	Weight each	Order Code KEN-581	Price/1 TB
	6 x 7	102	40g	-1060K	93.00
	8 x 9	105	60g	-1080K	93.00
	10 x 11	103	70g	-1100K	96.00
	12 x 13	102	80g	-1120K	102.00
	14 x 15	125	140g	-1140K	129.00
	16 x 17	127	175g	-1160K	143.00
	18 x 19	130	190g	-1180K	166.00
	20 x 21	127	190g	-1200K	165.00
	22 x 23	150	415g	-1220K	166.00
	24 x 25	150	420g	-1240K	178.00
	26 x 27	150	425g	-1270K	297.00

AF	Size	Length (mm)	Weight each	Order Code KEN-581	Price/1 TB
	1/4" x 5/16"	103	60g	-1530K	72.00
	5/16" x 3/8"	100	60g	-1550K	72.00
	3/8" x 7/16"	100	60g	-1560K	72.00
	1/2" x 9/16"	125	145g	-1580K	102.00
	9/16" x 5/8"	127	150g	-1600K	102.00
	11/16" x 3/4"	125	185g	-1630K	131.00

BA	Size	Length (mm)	Weight each	Order Code KEN-581	Price/1 TB
	2 x 3	76	45g	-2220K	77.00
	4 x 5	76	35g	-2240K	77.00
	6 x 7	79	25g	-2260K	77.00
	8 x 9	79	20g	-2280K	77.00
	10 x 10	79	15g	-2300K	77.00

Sets
7 Piece Metric: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17 and 18 x 19mm.
6 Piece AF: 1/4" x 5/16", 5/16" x 3/8", 3/8" x 7/16", 1/2" x 9/16", 9/16" x 5/8" and 11/16" x 3/4".
6 Piece BA: 0 x 1, 2 x 3, 4 x 5, 6 x 7, 8 x 9, 10BA.



Number of Pieces	Weight each	Order Code KEN-581	Price/1 TB
7 Metric	600g	-1450K	415.00
6 Inch	475g	-1950K	515.00
6 BA	175g	-2350K	385.00