



Professional Ratchet Combination Spanners

Chrome vanadium steel with mirror polish finish, preventing oil and dirt from adhering to the spanner, making for easier cleaning and preventing rust. 72-teeth ratcheting system which needs only 5° movement to operate ratchet. Thin wall design for greater access. Conform to **ASME B107.6**.



EXTENDED RANGE



Metric

Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
8	135	38g	-2158K	654.00
10	155	65g	-2160K	721.00
11	160	75g	-2162K	721.00
12	172	85g	-2164K	878.00
13	180	95g	-2166K	878.00
14	190	115g	-2168K	901.00
15	200	135g	-2170K	927.00
16	215	155g	-2172K	979.00
17	230	200g	-2174K	1285.00
18	240	210g	-2175K	1272.00
19	245	235g	-2176K	1285.00
21	285	350g	-2177K	1391.00
22	285	340g	-2178K	1496.00
24	325	475g	-2179K	1647.00
25	325	480g	-2252K	1906.00
26	325	465g	-2253K	2009.00
27	355	600g	-2254K	2163.00
28	360	600g	-2255K	2369.00
30	420	918g	-2257K	2833.00
32	425	880g	-2259K	3348.00

AF

Size (AF)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
3/8"	160	60g	-2144K	618.00
7/16"	168	70g	-2146K	628.00
1/2"	179	90g	-2148K	690.00
9/16"	198	115g	-2150K	762.00
5/8"	214	150g	-2152K	855.00
11/16"	232	185g	-2154K	855.00
3/4"	250	225g	-2156K	906.00

Set

9 Piece Metric: 10, 11, 12, 13, 14, 15, 16, 17 and 19mm.

7 Piece AF: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4".



Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
9 Metric	2560g	-3990K	6341.00
7 AF	2150g	-2230K	2908.00

Ratchet Combination Spanner Set with Sockets

RCS23M - 4 in 1: This wrench set for 10 to 19mm applications comprises open ended wrenches, ratchet ring wrenches, Go-Thru™ single hex ratchet wrenches and 1/4", 3/8" and 1/2" square drive ratchets. All are made from chrome vanadium and are fully plated with a mirror finish. Supplied in a heavy duty fitted metal storage case with locking lid and carry handle.



Ratchet Combination Spanner Set with Sockets

Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
23	3.00kg	-3980K	7439.00

Square Drive Adaptors

Size	Order Code KEN-582	Price/1 TB
1/4" SD (x10mm hex)	-4210K	106.00
3/8" SD (x13mm hex)	-5195K	117.00
1/2" SD (x19mm hex)	-6705K	160.00

4-in-1 Spanner

Ratchet Ring Spanner	Ratchet for use with Go-Thru™ Sockets (supplied)
Open ended spanner	Square Drive Ratchet for use with standard Sockets

Go-Thru™ Sockets

Size	Order Code KEN-582	Price/1 TB
10mm	-3740K	82.00
11mm	-3741K	82.00
12mm	-3742K	89.00
13mm	-3743K	89.00
14mm	-3744K	94.00
15mm	-3745K	100.00
16mm	-3746K	112.00
17mm	-3747K	124.00
18mm	-3748K	136.00
19mm	-3749K	141.00


PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

Bi-hexagonal 15° offset rings with a 72 teeth lever ratcheting system that requires only 5 degree movement to operate, making them ideal for use in tight areas. Made from high quality Chrome Vanadium Steel with mirror polish finish to prevent oil and dirt from adhering to the spanner. Conform to **ASME B107.6**.



NEW

'Flush' fitted reversible switch enables the wrench to move in either direction without sacrificing the overall compact surface of the box end.



Set

9 Piece Metric: 10, 11, 12, 13, 14, 15, 16, 17 and 19mm.



**9
PIECES**

Metric	Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
	8	135	32g	-6808K	829.00
	10	155	56g	-6810K	881.00
	11	160	68g	-6811K	881.00
	12	172	78g	-6812K	958.00
	13	180	96g	-6813K	984.00
	14	190	116g	-6814K	1138.00
	15	200	136g	-6815K	1138.00
	16	215	160g	-6816K	1241.00
	17	230	182g	-6817K	1293.00
	18	240	200g	-6818K	1344.00
	19	245	248g	-6819K	1499.00
	21	285	540g	-6821K	1550.00
	22	285	540g	-6822K	1653.00
	24	325	710g	-6824K	1808.00

Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
9 Metric	1.2kg	-6796K	6700.00

Professional Flex-Head Ratchet Combination Spanners

Chrome vanadium steel with mirror polish finish, preventing oil and dirt from adhering to the spanner, making for easier cleaning and preventing rust. 72-teeth ratcheting system which needs only 5° movement to operate ratchet. Thin wall design for greater access. Head flexes up to 90° in either direction. Conform to **ASME B107.6**.



Set (right) contains spanners and ratchet units which combine to make a set of square drive ratchets for use with standard sockets (supplied separately)

Flex-Head Ratchet Combination Spanner Set With Adaptors

Contains:
Flex head ratchet combination spanners: 10, 11, 12, 13, 14, 15, 16, 17 and 19mm. **Quick release square drive adaptors** - 1/4" SD (x10mm hex); 3/8" SD (x13mm hex); 1/2" SD (x19mm hex). Supplied in a heavy duty fitted storage case.



Metric Ratchet Combination Spanners

Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
10	160mm	58g	-2240K	859.00
11	168mm	80g	-2241K	859.00
12	179mm	90g	-2242K	948.00
13	180mm	105g	-2243K	977.00
14	192mm	130g	-2244K	1007.00
15	200mm	152g	-2245K	1036.00
16	215mm	182g	-2246K	1096.00
17	233mm	213g	-2247K	1126.00
18	237mm	230g	-2248K	1303.00
19	249mm	271g	-2249K	1421.00



**13
PIECES**

Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
10 Metric	2600g	-2250K	6695.00



Short Arm Ratchet Combination Spanners

Manufactured from quality chrome vanadium steel with hardened jaws and high polish mirror finish, corrosion resistant and easy to clean. Conforms to **ANSI 8107.6**.



Metric

Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
10	95	40g	-2188K	444.00
11	100	50g	-2189K	474.00
12	103	55g	-2190K	681.00
13	106	60g	-2191K	741.00
14	114	75g	-2192K	770.00
15	117	90g	-2193K	770.00
16	120	100g	-2194K	770.00
17	127	120g	-2195K	823.00
19	138	155g	-2197K	906.00

AF

Size Inch	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
3/8"	97	45g	-2180K	297.00
7/16"	113	85g	-2181K	355.00
1/2"	108	70g	-2182K	355.00
9/16"	114	85g	-2183K	415.00
5/8"	120	110g	-2184K	474.00
11/16"	127	120g	-2185K	652.00
3/4"	135	155g	-2186K	889.00

Sets

9 Piece Metric:

10, 11, 12, 13, 14, 15, 16, 17 and 19mm.

7 Piece AF:

3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4".



Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
9 Metric	1880g	-2236K	3727.00
7 AF	770g	-2228K	2387.00

Short Arm Combination Spanners

Manufactured from quality chrome vanadium steel with hardened jaws and high polish mirror finish, corrosion-resistant and easy to clean. The jaws and ring are offset at 15° for easier location and application of torque to the fastener. Suitable for use in areas of very restricted access. Conforms to **ASME B107.6**.



WALL DRIVE



Metric

Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
10	97	30g	-2200K	206.00
11	100	40g	-2202K	232.00
12	105	43g	-2204K	258.00
13	110	51g	-2206K	314.00
14	114	65g	-2208K	344.00
15	119	75g	-2210K	355.00
16	124	85g	-2212K	385.00
17	130	95g	-2214K	420.00
18	133	110g	-2216K	420.00
19	140	130g	-2218K	469.00

Set

10 Piece Metric:

10, 11, 12, 13, 14, 15, 16, 17, 18 and 19mm.

**10
PIECES**



Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
10 Metric	840g	-2225K	2630.00

GROUP 582 SPANNERS - COMBINATION

Wall Drive Ring End Feature

The wall drive ring end feature has no points on the internal bi-hexagon ring end. This is achieved by a series of radii that gives a wavy look to the internal bi-hexagon ring end.

The internal radii design promotes the use of higher torque loads to be applied to the fastener through increased surface contact areas.




Fig.1

Fig.1 shows the point loads that occur with standard contact wrenches.

Fig.2 shows the increased surface contact area loads of wrenches with wall drive feature.

The increased contact surface area has three main advantages: Helps to reduce stress to the tool, prolonging tool life. Increases the tightening torque transmission force that can be applied to fasteners. Prevents fastener damage, e.g. 'rounding off'.



Fig.2

KENNEDY Professional Combination Spanners

Manufactured from chrome vanadium steel with highly polished mirror finish. Mirror finish prevents oil and dirt from adhering to the spanner making for easier cleaning and preventing rust. Long reach, wall drive. Conform with **ANSE B107.6**.



Metric

Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
6	130	26g	-3060K	196.00
7	136	30g	-3070K	208.00
8	148	35g	-3080K	208.00
9	167	53g	-3090K	240.00
10	172	57g	-3100K	270.00
11	186	70g	-3110K	270.00
12	197	80g	-3120K	303.00
13	207	88g	-3130K	303.00
14	223	119g	-3140K	361.00
15	233	133g	-3150K	410.00
16	243	145g	-3160K	410.00
17	261	179g	-3170K	468.00
18	270	199g	-3180K	519.00
19	280	220g	-3190K	519.00
20	290	323g	-3200K	643.00
21	301	323g	-3210K	643.00
22	318	361g	-3220K	662.00
23	325	400g	-3225K	728.00
24	338	443g	-3230K	733.00
25	350	540g	-3231K	859.00
26	350	525g	-3232K	995.00
27	370	610g	-3233K	1113.00
28	370	585g	-3234K	1185.00
29	400	715g	-3235K	1244.00
30	400	735g	-3236K	1421.00
32	430	915g	-3237K	1481.00

AF

Size (AF)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
11/32"	143	32g	-3239K	298.00
1/4"	130	26g	-3240K	200.00
5/16"	148	35g	-3250K	206.00
3/8"	167	53g	-3260K	238.00
7/16"	186	70g	-3270K	270.00
1/2"	207	88g	-3280K	303.00
9/16"	223	119g	-3290K	358.00
5/8"	243	145g	-3300K	412.00
11/16"	261	179g	-3310K	468.00
3/4"	280	220g	-3320K	521.00
13/16"	297	296g	-3330K	611.00
7/8"	320	350g	-3340K	666.00
15/16"	340	435g	-3350K	758.00
1"	355	510g	-3360K	852.00

Sets

14 Piece Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19mm.

14* Piece Metric: 6, 8, 9, 10, 13, 14, 15, 17, 19, 22, 24, 27, 30 and 32mm.

18 Piece Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, and 24mm.

26 Piece Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30 and 32mm.

9 Piece AF: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4".

13 Piece AF: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1".



Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
14 Metric	1.65kg	-3960K	4655.00
14* Metric	4.60kg	-3972K	6401.00
18 Metric	2.85kg	-3970K	6669.00
26 Metric	8.90kg	-3974K	11258.00
9 AF	1.00kg	-3920K	3083.00
13 AF	1.95kg	-3930K	6381.00



Industrial Combination Spanners



Manufactured from chrome vanadium steel with a satin finish body and highly polished heads. 15° open jaw angle to shank and ring end offset. Conform to: 5.5mm - 25mm, 1/4" - 1" AF - **DIN 3113**. 26mm - 95mm, 1 1/16" - 2" AF - **ASME B107.6**. 1/8" - 1/2" Whitworth - **DIN 3113 & BS192:1982**. 9/16" - 7/8" Whitworth - **ASME B107.6 & BS192:1982**.

Metric

Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
5.5	93	10g	-2560K	157.00
6	100	14g	-2570K	102.00
7	110	18g	-2580K	102.00
8	120	27g	-2590K	112.00
9	130	33g	-2600K	117.00
10	140	36g	-2610K	122.00
11	150	47g	-2630K	133.00
12	160	55g	-2640K	150.00
13	170	66g	-2660K	158.00
14	180	82g	-2670K	178.00
15	190	90g	-2680K	194.00
16	200	107g	-2690K	225.00
17	210	130g	-2700K	239.00
18	220	138g	-2710K	264.00
19	230	159g	-2720K	282.00
20	240	185g	-2730K	330.00
21	250	193g	-2740K	344.00
22	260	225g	-2750K	369.00
23	260	265g	-2760K	399.00
24	280	294g	-2770K	457.00
25	295	330g	-2780K	471.00
26	295	435g	-2790K	479.00
27	310	387g	-2800K	575.00
28	340	675g	-2810K	624.00
29	340	1280g	-2850K	591.00
30	340	675g	-2820K	670.00
32	360	485g	-2830K	758.00
36	410	600g	-2840K	1012.00
38	430	1280g	-2860K	1071.00
41	460	1800g	-2870K	1427.00
46	500	1900g	-2880K	1486.00
50	540	2350g	-2890K	2966.00
55	560	3085g	-2891K	3353.00
60	600	3750g	-2892K	3610.00
65	675	5700g	-2893K	7500.00
70	675	5400g	-2894K	9500.00
75	720	5700g	-2895K	10500.00
80	720	6500g	-2896K	20650.00
85	730	6800g	-2897K	29000.00
90	730	7000g	-2898K	30000.00
95	750	7200g	-2899K	31050.00

Manufactured from chrome vanadium steel (except * which is made from drop forged carbon steel) with a satin finish body and highly polished heads.



AF

Size (AF)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
1/4"	100	14g	-2260K	87.00
5/16"	120	27g	-2270K	89.00
3/8"	140	33g	-2280K	108.00
7/16"	150	47g	-2290K	129.00
1/2"	170	66g	-2300K	152.00
9/16"	180	82g	-2310K	192.00
5/8"	200	107g	-2320K	201.00
11/16"	210	138g	-2340K	234.00
3/4"	230	159g	-2350K	256.00
7/8"	260	225g	-2360K	308.00
13/16"	250	268g	-2370K	308.00
15/16"	280	294g	-2380K	431.00
1"	295	330g	-2390K	582.00
1 1/16"*	358	540g	-2400K	732.00
1 1/8"*	380	675g	-2410K	504.00
1 1/4"*	418	820g	-2420K	615.00
1 5/16"*	461	972g	-2430K	776.00
1 3/8"*	461	972g	-2440K	834.00
1 7/16"*	486	1280g	-2450K	894.00
1 1/2"*	486	1280g	-2460K	1022.00
1 5/8"*	540	1800g	-2470K	1228.00
1 3/4"*	611	1900g	-2480K	1427.00
1 7/8"*	611	2350g	-2490K	1605.00
2"*	611	2350g	-2500K	1723.00

Sets

Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
11 Metric	2.60kg	-2980K	9925.00
14 Metric	3.10kg	-2900K	6519.00
14* Metric	1.20kg	-2960K	2335.00
18 Metric	2.20kg	-2970K	3868.00
26 Metric	5.75kg	-2910K	7822.00
9 AF	0.80kg	-2920K	1524.00
11 AF	2.65kg	-2940K	9785.00
12 AF	1.80kg	-2930K	2845.00
7 Whitworth	0.95kg	-2950K	1347.00

Whitworth

Size Whit	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
1/8"	140	30g	-3370K	128.00
3/16"	160	50g	-3380K	139.00
1/4"	180	65g	-3390K	168.00
5/16"	200	97g	-3400K	208.00
3/8"	220	150g	-3410K	178.00
7/16"	250	200g	-3420K	196.00
1/2"	280	228g	-3430K	232.00
9/16"*	332	430g	-3440K	242.00
5/8"*	380	690g	-3450K	415.00
11/16"*	418	885g	-3460K	415.00
3/4"*	461	850g	-3470K	534.00
7/8"*	486	930g	-3480K	773.00

Sets:

11 Piece: 26, 27, 28, 29, 30, 32, 36, 38, 41, 46 and 50mm
14 Piece: 6, 8, 9, 10, 13, 14, 15, 17, 19, 22, 24, 27, 30 and 32mm.
14* Piece: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19mm.
18 Piece: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 and 24mm.
26 Piece: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30 and 32mm.
9 Piece AF: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4"
11 Piece AF: *1 1/16", *1 1/8", *1 1/4", *1 5/16", *1 3/8", *1 7/16", *1 1/2", *1 5/8", *1 3/4", *1 7/8" and *2".
12 Piece: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", 15/16" and 1".
7 Piece Whitworth: 1/8", 3/16", 1/4", 5/16", 3/8", 7/16" and 1/2".

Industrial Offset Combination Spanners

Chrome vanadium steel. 15° cranked open end. Offset ring end. Up to 25% longer than conventional **DIN 3113** combination spanners. Conform to **DIN 3113B**.




Metric

Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
6	127	20g	-3880K	183.00
7	135	25g	-3881K	207.00
8	145	35g	-3882K	225.00
9	155	40g	-3883K	231.00
10	167	50g	-3884K	236.00
11	173	55g	-3885K	296.00
12	180	65g	-3886K	296.00
13	195	80g	-3887K	319.00
14	210	95g	-3888K	354.00
15	215	110g	-3889K	361.00
16	230	135g	-3890K	390.00
17	240	160g	-3891K	509.00
18	255	170g	-3892K	539.00
19	265	190g	-3893K	591.00
21	280	240g	-3894K	662.00
22	300	275g	-3895K	776.00
24	320	350g	-3896K	828.00
27	340	565g	-3897K	1486.00
30	360	665g	-3878K	1795.00
32	380	821g	-3879K	2096.00

Set

14 Piece Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19mm.



No. of Pieces	Weight each	Order Code KEN-582	Price/1 TB
14 Metric	1.50kg	-3898K	6165.00

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

GROUP 582 SPANNERS - COMBINATION

YAMOTO Industrial Combination Spanners

Made from chrome vanadium steel with polished head and 15° offset. Conform to **ASME B107.6**.



Size (mm)	Overall Length	Weight each	Order Code YMT-582	Price/1 TB
6	100	14g	-2570K	71.00
7	110	18g	-2580K	71.00
8	120	27g	-2590K	71.00
9	130	33g	-2600K	71.00
10	140	36g	-2610K	85.00
11	150	47g	-2630K	95.00
12	160	55g	-2640K	103.00
13	170	66g	-2660K	112.00
14	180	82g	-2670K	133.00
15	190	90g	-2680K	141.00
16	200	107g	-2690K	159.00
17	210	130g	-2700K	176.00
18	220	138g	-2710K	187.00
19	230	159g	-2720K	196.00

Set 14 Piece
Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19mm.



No. of Pieces	Weight each	Order Code YMT-582	Price/1 TB
14 Metric	1.60kg	-2960K	2028.00

SENATOR QUALITY TOOLING Combination Spanners

Manufactured from drop forged steel with 15° cranked heads. Conform to **ASME B107.6**.



Size (mm)	Overall Length	Weight each	Order Code SEN-582	Price/1 TB
6	100	10g	-2570K	54.00
7	110	14g	-2580K	54.00
8	120	18g	-2590K	66.00
9	130	33g	-2600K	60.00
10	140	36g	-2610K	70.00
11	150	47g	-2630K	76.00
12	160	55g	-2640K	82.00
13	170	66g	-2660K	89.00
14	180	82g	-2670K	89.00
15	190	90g	-2680K	101.00
16	200	107g	-2690K	103.00
17	210	130g	-2700K	105.00
18	220	138g	-2710K	102.00
19	230	159g	-2720K	141.00

Set 14 Piece
Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19mm.



No. of Pieces	Weight each	Order Code SEN-582	Price/1 TB
14 Metric	1.30kg	-2960K	1350.00

E-Torx® Ring Spanners

Manufactured from drop forged chrome vanadium steel. Polished finish. Set is supplied in wallet with hanging holes.



Size	Weight each	Order Code KEN-582	Price/1 TB
E6 x E8	16g	-1200K	178.00
E10 x E12	38g	-1210K	178.00
E14 x E18	81g	-1220K	178.00
E20 x E24	156g	-1230K	232.00

Set 4 Piece E-Torx:
E6 x E8, E10 x E12, E14 x E18 and E20 x E24mm



Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
4	440g	-1240K	618.00

KENNEDY
PROFESSIONAL**12-In-1 Reversible
Ratchet Spanners**

Double ended ratchet spanners with 12 sizes each. These spanners fit mm, inch and E-TORX fasteners saving space and weight in the toolbox. The 72 teeth lever ratcheting system requires only 5 degree movement to operate making them ideal for use in tight areas. Made from high quality chrome vanadium steel with mirror polish finish to prevent oil and dirt from adhering to the spanner.

**Sizes (Per Spanner):**

8, 10, 11 & 13mm/ $\frac{5}{16}$ " $\frac{3}{8}$ " $\frac{7}{16}$ " & $\frac{1}{2}$ "/E10, E12, E14 & E16
14, 16, 17 & 19mm/ $\frac{9}{16}$ " $\frac{5}{8}$ " $\frac{11}{16}$ " $\frac{3}{4}$ "/E18, E20, E22 & E24

Metric	Size Range (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
	8 - 13	160	97g	-6862K	1396.00
	14 - 19	230	263g	-6864K	1602.00

2 Piece Set: One of each as left

Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
2 Pieces	380g	-6870K	2529.00

4-In-1 Reversible Ratchet Spanners

Double ended ratchet spanners with 4 sizes each, saving space and weight in the toolbox. 72 teeth lever ratcheting system that requires only 5° movement to operate, making them ideal for use in tight areas. Made from high quality chrome vanadium steel with mirror polish finish to prevent oil and dirt from adhering to the spanner.



'Flush' fitted reversible switch enables the wrench to move in either direction without sacrificing the overall compact surface of the box end.



Metric	Size Range (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
	8 - 13	160	97g	-6852K	1087.00
	9 - 15	180	125g	-6854K	1190.00
	16 - 19	230	263g	-6856K	1344.00

3 Piece Set

The most commonly used 12 sizes in just three spanners, 8 - 19mm. Supplied with storage roll.

Sizes (per spanner):

8, 10, 12 & 13mm.
9, 11, 14 & 15mm.
16, 17, 18 & 19mm.



Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
3 Metric	510g	-6860K	2838.00

SPANNERS - RING**KENNEDY**
QUALITY INSTRUMENTS EQUIPMENT**Reversible Ratchet
Ring Wrenches**

For use where access is limited. With a built-in ratchet mechanism to provide speed and a reversible action which can be achieved by depressing the reversing lever or by simply turning the wrench over. All ratcheting ring wrenches are manufactured from chrome vanadium steel bi-hex rings.

Straight

Metric	Size (mm)	Overall Length	Weight each	Order Code KEN-582	*Single hexagon Price/1 TB
	6" x 7"	115	65g	-9720K	922.00
	8 x 9	135	80g	-9721K	962.00
	10 x 11	140	90g	-9722K	1024.00
	12 x 13	175	170g	-9723K	1492.00
	14 x 15	210	270g	-9724K	1526.00
	17 x 19	210	260g	-9725K	1736.00
	21 x 22	240	305g	-9726K	1776.00

AF

Size (AF)	Weight each	Order Code KEN-582	Price/1 TB
$\frac{1}{4}$ " x $\frac{5}{16}$ "	60g	-9732K	657.00
$\frac{3}{8}$ " x $\frac{7}{16}$ "	90g	-9733K	675.00
$\frac{1}{2}$ " x $\frac{9}{16}$ "	160g	-9734K	746.00
$\frac{5}{8}$ " x $\frac{11}{16}$ "	270g	-9735K	776.00
$\frac{3}{4}$ " x $\frac{7}{8}$ "	305g	-9736K	834.00

Sets

7 Piece Metric: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 17 x 19 and 21 x 22mm

5 Piece AF: $\frac{1}{4}$ " x $\frac{5}{16}$ ", $\frac{3}{8}$ " x $\frac{7}{16}$ ", $\frac{1}{2}$ " x $\frac{9}{16}$ ", $\frac{5}{8}$ " x $\frac{11}{16}$ " and $\frac{3}{4}$ " x $\frac{7}{8}$ "



Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
7 Metric	1300g	-9730K	9988.00
5 AF	930g	-9740K	2730.00

25° Offset

Metric	Size (mm)	Overall Length	Weight each	Order Code KEN-582	*Single hexagon Price/1 TB
	6" x 7"	115	65g	-9742K	657.00
	8 x 9	135	80g	-9743K	657.00
	10 x 11	140	90g	-9744K	941.00
	12 x 13	175	165g	-9745K	1847.00
	14 x 15	210	260g	-9746K	1526.00
	17 x 19	205	250g	-9747K	1736.00
	21 x 22	235	310g	-9748K	1776.00

AF

Size (AF)	Weight each	Order Code KEN-582	Price/1 TB
$\frac{1}{4}$ " x $\frac{5}{16}$ "	60g	-9752K	922.00
$\frac{3}{8}$ " x $\frac{7}{16}$ "	90g	-9753K	1024.00
$\frac{1}{2}$ " x $\frac{9}{16}$ "	170g	-9754K	1526.00
$\frac{5}{8}$ " x $\frac{11}{16}$ "	265g	-9755K	1736.00
$\frac{3}{4}$ " x $\frac{7}{8}$ "	300g	-9756K	1720.00

Sets Contents:

7 Piece Metric: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 17 x 19 and 21 x 22mm.

5 Piece AF: $\frac{1}{4}$ " x $\frac{5}{16}$ ", $\frac{3}{8}$ " x $\frac{7}{16}$ ", $\frac{1}{2}$ " x $\frac{9}{16}$ ", $\frac{5}{8}$ " x $\frac{11}{16}$ " and $\frac{3}{4}$ " x $\frac{7}{8}$ ".



Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
7 Metric	1280g	-9750K	9988.00
5 AF	930g	-9760K	7531.00

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

Made from chrome vanadium steel with a satin finish body and highly polished heads, with double ended closed jaw bi-hexagon offset. Conform to **DIN 838 Metric & AF, BS 192 : 1982 & BS 3555 : 1998 Whitworth**.



Metric	Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
	6 x 7	180	40g	-1570K	165.00
	8 x 9	190	60g	-1590K	185.00
	8 x 10	200	60g	-1600K	185.00
	10 x 11	205	87g	-1610K	232.00
	10 x 13	220	120g	-1620K	232.00
	12 x 13	220	120g	-1640K	258.00
	13 x 17	270	190g	-1660K	288.00
	14 x 15	235	152g	-1670K	288.00
	16 x 17	250	186g	-1680K	330.00
	17 x 19	270	240g	-1690K	391.00
	18 x 19	270	240g	-1700K	391.00
	19 x 22	290	350g	-1710K	402.00
	19 x 24	330	380g	-1720K	402.00
	20 x 22	290	320g	-1730K	443.00
	21 x 23	315	400g	-1740K	494.00
	22 x 24	330	368g	-1750K	494.00
	24 x 26	335	465g	-1760K	567.00
	24 x 27	340	465g	-1770K	567.00
	24 x 30	362	495g	-1780K	567.00
	25 x 28	360	545g	-1790K	618.00
	27 x 30	380	638g	-1800K	690.00
	30 x 32	380	638g	-1810K	752.00
	30 x 36	420	820g	-1820K	1380.00
	32 x 36	420	900g	-1830K	1380.00
	36 x 41	430	1100g	-1840K	1792.00
	41 x 46	440	1300g	-1850K	4442.00
	46 x 50	505	1570g	-1860K	5330.00

AF	Size AF	Weight each	Order Code KEN-582	Price/1 TB
	1/4" x 5/16"	60g	-1260K	165.00
	5/16" x 3/8"	75g	-1270K	175.00
	3/8" x 7/16"	94g	-1280K	232.00
	7/16" x 1/2"	124g	-1290K	232.00
	1/2" x 9/16"	152g	-1300K	258.00
	9/16" x 5/8"	157g	-1310K	330.00
	5/8" x 11/16"	218g	-1320K	330.00
	11/16" x 3/4"	250g	-1340K	391.00
	3/4" x 7/8"	320g	-1350K	402.00
	13/16" x 7/8"	335g	-1360K	443.00
	15/16" x 1"	465g	-1380K	567.00
	1 1/16" x 1 1/4"	618g	-1410K	690.00

Ring Crescent Wrenches

Chrome vanadium steel with satin chrome finish. Heads conform to **DIN 838**.



Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
10 x 11	142	71g	-3766K	776.00
12 x 13	164	100g	-3768K	947.00
14 x 15	189	157g	-3770K	1166.00
17 x 19	219	172g	-3772K	1427.00

Whitworth

Size Whitworth	Weight each	Order Code KEN-582	Price/1 TB
3/16" x 1/4"	110g	-2010K	178.00
1/4" x 5/16"	150g	-2020K	180.00
5/16" x 3/8"	200g	-2030K	297.00
7/16" x 1/2"	354g	-2050K	355.00
9/16" x 5/8"	490g	-2070K	670.00
1 1/16" x 3/4"	660g	-2100K	889.00

Sets

7 Piece Metric: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17 and 18 x 19mm.

11 Piece Metric: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27 and 30 x 32mm.

5 Piece AF: 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16" and 3/4" x 7/8".

10 Piece AF: 1/4" x 5/16", 5/16" x 3/8", 3/8" x 7/16", 7/16" x 1/2", 1/2" x 9/16", 9/16" x 5/8", 5/8" x 11/16", 11/16" x 3/4", 3/4" x 7/8" and 15/16" x 1".

5 Piece BSW: 3/16" x 1/4", 5/16" x 3/8", 7/16" x 1/2", 9/16" x 5/8" and 1 1/16" x 3/4" BSW.




No. of Pieces	Weight each	Order Code KEN-582	Price/1 TB
7 Metric	1.20kg	-1960K	2524.00
11 Metric	1.90kg	-1970K	5408.00
5 AF	0.92kg	-1920K	1545.00
10 AF	2.00kg	-1930K	5266.00
5 BSW	2.75kg	-1950K	3256.00

Ring Crescent Wrench Sets

4 Piece Metric: - 10 - 19mm

10 x 11mm,
12 x 13mm,
14 x 15mm,
17 x 19mm.



Range (mm)	Weight each	Order Code KEN-582	Price/1 TB
10 - 19	540g	-3776K	4331.00



Professional Flared Nut Ring Spanners

Conform to: **ASME B107.4**. Made from chrome vanadium steel with a highly polished mirror finish. Made to American Federal Standards, giving higher torque therefore improved performance. The wrench will fit over the pipe to give a positive location on the nut. Can be used on hydraulic pipes, brake pipes etc.



Metric Conform with ANSI B107.9M.

Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
8 x 10	145	45g	-1020K	129.00
9 x 11	145	45g	-1030K	144.00
12 x 14	175	90g	-1040K	185.00
13 x 15	170	90g	-1050K	185.00
16 x 17	200	130g	-1060K	299.00

Set

5 Piece Metric: 8 x 10, 9 x 11, 12 x 14, 13 x 15 and 16 x 17mm.

4 Piece AF: 5/16" x 3/8", 3/8" x 7/16", 1/2" x 9/16" and 5/8" x 11/16".



Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
5 Metric	420g	-1090K	927.00
4 AF	270g	-1170K	979.00



AF Conform with ANSI B107.6

Size (AF)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
5/16" x 3/8"	145	45g	-1110K	185.00
3/8" x 7/16"	155	60g	-1120K	304.00
1/2" x 9/16"	175	90g	-1130K	308.00
5/8" x 11/16"	198	130g	-1140K	361.00



Industrial Flared Nut Ring Spanners

Conform to **ASME B107.4**. Made from high quality chrome vanadium steel. Satin finish body with highly polished heads. Offset ends. The wrench will fit over the pipe to give a positive location on the nut. Can be used on hydraulic pipes, brake pipes etc.



Metric Conform with ANSI B107.9M.

Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
6 x 8	135	38g	-3490K	139.00
8 x 10	135	38g	-3500K	157.00
9 x 11	155	54g	-3510K	179.00
10 x 11	155	54g	-3520K	190.00
10 x 12	155	54g	-3530K	200.00
12 x 14	175	95g	-3540K	225.00
13 x 14	175	95g	-3550K	239.00
14 x 17	200	130g	-3590K	263.00
17 x 19	200	130g	-3600K	278.00
19 x 22	225	220g	-3610K	330.00
22 x 24	230	270g	-3620K	353.00
24 x 27	250	340g	-3630K	414.00
30 x 32	275	450g	-3640K	445.00


Set

6 Piece Metric:

6 x 8, 9 x 11, 10 x 12, 13 x 14, 14 x 17 and 19 x 22mm.

5 Piece AF:

1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16" and 3/4" x 7/8".



Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
6 Metric	710g	-3650K	1291.00
5 AF	620g	-3659K	829.00

AF Conform with ANSI B107.9.

Size (AF)	Weight each	Order Code KEN-582	Price/1 TB
1/4" x 5/16"	38g	-3651K	89.00
3/8" x 7/16"	54g	-3652K	115.00
1/2" x 9/16"	95g	-3653K	142.00
5/8" x 11/16"	130g	-3654K	219.00
3/4" x 7/8"	220g	-3655K	252.00

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

**GROUP
582 SPANNERS - OPEN ENDED****KENNEDY Industrial**
Open Ended Spanners

Chrome vanadium steel (except * which are made from drop forged carbon steel) with a satin finish body and highly polished heads, with a 15° offset.

DIN 3110: 4 x 5mm to 32 x 36mm, 1/4" x 5/16" to 1 5/16" x 1 5/8" AF.

ASME B107.39: 36 x 41mm to 46 x 50mm, 1 7/16" x 1 5/8" to 1 13/16" x 2" AF.

DIN 3110 & BS192:1982: 1/8" x 3/16" to 1" x 1 1/8" Whitworth.



Metric	Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
	4 x 5	103	12g	-0530K	155.00
	5 x 5.5	103	15g	-0540K	155.00
	5.5 x 7	122	25g	-0550K	129.00
	6 x 7	122	25g	-0570K	134.00
	7 x 8	122	25g	-0580K	139.00
	8 x 9	140	32g	-0590K	139.00
	8 x 10	140	32g	-0600K	144.00
	10 x 11	156	48g	-0610K	165.00
	10 x 12	156	48g	-0612K	170.00
	10 x 13	172	63g	-0620K	175.00
	11 x 13	172	63g	-0630K	180.00
	12 x 13	172	63g	-0640K	185.00
	12 x 14	172	63g	-0644K	205.00
	13 x 15	186	100g	-0650K	252.00
	13 x 17	188	96g	-0660K	258.00
	14 x 15	188	96g	-0670K	263.00
	14 x 17	188	96g	-0677K	263.00
	16 x 17	204	120g	-0680K	263.00
	17 x 19	220	171g	-0690K	263.00
	18 x 19	220	171g	-0700K	299.00
	19 x 21	234	198g	-0709K	361.00
	19 x 22	234	198g	-0710K	371.00
	19 x 24	234	198g	-0720K	386.00
	20 x 22	234	198g	-0730K	391.00
	21 x 23	247	200g	-0740K	407.00
	22 x 24	247	200g	-0750K	412.00
	24 x 26	266	311g	-0760K	464.00
	24 x 27	266	311g	-0770K	469.00
	24 x 30	285	405g	-0780K	469.00
	25 x 28	285	405g	-0790K	474.00
	30 x 32	302	460g	-0810K	572.00
	27 x 30	302	460g	-0820K	603.00
	27 x 32	302	460g	-0830K	608.00
	30 x 36	319	692g	-0840K	823.00
	32 x 36	319	692g	-0850K	876.00
	*36 x 41	434	1340g	-0860K	1339.00
	*41 x 46	465	1782g	-0870K	1803.00
	*46 x 50	495	2368g	-0880K	2059.00

AF	Size AF	Weight each	Order Code KEN-582	Price/1 TB
	1/4" x 5/16"	25g	-0260K	113.00
	5/16" x 3/8"	32g	-0270K	113.00
	3/8" x 7/16"	48g	-0280K	155.00
	7/16" x 1/2"	63g	-0290K	155.00
	1/2" x 9/16"	80g	-0300K	163.00
	9/16" x 5/8"	96g	-0310K	231.00
	5/8" x 11/16"	120g	-0320K	231.00
	5/8" x 3/4"	170g	-0330K	231.00
	11/16" x 3/4"	171g	-0340K	239.00
	3/4" x 7/8"	198g	-0350K	313.00
	13/16" x 7/8"	220g	-0360K	321.00
	7/8" x 15/16"	260g	-0370K	359.00
	15/16" x 1"	311g	-0380K	402.00
	1" x 1 1/8"	405g	-0400K	412.00
	1 1/16" x 1 1/4"	460g	-0410K	427.00
	1 1/8" x 1 5/16"	460g	-0420K	546.00
	1 3/16" x 1 5/16"	460g	-0430K	572.00
	1 1/4" x 1 3/8"	692g	-0450K	675.00
	1 5/16" x 1 1/2"	692g	-0460K	778.00
	*1 7/16" x 1 5/8"	1340g	-0470K	829.00
	*1 1/2" x 1 5/8"	1340g	-0480K	927.00
	*1 11/16" x 1 7/8"	1782g	-0490K	1339.00
	*1 13/16" x 2"	2368g	-0510K	1494.00

Whitworth	Size Whitworth	Weight each	Order Code KEN-582	Price/1 TB
	1/8" x 3/16"	55g	-0010K	313.00
	3/16" x 1/4"	70g	-0020K	365.00
	1/4" x 5/16"	90g	-0030K	148.00
	5/16" x 3/8"	120g	-0040K	207.00
	3/8" x 7/16"	225g	-0050K	219.00
	7/16" x 1/2"	230g	-0060K	219.00
	1/2" x 9/16"	325g	-0070K	297.00
	9/16" x 5/8"	385g	-0090K	889.00
	9/16" x 11/16"	435g	-0100K	889.00
	5/8" x 11/16"	490g	-0110K	918.00
	5/8" x 3/4"	495g	-0120K	948.00
	11/16" x 3/4"	495g	-0130K	977.00
	3/4" x 7/8"	740g	-0140K	1007.00

Sets:

7 Piece Metric: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17 and 18 x 19mm.

8 Piece Metric: 24 x 26, 25 x 28, 27 x 30, 27 x 32, 32 x 36, *36 x 41, *41 x 46 and *46 x 50mm.

11 Piece Metric: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27 and 30 x 32mm.

5 Piece AF: 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16" and 3/4" x 7/8".

10 Piece AF: 1/4" x 5/16", 5/16" x 3/8", 3/8" x 7/16", 7/16" x 1/2", 1/2" x 9/16", 9/16" x 5/8", 5/8" x 11/16", 11/16" x 3/4", 3/4" x 7/8" and 15/16" x 1".

8 Piece Whitworth: 1/8" x 3/16", 3/16" x 1/4", 1/4" x 5/16", 5/16" x 3/8", 3/8" x 7/16", 7/16" x 1/2", 1/2" x 9/16" and 9/16" x 5/8".



Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
7 Metric	0.64kg	-0960K	1437.00
8 Metric	7.70kg	-0990K	7725.00
11 Metric	1.90kg	-0970K	3142.00
5 AF	0.55kg	-0920K	1029.00
10 AF	1.20kg	-0930K	2524.00
8 Whit	1.50kg	-0950K	2627.00



**Professional
Open Ended Spanners**

Chrome vanadium steel with a highly polished mirror finish preventing oil and dirt from adhering to the spanner. Made to American Federal Standards, extra thick heads offer higher torque forces to be applied therefore improved performance. Conform to **ASME B107.39**



Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
6 x 7	126	25g	-2990K	211.00
8 x 9	135	45g	-3000K	226.00
10 x 11	146	55g	-3010K	283.00
12 x 13	165	90g	-3020K	319.00
14 x 15	185	120g	-3030K	386.00
16 x 17	185	138g	-3040K	438.00
18 x 19	230	210g	-3050K	505.00
20 x 22	250	280g	-3051K	541.00
21 x 23	250	290g	-3052K	603.00
24 x 27	290	400g	-3053K	664.00
30 x 32	360	750g	-3054K	778.00

Set

7 Piece Metric:

6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17 and 18 x 19mm.

12 Piece Metric:

6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27 & 30 x 32mm.



Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
7 Metric	780g	-3900K	2191.00
12 Metric	2730g	-3910K	3855.00



**Open Ended
Spanners**

Drop forged steel with 15° cranked open ends. Conform to **ASME B107.39**.



Metric

Size (mm)	Overall Length	Weight each	Order Code SEN-582	Price/1 TB
6 x 7	122	30g	-0570K	63.00
8 x 9	140	35g	-0590K	70.00
10 x 11	156	50g	-0610K	79.00
12 x 13	172	95g	-0640K	99.00
14 x 15	188	120g	-0670K	122.00
16 x 17	204	180g	-0680K	138.00
18 x 19	220	205g	-0700K	152.00

Set

7 Piece Metric:

6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17 and 18 x 19mm.



Number of Pieces	Weight each	Order Code SEN-582	Price/1 TB
7 Metric	1.25kg	-0960K	762.00



**Industrial
Open Ended Spanners**

Made from chrome vanadium steel with polished head and 15° offset. Conform to **ASME B107.39**.



Metric

Size (mm)	Overall Length	Weight each	Order Code YMT-582	Price/1 TB
6 x 7	122	25g	-0570K	89.00
8 x 9	140	32g	-0590K	95.00
10 x 11	156	48g	-0610K	117.00
12 x 13	172	63g	-0640K	134.00
14 x 15	188	96g	-0670K	166.00
16 x 17	204	120g	-0680K	190.00
18 x 19	220	171g	-0700K	213.00

Set

Metric 7 Piece

6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17 and 18 x 19mm.



Number of Pieces	Weight each	Order Code YMT-582	Price/1 TB
7 Metric	0.85kg	-0960K	1107.00

KENNEDY
QUALITY INDEPENDENCE CONFIDENCE

**11 Piece Ignition
Wrench Kit**

Contents:

8 open end spanners
4 - 7.5mm x 0.5mm increments,
screwdriver, file,
0.40mm gap gauge.



Number of Pieces	Contents	Weight each	Order Code KEN-582	Price/1 TB
11	As above	440g	-3780K	543.00

Miniature Open Ended Spanners



Metric. Conform to **BS 192 : 1982 & DIN 3110.**

Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
3.2 x 4.0	70	6g	-1001K	129.00
0.4 x 5.0	70	6g	-1002K	129.00
0.5 x 5.5	80	11g	-1003K	139.00
5.5 x 6.0	80	11g	-1004K	155.00
0.6 x 7.0	80	10g	-1005K	175.00
0.7 x 8.0	90	15g	-1006K	185.00

BA. Conform to **BS 1842 : 1952.**

Size (BA)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
0 x 2	89	25g	-0190K	82.00
1 x 3	67	20g	-0200K	82.00
4 x 6	63	10g	-0220K	82.00
5 x 7	63	5g	-0230K	88.00
8 x 10	64	5g	-0240K	98.00
9 x 11	51	5g	-0250K	98.00

Set

6 Piece BA: 0 x 2, 1 x 3, 4 x 6, 5 x 7, 8 x 10, 9 x 11BA.


6 Piece Metric: 3.2 x 4, 4 x 5, 5 x 5.5, 5.5 x 6, 6 x 7, 7 x 8mm



Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
6 BA	90g	-0910K	670.00
6 Metric	90g	-1010K	958.00

Crowfoot Wrenches

Chrome vanadium wrenches designed to be used for getting into tight spots and hard to reach areas, in particular around tubing such as hydraulic lines etc. For use with 3/8" square drive tools.



	Size (mm)		Weight each	Order Code KEN-582	Price/1 TB
(c)	(b)	(a)			
10	22	9	20g	-6280K	318.00
11	25	9	25g	-6281K	289.00
12	28	9	33g	-6282K	289.00
13	28	9	33g	-6283K	289.00
14	33	9	37g	-6284K	289.00
15	33	9	46g	-6285K	304.00
17	38	9	60g	-6287K	304.00
19	43	10	72g	-6289K	304.00
22	47	10	94g	-6292K	304.00
24	53	10	117g	-6294K	304.00

Set

10 Piece Metric:

10, 11, 12, 13, 14, 15, 17, 19, 22 and 24mm.

Supplied on a sliding socket rail for storage.

Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
10 Metric	610g	-6300K	2614.00

Flexi-ring End Sockets

1/2

Made from polished chrome vanadium. These tough flexi-ring end sockets are designed to allow access over long studs and for awkwardly positioned nuts and bolts. Swivels through 220°.



Type	Size	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
Metric 	13mm	70mm	124g	-1180K	258.00
	14mm	70mm	123g	-1181K	283.00
	15mm	70mm	121g	-1182K	294.00
	16mm	70mm	119g	-1183K	294.00
	17mm	77mm	158g	-1184K	319.00
	19mm	77mm	152g	-1185K	319.00
	22mm	82mm	193g	-1186K	335.00
	24mm	86mm	213g	-1187K	361.00

8 Piece Metric Set Contents:

13, 14, 15, 16, 17, 19, 22, and 24mm.

Supplied with a sturdy hanging rail.



Number of Pieces	Contents	Weight each	Order Code KEN-582	Price/1 TB
8	As above	1.3kg	-1190K	2575.00



KENNEDY *Swivel End
Socket Wrenches*

Designed to give greater flexibility and improved access when working in difficult conditions. Bi-hexagon (12 point). Manufactured from fully polished chrome vanadium steel. Conform with **ANSI B107.5M**.



Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
8 x 9	175	135g	-3670K	305.00
10 x 11	185	135g	-3680K	397.00
12 x 13	196	150g	-3690K	408.00
14 x 15	220	200g	-3700K	526.00
16 x 17	240	245g	-3710K	533.00
18 x 19	265	295g	-3720K	539.00

**Set
6 Piece Bi-hexagon:**

8 x 9,
10 x 11,
12 x 13,
14 x 15,
16 x 17 and
18 x 19mm.



Number of Pieces	Weight each	Order Code KEN-582	Price/1 TB
6	1.40kg	-3725K	2197.00

KENNEDY *T-Type
Wrenches*

For use in restricted areas. Ideally suited to changing spark plugs as the one piece design ensures that no socket or extension bar can become stuck on the plug or drop into the engine compartment. Single hex. Manufactured from chrome vanadium steel.



Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
8	260	200g	-9650K	353.00
9	260	220g	-9660K	390.00
10	260	220g	-9670K	468.00
11	260	220g	-9680K	468.00
12	260	400g	-9690K	500.00
13	310	410g	-9700K	500.00
14	310	410g	-9710K	500.00

Adjustable 'C' Hook Spanners

Manufactured from chrome vanadium steel with a highly polished chrome plated finish.





Diameter	Weight each	Order Code KEN-582	Price/1 TB
3/4 - 2"	120g	-9600K	987.00
1 1/4 - 3"	250g	-9610K	1353.00
2 - 4 3/4"	460g	-9620K	1753.00

Strap & Chain Wrenches

Used for gripping round any irregular shaped items, tubes and piping. Ideal for oil filters, hot radiator caps and hub caps. Both types suitable for 60 - 140mm diameters.

Strap Type: Hardened chrome vanadium handle with industrial strength, rubber strap that will not mark or scratch workpieces.

Chain Type: Hardened chrome vanadium handle with heavy duty chain for a positive grip.



Type	Weight each	Order Code KEN-582	Price/1 TB
Strap	280g	-9500K	848.00
Chain	430g	-9520K	848.00

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

KENNEDY
PROFESSIONAL

**Side Drive
Sockets**

The Ken-Grip® socket offers a new standard of performance with the ability to grip fasteners which are up to 95% rounded off. A unique patented socket design grips new, worn and rusted fasteners without damaging them further. Double knurl feature gives a high grip which is essential for quick tool change when hands are greasy or oily. Manufactured from chrome vanadium steel, the sockets and accessories are aluminium free, fully chrome plated for a corrosion resistant, easy clean finish. The set features an extensive selection of socket sizes for use across a wide range of fasteners.

NEW

KENGRIP®
Patented Design



Will grip
new, worn
and rusted
fasteners
without
damaging
them further



Will grip
fasteners
which are up
to 95%
rounded off

Will also fit a wide range of non-metric Hexagons, E-Torx® and Spline Drive Sizes.

Standard Length Sockets

 Conform to DIN3124.



1/4" Square Drive

Size	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
4.0mm	25.0	10g	-4161K	75.00
4.5mm	25.0	10g	-4162K	75.00
5.0mm	25.0	10g	-4163K	75.00
5.5mm	25.0	10g	-4164K	75.00
6.0mm	25.0	10g	-4165K	75.00
7.0mm	25.0	20g	-4166K	75.00
8.0mm	25.0	20g	-4167K	75.00
9.0mm	25.0	20g	-4168K	75.00
10.0mm	25.0	20g	-4169K	75.00
11.0mm	25.0	30g	-4170K	75.00
12.0mm	25.0	30g	-4171K	85.00
13.0mm	25.0	30g	-4172K	95.00
14.0mm	25.0	40g	-4173K	105.00

Standard Length Sockets

 Conform to DIN3124.



1/2" Square Drive

Size	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
8.0mm	36.0	50g	-6871K	192.00
9.0mm	37.0	50g	-6872K	192.00
10.0mm	37.0	50g	-6873K	192.00
11.0mm	37.0	50g	-6874K	192.00
12.0mm	37.0	50g	-6875K	192.00
13.0mm	37.0	50g	-6876K	192.00
14.0mm	37.0	50g	-6877K	192.00
15.0mm	37.0	60g	-6878K	215.00
16.0mm	37.0	60g	-6879K	215.00
17.0mm	37.0	60g	-6880K	215.00
18.0mm	37.0	80g	-6881K	225.00
19.0mm	37.0	70g	-6882K	225.00
20.0mm	37.0	80g	-6883K	299.00
21.0mm	37.0	70g	-6884K	299.00
22.0mm	37.0	90g	-6885K	299.00
23.0mm	37.0	110g	-6886K	299.00
24.0mm	37.0	110g	-6887K	350.00
25.0mm	40.0	150g	-6888K	375.00
26.0mm	40.0	140g	-6889K	385.00
27.0mm	40.0	170g	-6890K	399.00
28.0mm	40.0	170g	-6891K	399.00
29.0mm	40.0	170g	-6892K	400.00
30.0mm	45.0	210g	-6893K	415.00
32.0mm	45.0	230g	-6895K	425.00
33.0mm	45.0	230g	-6898K	575.00
36.0mm	45.0	245g	-6899K	725.00

Standard Length Sockets

 Conform to DIN3124.



3/8" Square Drive

Size	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
6.0mm	26.0	30g	-5832K	85.00
7.0mm	26.0	30g	-5833K	85.00
8.0mm	26.0	30g	-5834K	85.00
9.0mm	26.0	30g	-5835K	85.00
10.0mm	26.0	30g	-5836K	85.00
11.0mm	26.0	30g	-5837K	125.00
12.0mm	26.0	30g	-5838K	135.00
13.0mm	26.0	30g	-5839K	135.00
14.0mm	30.0	40g	-5840K	135.00
15.0mm	30.0	40g	-5841K	135.00
16.0mm	30.0	50g	-5842K	145.00
17.0mm	30.0	60g	-5843K	150.00
18.0mm	30.0	70g	-5844K	150.00
19.0mm	30.0	70g	-5845K	150.00
20.0mm	30.0	80g	-5846K	155.00
21.0mm	30.0	80g	-5847K	155.00
22.0mm	27.0	100g	-5848K	155.00

Deep Sockets

 Conform to DIN3124.



3/8" Square Drive

Size	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
8.0mm	62.0	40g	-5849K	175.00
9.0mm	62.0	40g	-5850K	175.00
10.0mm	62.0	50g	-5851K	175.00
11.0mm	62.0	50g	-5852K	175.00
12.0mm	62.0	60g	-5853K	185.00
13.0mm	62.0	60g	-5854K	185.00
14.0mm	62.0	70g	-5855K	185.00
15.0mm	62.0	100g	-5856K	185.00
16.0mm	62.0	115g	-5857K	185.00
17.0mm	62.0	130g	-5858K	185.00
18.0mm	64.0	120g	-5859K	195.00
19.0mm	64.0	140g	-5860K	225.00
21.0mm	64.0	155g	-5861K	235.00
22.0mm	64.0	200g	-5862K	250.00

KENNEDY
PROFESSIONAL

Side Drive Socket Sets

NEW

KENGRIP®
Patented Design

1/4" Square Drive 19 Piece Metric Set

Metric Ken-Grip® Sockets:
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm.

Accessories: ratchet handle, spinner handle, sliding T-handle, flexi-drive 145mm, universal joint, extension bar 100mm.

**19
PIECES**

Number of Pieces	Weight each	Order Code	Price/1 TB
19	880g	-8800K	6500.00



3/8" Square Drive 50 Piece Metric Set

Ken-Grip® Standard & Deep Sockets
Standard: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 and 22mm.
Deep: 10, 11, 12, 13, 14, 15, 17, 19 and 22mm.

Screwdriver Bits: Slotted 5, 5.5 and 6.5mm.

Crosspoint No.1, 2, 3, 4.

Sockets: 3, 4, 5, 6, 8 and 10mm.

Accessories: ratchet handle, sliding T-handle, spinner handle, swivel handle, universal joint, 125 and 250mm extensions, 250mm wobble extensions, 1/4" and 1/2" male adaptors, 1/4" socket bit coupler. Robust fitted case with security padlock hole and cushion grip handle.

**50
PIECES**

Number of Pieces	Weight each	Order Code	Price/1 TB
50	3.00kg	-8810K	10950.00



1/2" Square Drive 30 Piece Metric Set

Ken-Grip®: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30 and 32mm.

Spark Plug Sockets: M10 and M14.

Accessories: quick release ratchet handle, sliding T-handle, universal joint, 75, 125 and 250mm extension bars. Robust fitted case with security padlock hole and cushion grip handle.

**30
PIECES**

Number of Pieces	Weight each	Order Code	Price/1 TB
30	5.50kg	-8820K	9500.00



**KENNEDY
PROFESSIONAL**

**Push Through
Steel Handles**

1/4 Chrome - molybdenum with mirror polished finish. Push through square drive, needs only 3% movement to operate ratchet.



Type	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
Standard	125mm	120g	-4025K	1486.00
Stubby	75mm	70g	-4028K	1960.00

Disc Type Steel Handle

1/4 Standard wrench with high polished finish. Fitted with spring loaded ball bearing socket retainer. Manufactured from chrome vanadium steel.



Overall Length	Number of Teeth	Weight each	Order Code KEN-582	Price/1 TB
140	20	170g	-4020K	834.00

Lever Reversible Rubber Handle

1/4 Chrome vanadium. Rubber grip, 72 tooth ratchet. With thumb lever for reversing without having to remove the socket or accessory. With quick release. A high quality wrench for the professional user.



Overall Length	Number of Teeth	Weight each	Order Code KEN-582	Price/1 TB
140mm	72	90g	-4005K	2197.00

Lever Reversible Steel Handle

1/4 Fully chromed all steel handle with thumb lever for reversing without having to remove the socket or accessory.



Overall Length	Number of Teeth	Weight each	Order Code KEN-582	Price/1 TB
143mm	72	120g	-4015K	2315.00

Spinner Handles

1/4 **Fixed Type:** Chrome vanadium blade with spring loaded ball bearing socket retainer. **Overall length:** 150mm.



Handle Type	Weight each	Order Code KEN-582	Price/1 TB
Bi-Material	110g	-4190K	526.00
Polypropylene	110g	-4200K	320.00

Extension Bars

1/4 Manufactured from high quality chrome vanadium with a fully polished finish. All with knurled 'finger grip'.

Standard



Overall Length	Weight each	Order Code KEN-582	Price/1 TB
50mm	25g	-4060K	123.00
100mm	50g	-4080K	129.00
150mm	70g	-4100K	136.00
250mm	115g	-4120K	302.00

Flexible

Steel wire braid allows access into obstructed areas.

Overall Length	Weight each	Order Code KEN-582	Price/1 TB
150mm	150g	-4140K	254.00

Wobble

In areas where clearance may be a problem the 'wobble' square drive can be used at an angle of up to 15°.



Overall Length	Weight each	Order Code KEN-582	Price/1 TB
50mm	25g	-4070K	136.00
100mm	50g	-4090K	153.00
150mm	70g	-4110K	177.00
250mm	115g	-4130K	225.00

**SENATOR
QUALITY TOOLING**

**Lever Reversible
Rubber Handle**

1/4 40 tooth chrome vanadium quick release ratchet with rubber grip, thumb lever for reversing without having to remove the socket or accessory.



Overall Length	Number of Teeth	Weight each	Order Code SEN-582	Price/1 TB
145	40	120g	-4000K	266.00

**KENNEDY
PROFESSIONAL**

**Ratchet
Repair Kits**



To suit Ratchet Number	Weight each	Order Code KEN-582	Price/1 TB
KEN-582-4020K	30g	-4280K	354.00
KEN-582-4005K/4015K	30g	-4290K	469.00

Swivel Handle

1/4 The hinged link allows operation at varied angles to aid access in restricted areas. Knurled grip.



Overall Length	Weight each	Order Code KEN-582	Price/1 TB
150mm	125g	-4180K	354.00

**KENNEDY
PROFESSIONAL**

**Sliding
'T' Handle**

1/4 Manufactured from high quality chrome vanadium with a fully polished finish. The sliding bar will give many options for leverage within a given space.



Overall Length	Weight each	Order Code KEN-582	Price/1 TB
105mm	50g	-4040K	165.00



Bi-Hexagon Sockets

1/4" Ideal for assembly and servicing of small precision mechanisms associated with electrical, electronic, ignition and refrigeration work. All bi-hexagon unless stated.

1/4" Double knurl feature gives a high grip which is essential for a quick tool change when your hands are greasy/oily. The 12 point bi-hexagon side drive design will give a higher torque than normal sockets. Manufactured from chrome vanadium, fully chrome plated with a mirror finish and aluminium-free to ensure non-sparking. Chamfered leading edge ensures easy fastener location.



Size (mm)	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
Metric				
4.0	25mm	10g	-4300K	53.00
4.5	25mm	10g	-4310K	53.00
5.0	25mm	10g	-4320K	53.00
5.5	25mm	10g	-4330K	53.00
6.0	25mm	10g	-4340K	53.00
7.0	25mm	20g	-4350K	53.00
8.0	25mm	20g	-4360K	53.00
9.0	25mm	20g	-4370K	53.00
10.0	25mm	20g	-4380K	53.00
11.0	25mm	30g	-4390K	53.00
12.0	25mm	30g	-4400K	54.00
13.0	25mm	30g	-4410K	54.00
14.0	25mm	40g	-4420K	55.00

Metric (Single Hex)				
4.0	25mm	10g	-4540K	36.00
5.0	25mm	10g	-4542K	36.00
5.5	25mm	10g	-4543K	36.00
6.0	25mm	10g	-4544K	36.00
7.0	25mm	20g	-4545K	36.00
8.0	25mm	20g	-4546K	36.00
9.0	25mm	20g	-4547K	38.00
10.0	25mm	20g	-4548K	38.00
11.0	25mm	30g	-4549K	38.00
12.0	25mm	30g	-4550K	38.00
13.0	25mm	30g	-4551K	41.00
14.0	25mm	40g	-4552K	46.00

Metric (Deep)				
4.0	50mm	10g	-4670K	57.00
4.5	50mm	10g	-4671K	68.00
5.0	50mm	10g	-4672K	78.00
5.5	50mm	10g	-4673K	78.00
6.0	50mm	10g	-4674K	78.00
7.0	50mm	20g	-4675K	78.00
8.0	50mm	20g	-4676K	78.00
9.0	50mm	20g	-4677K	78.00
10.0	50mm	20g	-4678K	78.00
11.0	50mm	30g	-4679K	78.00
12.0	50mm	30g	-4680K	78.00
13.0	50mm	30g	-4681K	78.00
14.0	50mm	40g	-4682K	78.00

Metric (Single Hex Deep)				
6.0	50mm	10g	-4566K	67.00
7.0	50mm	10g	-4567K	67.00
8.0	50mm	10g	-4568K	67.00
9.0	50mm	10g	-4569K	67.00
10.0	50mm	10g	-4570K	67.00
11.0	50mm	20g	-4571K	77.00
12.0	50mm	20g	-4572K	77.00
13.0	50mm	20g	-4573K	77.00
14.0	50mm	40g	-4574K	88.00

Universal Joint

1/4" Hinged through 180° in both directions. Knurled for extra grip.

Drive male x female: 1/4" x 1/4".



Overall Length	Weight each	Order Code KEN-582	Price/1 TB
40mm	30g	-4160K	188.00

Adaptors/Converters

1/4" Chrome vanadium.

Hex Bit Adaptor

Converts square drive tooling to use hexagon bits.



Square Drive x Hex	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
1/4" x 1/4"	25mm		-4230K	141.00

Screwdriver Bits

1/4" Manufactured from high quality chrome vanadium, fully polished finish. Conform to DIN.

Overall length: 37mm.

Bit length: 19mm.



Type	Size (mm)	Order Code KEN-582	Price/1 TB
Slotted	4.0mm	-4700K	115.00
	5.5mm	-4710K	115.00
	7.0mm	-4730K	115.00
Cross Point	No.1	-4750K	115.00
	No.2	-4760K	115.00
	No.3	-4770K	115.00
	No.4	-4780K	115.00
Hexagon	3.0mm	-4790K	115.00
	4.0mm	-4800K	115.00
	5.0mm	-4810K	115.00
	6.0mm	-4820K	115.00
	8.0mm	-4830K	115.00
	1/8"	-4840K	62.00
	5/32"	-4850K	62.00
	3/16"	-4860K	62.00
	7/32"	-4870K	62.00
	1/4"	-4880K	77.00
Torx	5/16"	-4890K	82.00
	T6	-4685K	77.00
	T7	-4686K	77.00
	T8	-4687K	77.00
	T9	-4688K	77.00
	T10	-4689K	77.00
	T15	-4690K	77.00
	T20	-4691K	77.00
	T25	-4692K	77.00
	T27	-4693K	88.00
	T30	-4694K	98.00
	T40	-4695K	108.00

Double Ended Lug

For connecting two female square drives



Drive Female x Male	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
1/4" x 1/4"	25mm		-4240K	106.00

Drive Converter

For using a combination of square drive sockets in one application.



Drive Female x Male	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
1/4" x 3/8"	27mm		-4220K	92.00
3/8" x 1/4"	37mm		-5180K	91.00

SENATOR
QUALITY TOOLING

**Lever Reversible
Rubber Handle**



3/8 With thumb lever for reversing without having to remove the socket or accessory. Highly polished chrome vanadium with rubber grip.



Overall Length	Number of Teeth	Weight each	Order Code	Price/1 TB
200mm	40	345g	SEN-582	299.00

KENNEDY
PROFESSIONAL

**Disc Type
Steel Handle**

3/8 Basic wrench with high polished finish. Fitted with spring loaded ball bearing socket retainer.



Overall Length	Number of Teeth	Weight each	Order Code	Price/1 TB
200mm	42	380g	KEN-582	509.00

Lever Reversible Rubber Handle

3/8 Chrome vanadium. Rubber grip, 72 tooth ratchet. With thumb lever for reversing without having to remove the socket or accessory. With quick release. A high quality wrench for the professional user.



Overall Length	Number of Teeth	Weight each	Order Code	Price/1 TB
200mm	72	215g	KEN-582	1960.00

KENNEDY
PROFESSIONAL

**Swivel
Handles**

3/8 The hinged link allows operation at varied angles to aid access in restricted areas.



Grip	Overall Length	Weight each	Order Code	Price/1 TB
Steel	225mm	310g	-5060K	431.00
Rubber	225mm	225g	-5160K	325.00

Heavy Duty American Pattern



Grip	Overall Length	Weight each	Order Code	Price/1 TB
American	225mm	310g	-5065K	627.00
Components				
Replacement Knuckle			-5068K	343.00

YAMOTO
INDUSTRIAL SOCKET SETS

**Quick Release
Ratchet Handle**



3/8 With thumb lever for reversing without having to remove the socket or accessory. Highly polished chrome vanadium with rubber grip.



Overall Length	Number of Teeth	Weight each	Order Code	Price/1 TB
200mm	72	345g	YMT-582	1600.00

Push Through Rubber Handle

3/8 A very economic wrench with a one way ratchet. Push through square drive allows left and right hand operation.



Overall Length	Number of Teeth	Weight each	Order Code	Price/1 TB
200mm	41	205g	KEN-582	2983.00

Clutch Type Drive Push Through Steel Handles

3/8 Chrome - molybdenum with mirror polished finish. Clutch type drive action Push through square drive, needs only 3% movement to operate ratchet.



Type	Overall Length	Weight each	Order Code	Price/1 TB
Standard	180mm	220g	KEN-582	1587.00
Stubby	105mm	120g	-4948K	1723.00

Lever Reversible Steel Handle

3/8 Fully chromed all steel handle with thumb lever for reversing without having to remove the socket or accessory.



Overall Length	Number of Teeth	Weight each	Order Code	Price/1 TB
200mm	72	205g	KEN-582	1960.00

**Ratchet
Repair Kits**



To suit Ratchet Number	Weight each	Order Code	Price/1 TB
KEN-582-4900K	70g	-5220K	515.00
KEN-582-4932/4942K	70g	-5215K	515.00
KEN-582-4940K	70g	-5235K	515.00

YAMOTO
INDUSTRIAL SOCKET SETS

**Swivel
Handle**



3/8 Chrome finish. American style handle.



Overall Length	Weight each	Order Code	Price/1 TB
225mm	310g	-5060K	415.00



Extension Bars

3/8 Extensions

Manufactured from high quality chrome vanadium with a fully polished finish. All with knurled 'finger grip'.

Standard



Wobble



Locking

Standard

Overall Length	Weight each	Order Code KEN-582	Price/1 TB
75mm	80g	-4960K	145.00
125mm	130g	-4980K	153.00
150mm	150g	-5000K	192.00
250mm	280g	-5020K	289.00
300mm	340g	-5050K	338.00
450mm	430g	-5070K	657.00

Locking

A lever at the ratchet end of the extension pushes down a rod inside the bar which locks out the socket retaining ball, securing the socket to the bar. Ideal for use where there is a risk of leaving a socket in a recess.

Overall Length	Weight each	Order Code KEN-582	Price/1 TB
300mm	15g	-5150K	657.00

Wobble

In areas where clearance may be a problem the 'wobble' square drive can be used at an angle of up to 15°.

Overall Length	Weight each	Order Code KEN-582	Price/1 TB
75mm	65g	-5110K	173.00
150mm	120g	-5120K	231.00
250mm	260g	-5140K	231.00



Composite Ratchet Handle

With reverse lever, push button quick release. Offset handle to help eliminate knuckle scrapes. 72-tooth gear drive for maximum power and chrome vanadium core for strength.

Overall Length	Number of Teeth	Weight each	Order Code YMT-582	Price/1 TB
200mm	72	235g	-7510K	1391.00

Extensions

Chrome finish.



Type	Overall Length (mm)	Weight each	Order Code YMT-582	Price/1 TB
Standard	75	75g	-4960K	77.00
Standard	150	145g	-5000K	89.00
Wobble	250	235g	-5140K	297.00

Spinner Handle Fixed Type

Overall Length	Weight each	Order Code YMT-582	Price/1 TB
150mm	240g	-5100K	178.00

Sliding 'T' Handle

Overall Length	Weight each	Order Code YMT-582	Price/1 TB
165mm	185g	-4920K	403.00

Universal Joint

High polished chrome finish. Hinged through 180° in both directions.

Drive Male x Female	Overall Length	Weight each	Order Code YMT-582	Price/1 TB
3/8" x 3/8"	50mm	60g	-5040K	148.00

Spinner Handle Fixed Type

Chrome vanadium steel blade, polypropylene handle and spring loaded bearing socket retainer.

Overall Length	Weight each	Order Code KEN-582	Price/1 TB
210mm	240g	-5100K	297.00

Sliding 'T' Handle

Made from high quality chrome vanadium with a fully polished finish. The sliding bar gives many options for leverage within any space.

Overall Length	Weight each	Order Code KEN-582	Price/1 TB
165mm	185g	-4920K	242.00

Speed Braces

Manufactured from high quality chrome vanadium, fully polished finish. Ideal for nut spinning.

Rubber Grip
KEN -582-5080K

Grip	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
American Pattern	425mm	500g	-5090K	688.00
Rubber Grip	470mm	410g	-5030K	420.00
	400mm	470g	-5080K	442.00



Universal Joint

Hinged through 180° in both directions. Knurled for extra grip.

Drive Male x Female	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
3/8" x 3/8"	50mm	60g	-5040K	236.00

Socket Styles

Used in automotive and aerospace. The weight to strength ratio ensures the reliability and accessibility that is so important in this type of production environment.

**Bi-Hexagon Sockets**

12 point – side drive design gives a higher torque than normal sockets, grip worn nuts and will not round off existing nuts. All have a ball-retaining groove on each face of the square drive, which ensures a positive fit with accessories. Require only a one-twelfth turn to engage the next point of the socket.

**Single-Hexagon Sockets**

6 point - Offer a more positive location, particularly on worn or rounded nuts, but require a one-sixth turn to engage the next point of the socket.

**TX Sockets**

Chrome vanadium. For use with male headed TX fasteners commonly found in the automotive industry. 29mm overall length and each weighing 45g.



Size	Order Code KEN-582	Price/1 TB
E6	-5960K	124.00
E8	-5962K	153.00
E10	-5964K	153.00
E12	-5966K	153.00
E14	-5968K	153.00
E16	-5970K	153.00

Bi-Hexagon Standard Length Sockets
KENNEDY
PROFESSIONAL

YAMOTO
INDUSTRIAL SOCKET SETS

Type	Size	Overall Length	Weight each
Metric	6mm	26	30g
	7mm	26	30g
	8mm	26	30g
	9mm	26	30g
	10mm	26	30g
	11mm	26	30g
	12mm	26	30g
	13mm	26	30g
	14mm	30	40g
	15mm	30	40g
	16mm	30	50g
	17mm	30	60g
	18mm	30	70g
	19mm	30	70g
AF	20mm	30	80g
	21mm	30	80g
	22mm	27	100g
	1/4"	27	30g
	5/16"	27	30g
	11/32"	27	30g
	3/8"	27	30g
	7/16"	27	30g
	1/2"	27	30g
	9/16"	27	40g
Whit	5/8"	27	50g
	11/16"	30	60g
	3/4"	25	70g
	13/16"	27	80g
	7/8"	27	10g
	1/8"	27	35g
	3/16"	27	45g
	1/4"	30	45g
	5/16"	30	45g
	3/8"	30	45g
	7/16"	30	85g
	1/2"	30	120g

Order Code KEN-582	Price/1 TB
-5240K	65.00
-5250K	65.00
-5260K	65.00
-5270K	65.00
-5280K	65.00
-5290K	82.00
-5300K	82.00
-5310K	82.00
-5320K	82.00
-5330K	85.00
-5340K	85.00
-5350K	94.00
-5360K	94.00
-5370K	94.00
-5380K	113.00
-5390K	117.00
-5400K	121.00
-5430K	82.00
-5440K	82.00
-5450K	82.00
-5460K	82.00
-5470K	82.00
-5480K	82.00
-5490K	89.00
-5500K	94.00
-5510K	94.00
-5520K	94.00
-5530K	153.00
-5540K	183.00
-5580K	59.00
-5590K	59.00
-5600K	82.00
-5610K	82.00
-5620K	106.00
-5630K	117.00
-5640K	153.00

Order Code YMT-582	Price/1 TB
-5240K	47.00
-5250K	47.00
-5260K	47.00
-5270K	47.00
-5280K	47.00
-5290K	47.00
-5300K	47.00
-5310K	47.00
-5320K	47.00
-5330K	47.00
-5340K	47.00
-5350K	47.00
-5360K	47.00
-5370K	65.00
-5380K	65.00
-5390K	65.00
-5400K	65.00
-5430K	65.00
-5440K	65.00
-5450K	65.00
-5460K	65.00
-5470K	65.00
-5480K	65.00
-5490K	65.00
-5500K	65.00
-5510K	65.00
-5520K	65.00
-5530K	65.00
-5540K	65.00
-	-
-	-
-	-
-	-
-	-
-	-

Deep Sockets

Type	Size	Overall Length	Weight each
Metric	8mm	62	40g
	9mm	62	40g
	10mm	62	50g
	11mm	62	50g
	12mm	62	60g
	13mm	62	60g
	14mm	62	70g
	15mm	62	100g
	16mm	62	115g
	17mm	62	130g
AF	18mm	64	120g
	19mm	64	140g
	21mm	64	155g
	22mm	64	200g
	3/8"	63	45g
	7/16"	63	50g
	1/2"	63	60g
	9/16"	63	60g
	5/8"	65	110g
	11/16"	65	120g
Whit	3/4"	65	135g
	13/16"	65	160g

Order Code KEN-582	Price/1 TB
-5700K	117.00
-5710K	117.00
-5720K	117.00
-5730K	117.00
-5740K	130.00
-5750K	130.00
-5760K	130.00
-5770K	130.00
-5780K	130.00
-5790K	136.00
-5800K	153.00
-5810K	183.00
-5820K	183.00
-5830K	188.00
-5870K	134.00
-5880K	134.00
-5890K	134.00
-5900K	144.00
-5910K	149.00
-5920K	160.00
-5930K	170.00
-5940K	177.00

Order Code YMT-582	Price/1 TB
-	-
-	-
-5720K	77.00
-5730K	77.00
-5740K	77.00
-5750K	77.00
-5760K	77.00
-5770K	77.00
-	-
-5790K	77.00
-	-
-5810K	148.00
-	-
-5830K	148.00
-5870K	112.00
-5880K	112.00
-5890K	112.00
-5900K	112.00
-5910K	112.00
-5920K	112.00
-5930K	112.00
-5940K	112.00

Single-Hexagon Standard Length

Type	Size	Overall Length	Weight each	Order Code KEN-582	Price/1 TB
Metric	6mm	26	30g	-5554K	183.00
	7mm	26	30g	-5555K	183.00
	8mm	26	30g	-5556K	183.00
	9mm	26	30g	-5557K	183.00
	10mm	26	30g	-5558K	183.00
	11mm	26	30g	-5559K	183.00
	12mm	26	30g	-5560K	183.00
	13mm	26	30g	-5561K	183.00
	14mm	30	40g	-5562K	183.00
	15mm	30	40g	-5563K	183.00
Single Hex	16mm	30	50g	-5564K	289.00
	17mm	30	60g	-5565K	289.00
	18mm	30	70g	-5566K	289.00
	19mm	30	70g	-5567K	289.00