


GROUP 588 BENDERS/PIPE CUTTERS

KENNEDY 3-in-1 Bender



For bending 3, 4 and 6mm diameter copper and aluminium tubes up to 90°. With a graduated scale for partial bending. Ribbed die-cast aluminium construction for lightness and strength.
Length: 140mm.



Capacity (mm)	Weight each	Order Code KEN-588	Price/1 TB
3, 4 & 6	150g	-6080K	1238.00

Multibender Pipe Bender

Precision bending up to 180°. Bends tube without distortion. Formers and guides will accept 12, 15 and 22mm O/D tube. For use in the plumbing, heating, refrigeration and air conditioning industries. Spare formers and guides also available (see table below).



Tube Capacity	Weight each	Order Code KEN-588	Price/1 TB
12, 15 & 22mm	4.10kg	-6200K	3701.00

Accessories

Tube Capacity	Weight each	Order Code KEN-588	Price/1 TB
12/15mm Former Only	172g	-6810K	551.00
12/22mm Former Only	321g	-6820K	1279.00
12mm Guide Only	123g	-6920K	174.00
15mm Guide Only	104g	-6940K	212.00
22mm Guide Only	287g	-6960K	260.00

Midget Pipe Cutter

For use on copper, brass, aluminium and thin wall conduit. Supplied with spare blade.
Width: 25mm.
Overall length: 95mm.



Capacity (mm)	Weight each	Order Code KEN-588	Price/1 TB
3 - 28	270g	-5490K	579.00
Spare Cutter	5g	-5800K	106.00

Mini Pipe Cutter

Compact and robust construction ideal for use in confined spaces. Grooved rollers allow close-to-flare cuts. Large feed screw for accurate cutting of aluminium, brass, copper and steel tubing.
Length: 66mm.



Capacity (mm)	Weight each	Order Code KEN-588	Price/1 TB
3 - 22	140g	-5450K	353.00
Spare Cutter	5g	-5800K	106.00

Capacity (mm)	Weight each	Order Code KEN-588	Price/1 TB
3 - 22	140g	-5700K	441.00
Spare Cutter	5g	-5790K	357.00

Pipe Cutters

With high strength cast bodies and single cutting wheels with two rollers. Suitable for stainless steel, brass and copper tubes. All fitted with deburring blades.



-5500K



-5720K

For Aluminium, Brass, Copper & Steel

Capacity (mm)	Weight each	Order Code KEN-588	Price/1 TB
3 - 30	195g	-5500K	450.00
Spare Cutter	5g	-5590K	220.00

For Stainless Steel

Capacity (mm)	Weight each	Order Code KEN-588	Price/1 TB
3 - 32	310g	-5720K	773.00
Spare Cutter	5g	-5790K	357.00

Heavy Duty Pipe Cutters

With high strength cast bodies and single cutting wheels with four rollers for straighter cuts. Spring-loaded release mechanism allows quick diameter adjustment and release. Suitable for aluminium, brass and copper tubes. Fitted with deburring blades.



-5550K

Internal pipe deburrer

Replacement Cutting Wheels

-5690K


For Aluminium, Brass, Copper & Steel

Capacity (mm)	Weight each	Order Code KEN-588	Price/1 TB
5 - 64	625g	-5550K	1564.00
Spare Cutter	5g	-5690K	258.00



Pipe Deburrer

For internal and external edges.



Capacity (mm)	Weight each	Order Code KEN-588	Price/1 TB
3-40 (1/8"-1 5/8")	250g	-5900K	433.00

Automatic Pipe Cutters

These robust pipe cutters will cut copper, brass, aluminium, PVC and thin-wall conduit. They automatically tighten and cut when turned around the pipe. The compact design makes them ideal for working in confined spaces.



Capacity	Weight each	Order Code KEN-588	Price/1 TB
15mm	186g	-4800K	464.00
22mm	192g	-4820K	567.00
Spare Cutter	5g	-4840K	98.00

Automotive Chain Pipe Cutter

Cuts thin wall pipe (stainless steel, copper, PVC etc.) up to 2.6mm thickness. The grip action eliminates hand gripping effort to ensure perfect tracking. Can be used for efficient cutting of exhaust pipes.



Capacity	Overall Length	Weight each	Order Code KEN-588	Price/1 TB
15 - 75mm	250mm	800g	-5100K	3638.00

Industrial Chain Pipe Cutter


Cuts wall pipe (welded and seamless) up to 6mm thick. The grip action eliminates hand gripping effort to ensure perfect tracking.



Capacity	Overall Length	Weight each	Order Code KEN-588	Price/1 TB
20 - 115mm	250mm	800g	-5120K	7312.00

Rubber Hose Cutter

6 - 37mm cutting capacity. Spring opening. Lightweight moulded polypropylene body. Stainless steel blade. Guillotine action ensures a clean cut every time. Handle retaining hook for compact storage and blade safety. Reversible blade. Not suitable for cutting metal.



Capacity (mm)	Weight each	Order Code KEN-588	Price/1 TB
6 - 37	270g	-5000K	489.00

Plastic Pipe Cutter - Mini Hose Type

Manufactured from tough hard wearing ABS plastic. Spring loaded with a heat-treated steel blade.



Capacity	Weight each	Order Code KEN-588	Price/1 TB
12.7mm	35g	-5400K	200.00

Plastic Pipe Cutters

Stainless steel blade. Diecast alloy body. Extra wide lower jaws for easy production of 90° cuts. Guillotine action ensures a clean cut every time. Handle retaining loop for compact storage and blade safety. Replaceable blade. Not suitable for cutting metal.




Capacity	Ratchet stages	Order Code KEN-588	Price/1 TB
6 - 36mm	4	-5840K	929.00
Spare blade - Stainless Steel		-5880K	453.00
12 - 42mm	7	-5842K	1236.00
Spare blade - Stainless Steel		-5882K	567.00
25 - 63mm	5	-5844K	3437.00
Spare blade - Carbon Steel		-5870K	1550.00
Spare blade - Stainless Steel		-5884K	1284.00

KENNEDY
QUALITY INDUSTRIAL TOOLING

Double Flaring Tool & Pipe Cutting Set

Flaring tool for $\frac{3}{16}$ ", $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ " and $\frac{5}{8}$ " steel, aluminium and copper pipes. Cutter for $\frac{1}{8}$ " to $1\frac{1}{4}$ " outside diameter pipe. Robust moulded case.




Capacity	Weight each	Order Code KEN-588	Price/1 TB
$\frac{3}{16}$ " - $\frac{5}{8}$ "	1.5kg	-9570K	1536.00

Double Flaring Tool Set

Manufactured to double flare soft steel, aluminium and copper tubing up to .040" wall thickness producing SAE 45° flares. Heat treated alloy steel swivel is precision ground and chromed to reduce friction. Heat treated drop forged yoke. Each adaptor is clearly stamped with the size for easy identification. Bright lustre plate finish with contrasting black oxide. Will also produce a single flare.


Sizes: $\frac{3}{16}$ ", $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", and $\frac{5}{8}$ ".



Capacity	Weight each	Order Code KEN-588	Price/1 TB
$\frac{3}{16}$ " - $\frac{5}{8}$ "	1.03kg	-9550K	1385.00

Pressure Testing Pump - 860psi

This robust piece of equipment has a 10ltr powder coated tank and comes with a 1.5m $\frac{1}{2}$ " reinforced hose and a pressure gauge graduated in Bar and PSI.




Replacement Parts for Pressure Testing Pump

Description	Order Code KEN-567	Price/1 TB
Gauge 60 Bar	-9000K	1849.00
Hose 60 Bar	-9020K	4069.00
Seal Kit 60 Bar	-9040K	361.00

Product Number	Tank Cap.	Test Capacity Bar	Capacity Psi	Hose Con	Weight each	Order Code KEN-588	Price/1 TB
PTP060	10ltr	60	860	$\frac{1}{2}$ BSP	9kg	-8700K	21142.00

Tube Cutting & Bending Set

Contains flaring press, 45° spreader, 30mm capacity tube cutter, tube springs 14, 18, 16 and 20mm dia. Robust moulded case.




Capacity	Weight each	Order Code KEN-588	Price/1 TB
$\frac{3}{16}$ " - $\frac{5}{8}$ "	2.3kg	-9600K	1457.00

Folding Double Flaring Tool Set

Suitable for use on copper pipe. Compact folding design. Robust moulded case.

Single 45° flares: $\frac{3}{16}$ " to $\frac{5}{8}$ ". Double flares: $\frac{3}{16}$ " to $\frac{1}{2}$ ". Cutter: $\frac{1}{8}$ " to $1\frac{1}{4}$ ". Deburrer: $\frac{1}{8}$ " to $1\frac{1}{8}$ " internal and external.



Capacity	Weight each	Order Code KEN-588	Price/1 TB
$\frac{3}{16}$ " - $\frac{5}{8}$ "	2.5kg	-9620K	3112.00

HEAVY
DUTY

10
LTR



KENNEDY Drop Head Threader

Strong-arm ratchet threading set complete with 1/2", 3/4" and 1" quick change dies. Manufactured to the highest quality with comfortable 2-part handle to give greater leverage. Complete with tough moulded carry case.



Capacity	Weight each	Order Code KEN-588	Price/1 TB
1/2" - 1"	4.5kg	-8800K	13084.00

Accessories

Description	Weight each	Order Code KEN-588	Price/1 TB
Head 1/2" BSPT	660g	-8820K	2270.00
3/4" BSPT	584g	-8830K	2270.00
1" BSPT	839g	-8840K	2533.00
Die 1/2" BSPT	69g	-8920K	1301.00
3/4" BSPT	72g	-8930K	1301.00
1" BSPT	132g	-8940K	1301.00
Ratchet	1.5kg	-8980K	4294.00

Pipe Vices

Used for repetitive tasks on pipework. The frame of the pipe vice is made from cast iron with jaws made from hardened tool grade alloy steel with a corrosion resistant coating. The top jaw of the pipe vice is held in position with a hook which automatically engages when the vice is closed. The stand is fitted with an integral tool tray, wide angled legs give greater stability and the folding design provides easy storage and transportation.



Group 445

Pipe Vice Only

Product Number	Capacity (mm)	Weight each	Order Code KEN-588	Price/1 TB
VP055	8-55	4.50kg	-8020K	5496.00
VP085	10-85	6.70kg	-8040K	6211.00
VP100	15-100	10.3kg	-8060K	8194.00

Pipe Vice & Stand

Product Number	Capacity (mm)	Weight each	Order Code KEN-588	Price/1 TB
VPS055	8-55	24.6kg	-8220K	12500.00
VPS085	10-85	31.6kg	-8240K	14219.00

Stand Only

Product Number	To Suit (mm)	Weight each	Order Code KEN-588	Price/1 TB
TTS055	55	20.1kg	-8520K	9500.00
TTS085	85	24.9kg	-8540K	8297.00



PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

GROUP 588 PIPE WRENCHES

KENNEDY Pipe Wrenches

Jaws are serrated in the opposite direction to ensure a secure grip. Used mainly in the plumbing industry for gripping pipes and nuts. Cast iron frame, drop forged handles and jaws. All moving parts are heat treated. Used mainly in the plumbing industry for gripping pipes and nuts. Conform with **BS 3594 : Part 2**.

Standard Duty - For most general purpose applications.



Length (mm)	Capacity (mm)	Weight per 6	Order Code KEN-588	Price/1 TB
205 (8")	27	1.70kg	-2080K	979.00
255 (10")	35	3.30kg	-2100K	1185.00
305 (12")	43	4.40kg	-2120K	1391.00
355 (14")	50	6.50kg	-2140K	1622.00
455 (18")	60	10.10kg	-2180K	2163.00
600 (24")	76	24.00kg	-2240K	3399.00
900 (36")	102	29.20kg	-2360K	8343.00

Heavy Duty - For more industrial applications.



Length (mm)	Capacity (mm)	Weight per 6	Order Code KEN-588	Price/1 TB
205 (8")	27	2.60kg	-3080K	1185.00
255 (10")	35	5.00kg	-3100K	1236.00
305 (12")	43	7.50kg	-3120K	1622.00
355 (14")	50	10.00kg	-3140K	1725.00
455 (18")	60	16.10kg	-3180K	2369.00
600 (24")	76	25.70kg	-3240K	3605.00
900 (36")	102	30.70kg	-3360K	8704.00
1200 (48")	140	94.80kg	-3480K	16583.00

Aluminium Pipe Wrenches

Lightweight aluminium alloy handles. As robust as heavy duty cast iron wrenches.



Length (mm)	Capacity (mm)	Weight per 6	Order Code KEN-588	Price/1 TB
200 (8")	27	1.65kg	-3680K	1391.00
255 (10")	35	3.20kg	-3700K	1700.00
305 (12")	43	4.70kg	-3720K	1751.00
355 (14")	50	6.25kg	-3740K	2240.00
455 (18")	60	9.90kg	-3780K	2781.00
600 (24")	80	11.20kg	-3840K	3193.00
900 (36")	102	14.00kg	-3860K	4635.00
1200 (48")	140	35.00kg	-3880K	5820.00

SENATOR Heavy Duty Wrenches

Heavy duty pattern. Drop forged, single piece body.



Length (mm)	Weight each	Order Code SEN-588	Price/1 TB
200 (8")	0.40kg	-5080K	199.00
250 (10")	0.67kg	-5100K	299.00
300 (12")	1.00kg	-5120K	325.00
350 (14")	1.30kg	-5140K	399.00
450 (18")	2.00kg	-5180K	499.00
600 (24")	3.50kg	-5240K	799.00
900 (36")	5.90kg	-5360K	1500.00
1200 (48")	16.00kg	-5480K	2500.00

Spare Jaw & Nut

For standard and heavy duty pipe wrenches.




Wrench Size (mm)	Standard Duty		Heavy Duty	
	Order Code KEN-567	Price/1 TB	Order Code KEN-567	Price/1 TB
205 (8")	-4080K	466.00	-4580K	438.00
255 (10")	-4100K	1273.00	-4600K	464.00
305 (12")	-4120K	581.00	-4620K	515.00
355 (14")	-4140K	675.00	-4640K	567.00
455 (18")	-4180K	985.00	-4680K	747.00
600 (24")	-4240K	1548.00	-4740K	1288.00
900 (36")	-4360K	2647.00	-4860K	2163.00

Swedish Pattern Pipe Wrenches

Narrow design for confined areas, used for gripping pipe and nuts. Forged chrome vanadium heat treated steel. Knurled adjusting nut with guiding reinforcement on handle. Conform to **DIN 5234**.


90° Type



Length (mm)	Max. Jaw Opening	Weight each	Order Code KEN-588	Price/1 TB
300 (12")	38mm	0.76kg	-4120K	1622.00
400 (16")	46mm	1.40kg	-4160K	2281.00
560 (22")	65mm	2.50kg	-4220K	3693.00

'S' Type

'S' shaped jaws grip at three points to ensure a maximum grip.



Length (mm)	Max. Jaw Opening	Weight each	Order Code KEN-588	Price/1 TB
225 (9")	22mm	0.40kg	-4290K	1313.00
300 (12")	38mm	0.85kg	-4320K	1622.00
405 (16")	46mm	1.45kg	-4360K	2292.00
530 (21")	65mm	2.45kg	-4410K	3620.00

Adjustable Pipe Wrenches

All-purpose wrenches with precision milled and hardened teeth which grips the workpiece tighter the more pressure is applied. Pressed steel handles with high carbon steel profiled jaws.

Jaw Adjustment:

(7") 175mm:

1.5 - 38mm
(1/16" - 1 1/2").

(9") 225mm:

3.0 - 64mm
(1/8" - 2 1/2").

(12") 300mm:

6.0 - 75mm
(1/4" - 3").



NEW

Thumb Adjustment	Length (mm)	Weight each	Order Code KEN-588	Price/1 TB
No	175 (7")	300g	-2710K	567.00
	225 (9")	600g	-2720K	670.00
	300 (12")	1000g	-2730K	979.00
Yes	175 (7")	300g	-2760K	670.00
	225 (9")	600g	-2770K	824.00
	300 (12")	1000g	-2780K	1133.00

SENATOR Speed Wrench Set

Contains two multi-purpose self-adjusting wrenches 200mm (8"), maximum capacity 25mm and 300mm (12"), maximum capacity 35mm. Can be used on pipes, nuts and bolts and will also grip rounded nuts. Manufactured from fully chrome-plated drop forged steel.




Capacity	Weight each	Order Code SEN-588	Price/1 TB
25mm & 35mm	925g	-9010K	1268.00



Self Adjusting Basin Wrenches

Heavy Duty

With spring loaded jaws of hardened forged and milled steel. Jaw swivels 180° allowing easy tightening and loosening of basin nuts on both 15mm and 22mm pipes.



With sliding tommy bar.
Capacity: 10 - 32mm
($\frac{3}{8}$ " - $1\frac{1}{4}$ ".)

Overall Length	Weight each	Order Code KEN-588	Price/1 TB
265mm	520g	-6020K	325.00

Telescopic Type Basin Wrench

Box section extending shank with spring loaded retainer. Spring loaded jaws of hardened forged and milled steel.



Jaw swivels 180° allowing easy tightening and loosening of basin nuts on both 15mm and 22mm pipes. With sliding tommy bar.
Capacity: 10 - 32mm ($\frac{3}{8}$ " - $1\frac{1}{4}$ ".)

Overall Length	Weight each	Order Code KEN-588	Price/1 TB
245mm	840g	-6030K	473.00

Back Spanner Basin Wrenches

For use in vertical or horizontal confined spaces. Grips on smooth and oily surfaces. Double ended wrench for 13mm ($\frac{1}{2}$ ") and 32mm ($1\frac{1}{4}$ ") lavatory and basin nuts. Made from cast iron.



Overall Length	Weight each	Order Code KEN-588	Price/1 TB
350mm	590g	-6000K	420.00

Radiator Key

Square opening brass key for use on domestic radiator bleed screws with easy to turn clock key type handle for releasing air from water filled radiators.



Type	Weight each	Order Code KEN-588	Price/1 TB
Radiator Key	10g	-6070K	91.00

Multi Key - 4-Way

For gas, water and electric meter boxes, air conditioning units, stop valves, mains consoles etc., central heating pump cocks, some radiator valves and drain off valves.




Type	Weight each	Order Code KEN-588	Price/1 TB
4-Way Key	75g	-6060K	201.00

Immersion Heater Box Spanner




This heavy duty box spanner complete with tommy bar will reach recessed elements on most hot water tanks.



Capacity	Weight each	Order Code KEN-588	Price/1 TB
86mm	520g	-6050K	550.00

Adjustable Strap

Industrial strength rubber strap. Strap can be easily adjusted and used on irregular shapes.



Capacity (mm)	Weight each	Order Code KEN-588	Price/1 TB
15 to 150	600g	-1500K	695.00

Chain Pipe Wrenches


For gripping tubes, piping and irregular shaped objects. The chain is looped around the object and locked on the head. The head will automatically grip in the direction of the turn and the object can be rotated. The head is double ended and fully reversible for longer tool life. Manufactured from hardened and tempered carbon steel to US specification GG-W-651.




Diameter (mm)	Length (mm)	Order Code KEN-588	Price/1 TB
63 (2 $\frac{1}{2}$ ")	525 (21")	-4500K	3373.00
100 (4")	600 (24")	-4520K	4119.00

Chain Separators

All steel construction, industry quality roller and bush chain separator. Designed for separating roller and bush chains that have end softened pins, to remove hardened pins the ends must first be removed by grinding. Simple to operate grip the chain in the self-closing jaws that also supports the chain to prevent twisting as the link pins are driven out. Then turn the T-handle to drive the pins out. Always ensure that the machine is switched off before disconnecting or connecting a chain.




Model SCS1
Chain: 9.525 - 15.875mm (0.375" - 0.625") pitch, to BS & ANSI standard.



Roller Chain
Pin, roller and bush assembly.

Bush Chain
Identical to roller chain, but with the omission of the roller.



Model LCS2
Chain: 19.05 - 31.75mm (0.75 - 1.25") pitch, to BS standard.
Chain: 19.05 - 25.40mm (0.75 - 1.00") pitch, to ANSI standard.

Product Number	Weight each	Order Code KEN-588	Price/1 TB
SCS1	445g	-1010K	1685.00
LCS2	765g	-1020K	1906.00

GROUP 588 DRAINAGE EQUIPMENT


KENNEDY Drain Rods

Use for cleaning and unblocking drains, pipes and sewers. A range of accessories are also available including drop scrapers, double worm screws and plungers. Manufactured from polypropylene fitted with solid brass joints securely fitted with brass rivets. Rods are strong, durable and rigid with the right amount of drain rod flexibility.

Available with two different types of joint:

Universal: rods fitted with this type of joint should only be rotated in a clockwise direction.

Lockfast: rods fitted with this type of joint can be rotated in either direction and will remain secure in the most demanding conditions.



Type	Weight each	Order Code KEN-588	Price/1 TB
Universal	190g	-7240K	236.00

Type	Weight each	Order Code KEN-588	Price/1 TB
Lockfast	245g	-7250K	539.00

Drain Rod Sets

Use for cleaning and unblocking drains, pipes and sewers. Manufactured from polypropylene fitted with solid brass joints securely fitted with brass rivets. Rods are strong, durable and rigid with the right amount of drain rod flexibility.

Contents:

10x 20 x 900mm rods,
1x 100mm double worm screw,
1x 100mm plunger,
1x 100mm drop scraper,
Also supplied with two rod ties.



Type	Weight each	Order Code KEN-588	Price/1 TB
Universal	2.37kg	-7200K	2966.00

Type	Weight each	Order Code KEN-588	Price/1 TB
Lockfast	2.60kg	-7210K	9551.00

**13
PIECES**

Drain Rod Bag

Used for carrying up to 10x 36" rods.



Capacity	Weight each	Order Code KEN-588	Price/1 TB
10 Rods	160g	-7280K	776.00

Drain Testing Dye

Used to locate the direction of water flow in pipes, drains etc. soluble in water. 200g jars.



Colour	Weight each	Order Code KEN-588	Price/1 TB
Green	200g	-7700K	1724.00
Red	200g	-7710K	1724.00
Blue	200g	-7720K	1724.00

Air Drain Test Kit

Used for testing for leaks in pipes of up to 4" water gauge.

Contents:

4" 'U' gauge, 9' length of tubing, hand bellows, 'Y' piece, 1/2" and 1" test nipple cap.



Description	Order Code KEN-588	Price/1 TB
Air Drain Test Kit	-7600K	5253.00

Accessories


Available with two different type of joints:

Universal: rods fitted with this type of joint should only be rotated in a clockwise direction.

Lockfast: rods fitted with this type of joint can be rotated in either direction and will remain secure in the most demanding conditions.

Double Worm Screw

Pierces blockages such as paper or rags and the obstruction is drawn back to clear the pipe.



Size	Type	Order Code KEN-588	Price/1 TB
100mm (4")	Universal	-7340K	408.00
100mm (4")	Lockfast	-7350K	430.00

Accessories Continued

Rubber Plunger

Builds up pressure of water to force obstruction clear. One piece rubber.



Size	Type	Order Code KEN-588	Price/1 TB
100mm (4")	Universal	-7300K	153.00
100mm (4")	Lockfast	-7310K	394.00
150mm (6")	Universal	-7420K	397.00
150mm (6")	Lockfast	-7430K	512.00

Drop Scraper

Glides over small obstructions and drops into a vertical position to allow material to be dragged back.



Size	Type	Order Code KEN-588	Price/1 TB
100mm (4")	Universal	-7380K	330.00
100mm (4")	Lockfast	-7390K	371.00
150mm (6")	Universal	-7460K	302.00
150mm (6")	Lockfast	-7470K	354.00

Pipe Unblocker

This pipe unblocker is easy to use and comes with a corrosion-resistant body. Its 4.6m coil length makes it ideal for unblocking domestic waste/drain pipes.

Description	Order Code KEN-588	Price/1 TB
Pipe Cleaner 4.6m	-6700K	1131.00



Drain Test Bungs

Used to pressure test or temporarily seal the end of an open pipe which is newly laid or decommissioned, preventing the ingress of water, gases, rodents.


Pipe Size Metric	Capacity Inch	Min/Max Operating Range	BSP Outlet	Order Code KEN-588	Price/1 TB
100	4"	94-110mm	1/2"	-7500K	729.00
150	6"	146-163mm	1/2"	-7510K	1045.00
200	8"	191-211mm	1"	-7520K	3435.00
225	9"	216-235mm	1"	-7530K	4031.00
300	12"	296-314mm	1"	-7540K	5479.00





Heavy Duty Adjustable Twin Roller Stand

Ideal for supporting long and heavy duty pipe and timber. Adjustable feet. Lock-knob to securely lock-in height settings. Cast iron base with levelling pads for stability. Adjustable height 29" (736mm) to 43" (1092mm), 1 3/8" (35mm) diameter x 6" (150mm) width with spring-loaded axle. Adjustable roller stands with double rollers forming vee groove for added stability allowing easy rotation and feed of up to 7" (180mm) diameter pipe or timber.



Type	Weight each	Order Code KEN-588	Price/1 TB
Adjustable Twin	6.20kg	-9030K	4584.00

Heavy Duty Self-Levelling Single Roller Stand HRS020


Heavy duty all-steel welded construction. Unique levelling pads for uneven floors. Adequately supports up to 100kg. Legs fold flat for easy storage and transportation. Pre-assembled and ready to use. Height adjustment from 758 to 1197mm. Bearing roller: 51mm x 284mm.



Type	Weight each	Order Code KEN-588	Price/1 TB
Self-Levelling	8.00kg	-9020K	5040.00

Fibre Grips

Fibre-faced aluminium vice jaws for use with copper, aluminium, brass and wooden workpieces to prevent marking of work surface. Supplied in pairs.




Width (mm)	Weight each	Order Code KEN-589	Price/Pr TB
76 (3")	165g	-0300K	314.00
90 (3 1/2")	180g	-0350K	450.00
100 (4")	180g	-0400K	460.00
110 (4 1/2")	230g	-0420K	470.00
115 (4 1/2")	245g	-0450K	479.00
127 (5")	245g	-0500K	509.00
133 (5 1/4")	260g	-0520K	539.00
150 (6")	280g	-0600K	799.00

Magnetic Vice Jaws


Suitable for all steel and iron vices - engineers, fitters, machine. Quick and easy to fit and remove.

Profiled Aluminium



Width (mm)	Weight each	Order Code KEN-589	Price/Pr TB
75 (3")	125g	-1300K	657.00
100 (4")	165g	-1400K	864.00
125 (5")	210g	-1500K	864.00
150 (6")	250g	-1600K	906.00

Aluminium Jaw with a Fibre Face



Width (mm)	Weight each	Order Code KEN-589	Price/Pr TB
75 (3")	115g	-2300K	885.00
100 (4")	160g	-2400K	1034.00
125 (5")	195g	-2500K	1101.00
150 (6")	235g	-2600K	1113.00

Aluminium Jaw with a Rubber Face



Width (mm)	Weight each	Order Code KEN-589	Price/Pr TB
75 (3")	120g	-3300K	864.00
100 (4")	160g	-3400K	1034.00
125 (5")	210g	-3500K	1073.00
150 (6")	250g	-3600K	1131.00