



QUALFAST

Socket Head Cap Screws -
Metric


High Grade Alloy Steel to
BS EN ISO 898/1 Grade 12.9.
Suitable for all high tensile
applications.
Maximum operating temperature
(unplated): 300°C.



Dimensions to BS EN ISO 4762 DIN 912

Threaded to Head
as Standard


Thread Size	Dimensions (mm)		
	dk	k	S (hex)
M1.6	3.00	1.6	1.5
M2	3.80	2.0	1.5
M2.5	4.50	2.5	2.0
M3	5.68	3.0	2.5
M4	7.22	4.0	3.0
M5	8.72	5.0	4.0

M1.6 to M5	ISO Metric - Self Colour			ISO Metric - Self Colour			ISO Metric BZP			ISO Metric A2 Stainless			
Threaded to Head as Standard													
Size	L	Box Qty	Standard (Self-Colour)		Thread to Head (Self-Colour)		Bright Zinc Plated (BZP)		A2 Stainless Steel				
			Order Code	Price/100	Order Code	Price/100	Order Code	Price/100	Order Code	Price/100			
			QFT-600	TB	QFT-600	TB	QFT-600	TB	QFT-606	TB			
M1.6	4	200	-0905F	8700.00	This Size Range Across all Finishes are Supplied Threaded to Head as Standard.			-		-			
	6	200	-0906G	9300.00			-		-		-		
	3	200	-0912N	5150.00			-		-		-		
M2	4	200	-0913P	3950.00			-		-		-5913P	9600.00	
	5	200	-0914Q	4125.00			-		-		-5914Q	10150.00	
	6	200	-0915R	4250.00			-		-		-5915R	10500.00	
	8	200	-0916S	2640.00			-		-		-5916S	11050.00	
	10	200	-0917T	2640.00			-		-		-5917T	11250.00	
	12	200	-0918V	2640.00			-		-		-5918V	13050.00	
	16	200	-	-			-		-		-5919A	8750.00	
20	200	-	-			-		-		-5919F	9750.00		
M2.5	4	200	-0920T	1900.00			-		-		-5919W	9150.00	
	5	200	-0920X	1900.00			-		-		-5920X	8050.00	
	6	200	-0921Y	1925.00			-		-		-5921Y	10200.00	
	8	200	-0922Z	1925.00			-		-		-5922Z	9950.00	
	10	200	-0924A	1925.00			-		-		-5924A	10950.00	
	12	200	-0925B	1950.00			-		-		-5925B	12500.00	
	16	200	-0925R	1975.00			-		-		-5925M	13050.00	
20	200	-0926F	2500.00			-		-		-5926C	14500.00		
M3	4	200	-	-			-		-		-	-	
	5	200	-0927D	990.00			-8048Y	750.00		-5927D	4416.00		
	6	200	-0928E	385.00			-8049Z	750.00		-5928E	1663.00		
	8	200	-0929F	385.00			-8050A	1900.00		-5929F	1505.00		
	10	200	-0930G	275.00			-8052C	900.00		-5930G	1159.00		
	12	200	-0931H	275.00			-8054E	900.00		-5931H	1184.00		
	14	200	-0932J	495.00			-	-		-	-		
	15	200	-0933K	495.00			-	-		-	-		
	16	200	-0934L	275.00			-8056G	950.00		-5934L	1256.00		
	18	200	-0934M	350.00			-	-		-5935A	1789.00		
	20	200	-0935M	385.00			-8058J	950.00		-5935M	1576.00		
	22	200	-0935Z	400.00			-	-		-	-		
	25	200	-0936N	440.00		-	-8059K	1200.00		-5936N	1935.00		
	30	200	-0937P	550.00		-	-8061R	1450.00		-5937P	2384.00		
35	200	-0938Q	770.00	-		-	-		-5938Q	3343.00			
M4	40	200	-0939C	1210.00		-	-8064G	3300.00		-5938W	5400.00		
	45	200	-0939E	1300.00		-	-8068M	4800.00		-	-		
	50	200	-0939F	1350.00		-	-	-		-	-		
	60	200	-0939H	1400.00		-	-	-		-	-		
	5	200	-0939R	715.00		This Size Range Across all Finishes are Supplied Threaded to Head as Standard.	-	-		-	-		
	6	200	-0940S	495.00			-8101Q	1300.00		-5940S	2137.00		
	8	200	-0941T	350.00			-8102R	1300.00		-5941T	1256.00		
	10	200	-0942V	350.00			-8103F	1300.00		-5942V	1112.00		
	12	200	-0943W	350.00			-8104A	1300.00		-5944X	1064.00		
	14	200	-0944X	450.00			-	-		-5945Y	2018.00		
15	200	-0945Y	450.00	-8105B			1300.00		-5946Z	1112.00			
16	200	-0946Z	350.00	-			-		-	-			
18	200	-0947F	440.00	-8105T			1400.00		-5948A	1152.00			
20	200	-0948A	350.00	-			-		-	-			
M5	22	200	-0948G	400.00		-	-8106C	1400.00		-5949B	1344.00		
	25	200	-0949B	350.00		-	-8106D	1500.00		-5950C	1608.00		
	30	200	-0950C	385.00		-	-8106F	1550.00		-	-		
	35	200	-0951D	385.00		-	-8107A	1600.00		-5952E	2401.00		
	40	200	-0952E	550.00		-	-	-		-5953F	3343.00		
	45	200	-0953F	792.00		-	-8107J	2100.00		-5954G	3392.00		
	50	200	-0954G	792.00		-	-	-		-	-		
	55	200	-0954W	1265.00		-	-8107L	2200.00		-	-		
	60	200	-0954Z	1265.00		-	-	-		-	-		
	65	200	-0955A	1300.00		-	-	-		-	-		
	70	200	-0955B	1350.00		-	-	-		-	-		
	75	200	-0955C	1400.00		-	-	-		-	-		
	80	200	-0955D	3500.00		-	-	-		-	-		
	90	200	-0955G	2500.00		-	-	-		-	-		
100	200	-0955E	6500.00	-		-	-		-	-			
M5	6	200	-0955H	350.00		This Size Range Across all Finishes are Supplied Threaded to Head as Standard.	-8108P	2300.00		-5956A	2854.00		
	8	200	-0956J	385.00			-8108R	2300.00		-5956J	1536.00		
	10	200	-0957K	385.00			-8109J	2300.00		-5957K	1152.00		
	12	200	-0958L	385.00			-8110A	2300.00		-5958L	1152.00		
	14	200	-0959M	425.00			-	-		-5959M	2022.00		
	15	200	-0960N	440.00			-	-		-	-		
	16	200	-0961P	385.00			-8111B	2300.00		-5961P	1112.00		
	18	200	-0962Q	365.00			-	-		-5962Q	2143.00		
	20	200	-0963R	385.00			-8111D	2300.00		-5963R	1184.00		
	22	200	-0964S	375.00			-8111R	2400.00		-	-		
	25	200	-0965T	385.00		-8112C	2400.00		-5965T	1344.00			
	30	200	-0966V	385.00		-8113D	2400.00		-5966V	1592.00			
	35	200	-0967W	440.00		-8114E	2400.00		-5967W	1649.00			
	40	200	-0968X	440.00		-4500A	2300.00		-5968X	1872.00			
45	200	-0969Y	660.00	-4501B		2800.00		-5969M	2839.00				
50	200	-0970Z	660.00	-4502C		2400.00		-5969Y	2528.00				
55	200	-0972A	990.00	-4503D		4750.00		-	-				
60	200	-0973B	990.00	-4504E		3750.00		-5973B	4631.00				
				-4505F		5250.00		-	-				
				-	-		-8117A	5300.00					

SOCKET HEAD CAP SCREWS

QUALFAST**Socket Head Cap Screws - Metric**

High Grade Alloy Steel to
BS EN ISO 898/1 Grade 12.9.
Suitable for all high tensile
applications.
Maximum operating temperature
(unplated): 300°C.

**Threaded to Head as Standard**Dimensions to **BS EN ISO 4762 DIN 912**



Thread Size	Dimensions (mm)		
	dk	k	S (hex)
M5	8.72	5.0	4.0
M6	10.22	6.0	5.0
M8	13.27	8.0	6.0
M10	16.27	10.0	8.0

M5 to M10		ISO Metric - Self Colour		ISO Metric - Self Colour		ISO Metric - BZP		ISO Metric A2 Stainless	
Threaded to Head as Standard		Standard (Self-Colour)		Thread to Head (Self-Colour)		Bright Zinc Plated (BZP)		A2 Stainless Steel	
Size	Box Qty	Order Code QFT-600	Price/100 TB	Order Code QFT-600	Price/100 TB	Order Code QFT-600	Price/100 TB	Order Code QFT-600	Price/100 TB
M5 con't	65 200	-0974C	995.00	-	-	-8117J	5900.00	-	-
	70 200	-0975D	995.00	-	-	-8118J	5600.00	-5973X	5600.00
	75 200	-0975K	995.00	-	-	-	-	-	-
	80 200	-0975R	1000.00	-	-	-	-	-5974Y	13900.00
	85 200	-0975S	3500.00	-	-	-	-	-	-
	90 200	-0975T	1100.00	-	-	-	-	-	-
	100 200	-0975X	1100.00	-	-	-8118T	5700.00	-5975Z	40750.00
	110 200	-0975Z	1200.00	-	-	-	-	-	-
	120 200	-0976A	1500.00	-	-	-	-	-	-
	130 200	-0976B	2500.00	-	-	-	-	-	-
	140 200	-0976C	6500.00	-	-	-	-	-	-
	150 200	-0976D	4150.00	-	-	-	-	-	-
M6	6 200	-0976F	350.00	This Size Range Across all Finishes are Supplied Threaded to Head as Standard.		-	-	-	-
	8 200	-0976E	495.00			-8119H	2300.00	-5976E	2287.00
	10 200	-0977F	495.00			-8119K	2400.00	-5977F	1320.00
	12 200	-0978G	500.00			-8120A	2400.00	-5978G	1168.00
	14 200	-0979H	400.00			-	-	-5979H	2571.00
	15 200	-0980J	199.00			-	-	-	-
	16 200	-0981K	550.00			-8121B	2400.00	-5981K	1191.00
	18 200	-0982L	400.00			-8121C	2400.00	-	-
	20 200	-0983M	550.00			-8122C	2400.00	-5983M	1208.00
	22 200	-0984N	400.00			-	-	-	-
	25 200	-0985P	560.00			-8123D	2400.00	-5985P	1327.00
	30 200	-0986Q	570.00			-8124E	2400.00	-5986Q	1471.00
	35 200	-0987R	570.00			-8125A	2500.00	-5987R	1793.00
	40 200	-0988S	575.00			-8125F	2600.00	-5988S	1841.00
	45 200	-0989T	580.00			-8126G	2700.00	-5989T	2087.00
	50 200	-0990V	585.00			-8127H	2800.00	-5990V	2424.00
	55 200	-0991W	590.00			-8127J	2900.00	-5991W	3104.00
	60 200	-0992X	595.00			-8127K	3400.00	-5992X	3479.00
	65 200	-0993Y	560.00			-8127L	3500.00	-5993Y	4384.00
	70 200	-0994Z	570.00			-8127M	4000.00	-5994Z	4505.00
	75 200	-0996A	725.00			-8127N	4100.00	-5996A	4672.00
	80 200	-0997B	750.00			-8127P	5800.00	-5997B	6250.00
	85 200	-0997C	1500.00			-	-	-	-
	90 200	-0998C	740.00			-8127R	5900.00	-5998C	6650.00
	100 200	-0999D	850.00			-8127T	6500.00	-5999D	8550.00
	110 200	-1000E	1350.00			-	-	-	-
	120 200	-1001F	1500.00			-8127V	8500.00	-	-
M8	130 200	-1001H	2400.00			-	-	-	-
	140 200	-1001K	2500.00			-	-	-	-
	150 200	-1001P	2600.00			-	-	-	-
	160 200	-1001T	3100.00			-	-	-	-
	170 200	-1001V	26500.00			-	-	-	-
	200 200	-1001W	27000.00			-	-	-	-
	10 200	-1002G	990.00	This Size Range Across all Finishes are Supplied Threaded to Head as Standard.		-8128J	2500.00	-6002G	4490.00
	12 200	-1003H	990.00			-8128K	2500.00	-6003H	2472.00
	14 200	-	-			-8128L	2600.00	-6004J	1600.00
	15 200	-1005K	825.00			-	-	-	-
	16 200	-1006L	925.00			-8129R	2700.00	-6006L	2296.00
	18 200	-1007M	930.00			-	-	-	-
	20 200	-1008N	935.00			-8130A	2700.00	-6008N	2120.00
	22 200	-1009P	935.00			-	-	-	-
	25 200	-1010Q	940.00			-8131B	2800.00	-6010Q	2120.00
	30 200	-1011R	945.00			-8132C	2800.00	-6011R	2311.00
	35 200	-1012S	950.00			-8132R	2800.00	-6012S	2664.00
	40 200	-1013T	955.00			-8133D	2900.00	-6013T	2872.00
	45 200	-1014V	960.00			-8134E	3050.00	-6014V	3304.00
	50 100	-1015W	965.00			-8135F	4100.00	-6015W	3479.00
	55 100	-1016X	1200.00			-8135G	4200.00	-6016X	3767.00
	60 100	-1017Y	1200.00			-8136G	4300.00	-6017Y	4071.00
	65 100	-1018Z	1255.00			-8136T	4500.00	-6018Z	4631.00
	70 100	-1020A	1350.00			-8137R	5100.00	-6020A	4904.00
	75 100	-1021B	1400.00			-8138F	5300.00	-6021B	6450.00
	80 100	-1022C	1450.00			-8138G	7400.00	-6022C	6950.00
	85 100	-1023A	4500.00			-	-	-	-
	90 100	-1023D	4600.00			-8138J	8750.00	-6024E	7700.00
	100 100	-1024E	5000.00			-8138L	9500.00	-6026G	9500.00
	110 100	-1025F	5100.00			-8138N	8400.00	-6027H	17450.00
	120 100	-1026G	5200.00			-	-	-6028J	20400.00
	130 100	-1027H	5300.00			-	-	-	-
	140 100	-1028J	5900.00			-	-	-6030H	75850.00
M10	150 100	-1029K	6500.00			-	-	-	-
	160 100	-1030L	7500.00			-	-	-	-
	180 100	-1031M	9500.00			-	-	-	-
	200 100	-1032N	26000.00			-	-	-	-
	10 100	-1033P	2365.00	This Size Range Across all Finishes are Supplied Threaded to Head as Standard.		-	-	-	-
	12 100	-1034Q	2365.00			-8139B	4600.00	-6037T	5550.00
	15 100	-1036S	1650.00			-	-	-	-
	16 100	-1037T	1650.00			-8139G	4700.00	-6038V	3687.00
	18 100	-1038V	1850.00			-	-	-	-
	20 100	-1039W	1650.00			-8139T	4800.00	-6039W	3255.00

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

© 2014

QUALFAST

Socket Head Cap Screws -
MetricHigh Grade Alloy Steel to
BS EN ISO 898/1 Grade 12.9.Suitable for all high tensile
applications.Maximum operating temperature
(unplated): 300°C.Threaded to Head
as Standard

Dimensions to BS EN ISO 4762 DIN 912


Thread Size	dk	k	S (hex)
M10	16.27	10.0	8.0
M12	18.27	12.0	10.0
M14	21.33	14.0	12.0
M16	24.33	16.0	14.0

M10 to M16		ISO Metric - Self Colour		ISO Metric - Self Colour		ISO Metric BZP		ISO Metric A2 Stainless		
Threaded to Head as Standard										
		Standard (Self-Colour)		Thread to Head (Self-Colour)		Bright Zinc Plated (BZP)		A2 Stainless Steel		
Size	L	Box Qty	Order Code QFT-600	Price/100 TB	Order Code QFT-600	Price/100 TB	Order Code QFT-600	Price/100 TB	Order Code QFT-606	Price/100 TB
M10 con't	25	100	-1041Y	1650.00	This Size Range Across all Finishes are Supplied Threaded to Head as Standard.		-8140A	4900.00	-6041Y	3335.00
	30	100	-1042Z	1650.00			-8140C	5000.00	-6042Z	3399.00
	35	100	-1044A	1700.00			-8140G	5100.00	-6044A	3927.00
	40	100	-1045B	1750.00			-8140J	5200.00	-6045B	4320.00
	45	100	-1046C	1800.00	-4560A	16500.00	-8141A	5250.00	-6046C	5150.00
	50	100	-1047D	1850.00	-4561B	8500.00	-8141B	5550.00	-6047D	5450.00
	55	100	-1048E	1900.00	-	-	-8141C	5600.00	-6048E	6100.00
	60	100	-1049F	1950.00	-	-	-8142C	5999.00	-6049F	6300.00
	65	100	-1050G	2000.00	-	-	-8142R	6600.00	-6050G	7300.00
	70	100	-1051H	2025.00	-4563D	7050.00	-8142T	6500.00	-6051H	7300.00
	75	100	-1052J	2050.00	-	-	-8142U	7050.00	-6052J	7150.00
	80	100	-1053K	2100.00	-4564E	7050.00	-8142V	7500.00	-6053K	7400.00
	90	100	-1054L	2150.00	-	-	-8142W	7950.00	-6054L	8150.00
	100	100	-1055M	2200.00	-	-	-8143A	10100.00	-6055M	9550.00
	110	100	-1056N	2250.00	-	-	-8142X	9550.00	-6056N	15050.00
	120	100	-1057P	2300.00	-	-	-	-	-6057P	17550.00
	130	100	-1058Q	2650.00	-	-	-	-	-6058Q	17850.00
	140	100	-1059R	2750.00	-	-	-	-	-	-
	150	100	-1060S	4500.00	-	-	-	-	-6060S	30150.00
	160	100	-1061T	3600.00	-	-	-	-	-6061T	71950.00
	180	100	-1062V	5500.00	-	-	-8142Y	31000.00	-	-
	200	100	-1063W	6500.00	-	-	-	-	-	-
	220	100	-1063Y	6750.00	-	-	-	-	-	-
	240	100	-1064A	16000.00	-	-	-	-	-	-
	250	100	-1064B	27000.00	-	-	-	-	-	-
	300	100	-1064L	44000.00	-	-	-	-	-	-
M12	12	100	-1064X	5500.00	This Size Range Across all Finishes are Supplied Threaded to Head as Standard.		-	-	-	-
	15	100	-1067X	5500.00			-	-	-	-
	16	100	-1068A	7200.00			-	-	-	-
	20	100	-1070C	5500.00			-8143B	6250.00	-6071D	11050.00
	25	100	-1072E	2050.00	-	-	-8143C	6300.00	-6072E	5850.00
	30	100	-1073F	2100.00	-	-	-8144A	6400.00	-6073F	5850.00
	35	100	-1074G	2150.00	-	-	-8144D	6500.00	-6074G	6450.00
	40	50	-1075H	2200.00	-	-	-8144E	6660.00	-6075H	6450.00
	45	50	-1076J	2250.00	-	-	-8145F	8250.00	-6076J	7500.00
	50	50	-1077K	2300.00	-	-	-8145T	8500.00	-6077K	7950.00
	55	50	-1078L	2350.00	-	-	-8146H	11450.00	-6078L	8850.00
	60	50	-1079M	2400.00	-	-	-8146J	12000.00	-6079M	9350.00
	65	50	-1080N	2450.00	-	-	-	-	-6080N	11050.00
	70	50	-1081P	2500.00	-4580A	7950.00	-	-	-6081P	10650.00
	75	50	-1082Q	2555.00	-	-	-8149A	13000.00	-6082Q	11550.00
	80	50	-1083R	2600.00	-4581B	12250.00	-	-	-6083R	11900.00
	85	100	-1083S	2950.00	-	-	-	-	-	-
	90	50	-1084S	2950.00	-	-	-8150G	42000.00	-6084S	13900.00
	100	50	-1085T	2950.00	-4582C	12900.00	-	-	-6085T	16000.00
	110	50	-1086V	2950.00	-	-	-	-	-6086V	18400.00
	120	50	-1087W	4500.00	-	-	-	-	-6087W	19150.00
	130	50	-1088X	5500.00	-	-	-	-	-6088X	23000.00
	140	50	-1089Y	6500.00	-	-	-	-	-6089Y	29200.00
	150	50	-1090Z	7500.00	-	-	-	-	-	-
	160	50	-1092A	8000.00	-	-	-	-	-	-
	180	50	-1093B	8350.00	-	-	-	-	-	-
	200	50	-1094C	9500.00	-	-	-	-	-	-
	220	50	-1094E	10500.00	-	-	-	-	-	-
	240	50	-1094G	11500.00	-	-	-	-	-	-
	260	50	-1094J	28000.00	-	-	-	-	-	-
	280	100	-1094Q	40000.00	-	-	-	-	-	-
	300	50	-1094S	45000.00	-	-	-	-	-	-
M14	25	50	-1095D	2650.00	This Size Range Across all Finishes are Supplied Threaded to Head as Standard.		-	-	-	-
	30	50	-1096E	2650.00			-	-	-	-
	35	50	-1097F	2700.00			-	-	-	-
	40	50	-1098G	2950.00			-8163G	29500.00	-	-
	45	50	-1099H	3100.00	-	-	-	-	-	-
	50	50	-1100J	3300.00	-	-	-	-	-	-
	55	50	-1101K	3950.00	-	-	-	-	-	-
	60	50	-1102L	3950.00	-	-	-	-	-	-
	65	50	-1103M	4150.00	-	-	-	-	-	-
	70	50	-1104N	4350.00	-	-	-	-	-	-
	75	50	-1105P	4850.00	-	-	-	-	-	-
	80	50	-1106Q	4850.00	-	-	-	-	-	-
	90	50	-1107R	5950.00	-	-	-	-	-	-
	100	50	-1109T	5950.00	-	-	-	-	-	-
	110	50	-1110F	-	-	-	-	-	-	-
	120	50	-1110V	6500.00	-	-	-	-	-	-
150	50	-1110Z	9500.00	-	-	-	-	-	-	
M16	20	25	-1111E	3650.00	This Size Range Across all Finishes are Supplied Threaded to Head as Standard.		-	-	-	-
	22	25	-	-			-	-	-	-
	25	25	-1112X	3750.00			-	-	-6112X	17250.00
	30	25	-1113Y	3750.00			-8170J	8650.00	-6113Y	13550.00
	35	25	-1114Z	3750.00	-	-	-8171K	8800.00	-6114Z	14100.00
	40	25	-1116A	3850.00	-	-	-8172L	13500.00	-6116A	13650.00
	45	25	-1117B	3950.00	-	-	-8173M	15950.00	-	-
	50	25	-1118C	4000.00	-	-	-8174N	13600.00	-6118C	15250.00
55	25	-1119D	4050.00	-	-	-8175P	17450.00	-	-	

QUALFAST

Socket Head Cap Screws - Metric


High Grade Alloy Steel to **BS EN ISO 898/1 Grade 12.9**. Suitable for all high tensile applications. Maximum operating temperature (unplated): 300°C.



Threaded to Head as Standard


Thread Size	Dimensions (mm)		
	dk	k	S (hex)
M16	24.33	16.0	14.0
M18	27.00	18.0	16.0
M20	30.33	20.0	17.0
M24	36.00	24.0	20.0

Dimensions to **BS EN ISO 4762 DIN 912**

M16 to M24			ISO Metric - Self Colour		ISO Metric - Self Colour		ISO Metric BZP		ISO Metric A2 Stainless	
Threaded to Head as Standard										
			Standard (Self-Colour)		Thread to Head (Self-Colour)		Bright Zinc Plated (BZP)		A2 Stainless Steel	
Size	L	Box Qty	Order Code QFT-600	Price/100 TB	Order Code QFT-600	Price/100 TB	Order Code QFT-600	Price/100 TB	Order Code QFT-606	Price/100 TB
M16 con't	60	25	-1120E	4100.00	This Size Across all Finishes is Supplied Threaded to Head as Standard.		-8176Q	15900.00	-6120E	18300.00
	65	25	-1121F	4300.00	-		-8177R	16850.00	-6121F	20700.00
	70	25	-1122G	4500.00	-		-8178S	17250.00	-6122G	19950.00
	75	25	-1123H	5100.00	-		-	-	-6123H	22900.00
	80	25	-1124J	5500.00	-		-	-	-6124J	21550.00
	85	25	-1125A	7500.00	-		-	-	-	-
	90	25	-1125K	9500.00	-		-	-	-6125K	25100.00
	100	25	-1126L	10500.00	-		-	-	-6126L	26500.00
	110	25	-1127M	11500.00	-		-	-	-	-
	120	25	-1128N	12000.00	-		-	-	-	-
	130	25	-1129P	12100.00	-		-	-	-6129P	42550.00
	140	25	-1130Q	12200.00	-		-	-	-6130Q	47250.00
	150	25	-1131R	12300.00	-		-	-	-	-
	160	25	-1132S	12500.00	-		-	-	-	-
	180	25	-1133T	14500.00	-		-	-	-	-
	200	25	-1134V	17650.00	-		-	-	-	-
	220	25	-1134X	19350.00	-		-	-	-	-
	240	25	-1134Y	32000.00	-		-	-	-	-
M18	250	25	-1136D	29000.00	-		-	-	-	-
	260	25	-1136H	41000.00	-		-	-	-	-
	280	25	-1134Z	45000.00	-		-	-	-	-
	300	25	-1135W	47000.00	-		-	-	-	-
	50	25	-1140A	5500.00	This Size Range Across all Finishes are Supplied Threaded to Head as Standard.		-	-	-	-
	60	25	-1142C	5950.00	-		-	-	-	-
	70	25	-1144E	6500.00	-		-	-	-	-
	80	25	-1146G	7650.00	-		-	-	-	-
	90	25	-1147H	8500.00	-		-	-	-	-
	100	25	-1148J	9500.00	-		-	-	-	-
M20	30	25	-1151M	7350.00	This Size Range Across all Finishes are Supplied Threaded to Head as Standard.		-	-	-6151M	41300.00
	35	25	-1152N	7400.00			-	-	-	-
	40	25	-1153P	7400.00			-	-	-6153P	31850.00
	45	25	-1154Q	7500.00			-	-	-	-
	50	25	-1155R	7600.00			-	-	-6155R	31200.00
	55	25	-1156S	8250.00			-	-	-6156S	35200.00
	60	25	-1157T	7750.00	-		-8182F	36500.00	-	-
	65	25	-1158V	9450.00	-		-8182T	48500.00	-	-
	70	25	-1159W	9550.00	-		-	-	-6159W	36150.00
	75	25	-1160X	9650.00	-		-	-	-	-
80	15	-1161Y	10000.00	-		-	-	-	-	
90	15	-1162Z	10050.00	-		-	-	-	-	
100	15	-1164A	10100.00	-		-	-	-6164A	47400.00	
110	15	-1165B	10125.00	-		-	-	-	-	
120	15	-1166C	10130.00	-		-	-	-	-	
130	15	-1167D	15500.00	-		-	-	-	-	
140	15	-1168E	15500.00	-		-	-	-	-	
150	15	-1169F	17500.00	-		-	-	-	-	
160	15	-1170G	17570.00	-		-	-	-	-	
180	15	-1171H	20750.00	-		-	-	-	-	
200	15	-1172J	22950.00	-		-	-	-	-	
220	15	-1173K	27000.00	-		-	-	-	-	
240	15	-1174L	31000.00	-		-	-	-	-	
260	15	-1175M	55000.00	-		-	-	-	-	
280	15	-1176N	56000.00	-		-	-	-	-	
300	15	-1177P	65000.00	-		-	-	-	-	
M24	40	15	-1180S	9500.00	This Size Range Across all Finishes are Supplied Threaded to Head as Standard.		-	-	-	-
	45	25	-1181T	12500.00			-	-	-	-
	50	15	-1182V	32000.00			-	-	-	-
	55	25	-1183W	35000.00			-	-	-	-
	60	15	-1184X	32000.00			-	-	-	-
	65	25	-1184Y	33000.00			-	-	-	-
	70	10	-1186Z	10000.00	-		-	-	-	-
	75	10	-1188A	12500.00	-		-	-	-6180M	188600.00
80	10	-1189B	18000.00	-		-	-	-	-	
90	10	-1190C	18500.00	-		-	-	-	-	
100	10	-1191D	19000.00	-		-	-	-	-	
110	10	-1192E	22250.00	-		-	-	-	-	
120	10	-1193F	24250.00	-		-	-	-	-	
130	10	-1194G	33000.00	-		-	-	-	-	
140	10	-1195H	75000.00	-		-	-	-	-	
150	10	-1196J	80000.00	-		-	-	-	-	
160	10	-1197K	30500.00	-		-	-	-	-	
180	10	-1198L	81000.00	-		-	-	-	-	

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

High Grade Alloy Steel to **BS EN ISO 898/1 Grade 12.9**. Suitable for all high tensile applications. Maximum operating temperature (unplated): 300°C.



Threaded to Head as Standard

Thread Size	Dimensions (mm)		
	dk	k	S (hex)
M24	36.00	24.0	19.0
M30	45.00	30.0	22.0

Dimensions to **BS EN ISO 4762 DIN 912**


M24 to M30		ISO Metric Self Colour		ISO Metric - Self Colour		ISO Metric BZP		ISO Metric A2 Stainless	
Threaded to Head as Standard		Standard (Self-Colour)		Thread to Head (Self-Colour)		Bright Zinc Plated (BZP)		A2 Stainless Steel	
Size	L	Box Qty	Order Code QFT-600	Price/100 TB	Order Code QFT-600	Price/100 TB	Order Code QFT-600	Price/100 TB	Order Code QFT-600
M24	200	10	-1199M	44000.00	-	-	-	-	-
	220	10	-1200N	85000.00	-	-	-	-	-
	240	10	-1201P	85000.00	-	-	-	-	-
	260	10	-1202Q	87000.00	-	-	-	-	-
	280	10	-1203R	90000.00	-	-	-	-	-
M30	300	10	-1204S	91000.00	-	-	-	-	-
	80	10	-1207W	82000.00	This Size Range Across all Finishes are Supplied Threaded to Head as Standard.		-	-	-
	90	10	-1208X	82000.00			-	-	-
	100	10	-1209Y	83000.00			-	-	-
	120	10	-1212A	84000.00	-	-	-	-	-
M30	150	10	-1215D	85000.00	-	-	-	-	-
	180	10	-1218G	87000.00	-	-	-	-	-
	200	10	-1220J	87500.00	-	-	-	-	-
	220	10	-1222L	95000.00	-	-	-	-	-

Low Head Cap Screws - Metric

High Grade Alloy Steel to **BS EN ISO 898/1 Grade 10.9**. Suitable for all high tensile applications. Maximum operating temperature (unplated): 300°C. **DIN 7984**.

M4 to M20

ISO Metric - Self Colour



Size	L	Box Qty	Order Code QFT-600	Price/100 TB
M4	8	200	-9000A	1400.00
	10	200	-9001B	1400.00
	12	200	-9002C	1850.00
	15	200	-9003D	2300.00
	16	200	-9004E	1850.00
	20	200	-9005F	1500.00
	25	200	-9006G	1350.00
M5	50	200	-9011M	4200.00
	8	200	-9020A	1350.00
	10	200	-9021B	4850.00
	12	200	-9022C	1450.00
	14	200	-9023D	4850.00
	16	200	-9025F	1500.00
	20	200	-9026G	1550.00
M5	25	200	-9027H	1750.00
	30	200	-9028J	2050.00

Size	L	Box Qty	Order Code QFT-600	Price/100 TB
M6	8	200	-9040A	1400.00
	10	200	-9041B	1300.00
	12	200	-9042C	1300.00
	14	200	-9043D	2200.00
	15	200	-9044E	2200.00
	16	200	-9045F	1550.00
	20	200	-9046G	1550.00
	25	200	-9047H	1700.00
	30	200	-9048J	1650.00
	35	200	-9049K	2450.00
M8	40	200	-9050L	5100.00
	50	200	-9052N	4300.00
	12	200	-9070A	2350.00
	15	200	-9072C	1750.00
	16	200	-9073D	1750.00
	20	200	-9074E	1750.00
	25	200	-9075F	1999.00
	30	200	-9076G	2300.00
	35	200	-9077H	2400.00
	40	200	-9078J	2550.00
M8	50	100	-9079K	4750.00
	60	100	-9081M	5100.00

Size	L	Box Qty	Order Code QFT-600	Price/100 TB
M10	15	100	-9090A	9600.00
	16	100	-9091B	4608.00
	20	100	-9092C	2350.00
	25	100	-9093D	2550.00
	30	100	-9094E	2750.00
	35	100	-9095F	2999.00
	45	100	-9097H	5950.00
	50	100	-9098J	6500.00
	55	100	-9099K	7650.00
	60	100	-9099N	7700.00
M12	70	100	-9100T	7950.00
	20	100	-9110A	4250.00
	25	100	-9111B	4960.00
	30	100	-9112C	5300.00
	35	100	-9113D	5750.00
	45	50	-9115E	6350.00
	50	50	-9116G	6750.00
	60	50	-9117H	9500.00
	70	50	-9118J	8850.00
	80	50	-9119K	9500.00
M16	100	50	-9125R	15000.00
	30	25	-9130A	16000.00
	40	25	-9131B	16500.00
	50	25	-9132C	16500.00
	60	25	-9134E	17000.00
M16	90	25	-9137H	18000.00
	100	25	-9139K	21000.00
M20	40	25	-9156B	22000.00
	60	25	-9160F	31000.00

A2 Stainless Steel Socket Cap Screw Kit

Contents: 5 x 12, 5 x 16, 5 x 20, 6 x 12, 6 x 16, 6 x 20, 6 x 25, 8 x 16, 8 x 20 and 8 x 25.




Group 615

Type	Average Quantity	Weight each	Order Code QFT-615	Price/1 TB
Metric	250	2.0kg	-4380K	1803.00



A2 Stainless Steel Socket Button Screw Kit


Contents: M5 x 12, M5 x 16, M5 x 20, M6 x 12, M6 x 16, M6 x 20, M6 x 25, M8 x 20, M8 x 25 and M8 x 30.



Type	Average Quantity	Weight each	Order Code QFT-615	Price/1 TB
Metric	310	1.5kg	-4420K	1803.00



SOCKET HEAD CAP SCREWS

QUALFAST**Socket Head Cap Screws**
- InchHigh Grade Alloy Steel to
BS EN ISO 898/1 Grade 12.9.Suitable for all high tensile
applications.Maximum operating temperature
(unplated): 300°C.

Thread Size	Dimensions (mm)		
	dk	k	S (hex)
2	0.140"	0.108"	1/16"
4	0.183"	0.122"	5/64"
5	0.205"	0.125"	3/32"
6	0.226"	0.138"	3/32"
8	0.270"	0.164"	1/8"
10	0.312"	0.190"	5/32"
1 1/4"	0.375"	0.250"	3/16"
5/16"	0.437"	0.312"	7/32"

Dimensions to **ANSI B 18.3 - 1936 Series**

No.2 to 5/16	UNC - Self Colour		UNC A2 Stainless Steel		UNF - Self Colour		UNF A2 Stainless Steel	
	Standard (Self-Colour)				Standard (Self-Colour)			
Box Qty. 200	Order Code	Price/100 TB	Order Code	Price/100 TB	Order Code	Price/100 TB	Order Code	Price/100 TB
Size L	QFT-601		QFT-606		QFT-601		QFT-606	
2 1/4"	-		-6510A	3750.00	-		-	
2 1/2"	-		-6511B	3750.00	-		-	
1/4"	-1301B	1920.00	-		-		-	
3/8"	-1303D	1814.00	-6514H	3629.00	-		-	
1/2"	-1304E	2018.00	-6514T	4036.00	-		-	
4 5/8"	-1305F	3056.00	-6515F	6150.00	-		-	
3/4"	-1306G	4075.00	-6515R	8200.00	-		-	
7/8"	-1307H	2904.00	-		-		-	
1"	-		-6516B	8950.00	-		-	
5 3/8"	-1310L	5350.00	-		-		-	
1/2"	-1311M	7950.00	-		-		-	
1/4"	-1315R	1976.00	-6517G	3952.00	-		-	
3/8"	-1317T	1706.00	-6517T	3411.00	-		-	
1/2"	-1318V	1403.00	-6518G	2805.00	-		-	
6 5/8"	-1319W	1795.00	-6518R	3589.00	-		-	
3/4"	-1320X	1875.00	-6519F	3750.00	-		-	
1"	-1322Z	2240.00	-6519W	4481.00	-		-6480Z	6250.00
1 1/2"	-		-6520F	4750.00	-		-	
1/4"	-1327D	1256.00	-		-		-	
3/8"	-1328E	1493.00	-6521G	2986.00	-		-	
1/2"	-1329F	1384.00	-6521R	2767.00	-		-	
8 5/8"	-1330G	1801.00	-6522R	3601.00	-		-	
3/4"	-1331H	1668.00	-6523B	3335.00	-		-	
1"	-1333K	2117.00	-6525G	4233.00	-		-	
1 1/4"	-1334L	3846.00	-		-		-	
1 1/2"	-1335M	2990.00	-6526E	6000.00	-		-	
1/4"	-1337P	13650.00	-		-1553D	6800.00	-	
3/8"	-1338Q	4552.00	-6529G	9150.00	-1555F	2104.00	-6488E	4207.00
1/2"	-1339R	1440.00	-6530A	2880.00	-1556G	1824.00	-6489F	3647.00
5/8"	-1340S	2161.00	-		-1557H	1989.00	-	
3/4"	-1341T	1691.00	-6532C	3381.00	-1558J	1848.00	-6491H	3695.00
7/8"	-1342V	2175.00	-		-1559K	2312.00	-	
10 1"	-1343W	1947.00	-6533D	3894.00	-1560L	2260.00	-6492J	4520.00
1 1/4"	-1344X	3751.00	-		-1561M	2587.00	-	
1 1/2"	-1345Y	2993.00	-		-1562N	3156.00	-6494L	6350.00
1 3/4"	-1346Z	12000.00	-		-1563P	6050.00	-	
2"	-1348A	3595.00	-		-1564Q	4160.00	-	
2 1/4"	-		-		-1564R	4772.00	-	
2 1/2"	-		-		-1564T	6900.00	-	
1/4"	-1349B	8200.00	-		-		-	
3/8"	-1350C	2435.00	-6539J	4869.00	-1566S	3991.00	-6496N	8000.00
1/2"	-1351D	1464.00	-6540A	2928.00	-1567T	1829.00	-6497P	3658.00
5/8"	-1352E	1702.00	-6541B	3403.00	-1568V	1767.00	-	
3/4"	-1353F	1502.00	-6542C	3003.00	-1569W	1838.00	-6499R	3676.00
7/8"	-1354G	2579.00	-		-1570X	3459.00	-	
1"	-1355H	1692.00	-6543D	3385.00	-1571Y	2137.00	-6500A	4274.00
1 1/4"	-1356J	1933.00	-		-1572Z	2583.00	-	
1 1/2"	-1357K	2611.00	-6545F	5250.00	-1574A	3450.00	-6501B	6900.00
1 3/4"	-1358L	2847.00	-		-1575B	3524.00	-	
2"	-1359M	3222.00	-6547F	6450.00	-1576C	3960.00	-	
2 1/4"	-1360N	5350.00	-		-1577D	7450.00	-	
2 1/2"	-1361P	4112.00	-		-1578E	9200.00	-	
3"	-1363R	6750.00	-		-		-	
1/2"	-1365T	3156.00	-6548E	6350.00	-1579F	4202.00	-6502C	8450.00
5/8"	-1366V	2933.00	-		-1580G	5950.00	-	
3/4"	-1367W	2236.00	-6549A	4473.00	-1581H	2818.00	-	
7/8"	-1368X	3126.00	-		-1582J	5450.00	-	
1"	-1369Y	2407.00	-6549G	4813.00	-1583K	3065.00	-6503D	6150.00
1 1/4"	-1370Z	2993.00	-6550G	6000.00	-1584L	3065.00	-	
1 1/2"	-1372A	3576.00	-6551H	7200.00	-1585M	4206.00	-	
5/16 1 1/4"	-1373B	4088.00	-		-1586N	5250.00	-	
2"	-1374C	4122.00	-6553K	8250.00	-1587P	6100.00	-	
2 1/4"	-1375D	5400.00	-		-1588Q	13650.00	-	
2 1/2"	-1376E	5550.00	-6555M	11100.00	-1589R	9650.00	-	
2 3/4"	-1377F	12050.00	-		-		-	
3"	-1378G	7100.00	-		-		-	
3 1/2"	-1379H	17700.00	-		-		-	
4"	-1380J	17100.00	-		-		-	

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR



© 2014

GROUP 600 SOCKET HEAD CAP SCREWS

QUALFAST

Socket Head Cap Screws - Inch

High Grade Alloy Steel to **BS EN ISO 898/1 Grade 12.9**. Suitable for all high tensile applications. Maximum operating temperature (unplated): 300°C.



Thread Size	Dimensions (mm)		
	dk	k	S (hex)
3/8"	0.562"	0.375"	5/16"
7/16"	0.656"	0.500"	3/8"
1/2"	0.750"	0.500"	3/8"
5/8"	0.865"	0.620"	1/2"
3/4"	0.990"	0.745"	9/16"
7/8"	1.312"	0.875"	3/4"
1"	1.312"	1.000"	5/8"

Dimensions to **ANSI B 18.3 - 1936 Series**


3/8 to 1			UNC - Self Colour		UNC A2 Stainless Steel		UNF Self Colour		UNF A2 Stainless Steel	
			Standard (Self-Colour)		A2 Stainless Steel		Standard (Self-Colour)		A2 Stainless Steel	
Size	L	Box Qty	Order Code QFT-601	Price/100 TB	Order Code QFT-606	Price/100 TB	Order Code QFT-601	Price/100 TB	Order Code QFT-606	Price/100 TB
3/8	1/2"	100	-1381K	6450.00	-	-	-1591T	13600.00	-	-
	5/8"	100	-1382L	4827.00	-	-	-	-	-	-
	3/4"	100	-1383M	3251.00	-6558E	6550.00	-1593W	5650.00	-6505F	11250.00
	7/8"	100	-	-	-	-	-1594X	6250.00	-	-
	1"	100	-1385P	3222.00	-6560G	6450.00	-1595Y	4325.00	-	-
	1 1/4"	100	-1386Q	3516.00	-6561H	7050.00	-1596Z	4580.00	-	-
	1 1/2"	100	-1387R	3857.00	-6562J	7750.00	-1598A	5650.00	-6507H	11250.00
	1 3/4"	50	-1388S	4933.00	-	-	-1599B	7400.00	-	-
	2"	50	-1389T	5050.00	-6564L	10100.00	-1600C	8350.00	-	-
	2 1/4"	50	-1390V	7350.00	-	-	-1601D	9950.00	-	-
7/16	2 1/2"	50	-1391W	7450.00	-6566N	14850.00	-1602E	10050.00	-	-
	2 3/4"	50	-1392X	11300.00	-	-	-	-	-	-
	3"	50	-1393Y	8750.00	-	-	-1603F	10550.00	-	-
	3 1/4"	50	-1394Z	19650.00	-	-	-	-	-	-
	3 1/2"	50	-1396A	15900.00	-	-	-1605H	21450.00	-	-
	4"	50	-1397B	12850.00	-	-	-	-	-	-
	4 1/2"	50	-1398C	20550.00	-	-	-	-	-	-
	5"	50	-1399D	21300.00	-	-	-	-	-	-
	1"	50	-1401F	10900.00	-	-	-1606J	8600.00	-	-
	1 1/4"	50	-1402G	12450.00	-	-	-1607K	14850.00	-	-
1/2	1 1/2"	50	-1403H	8350.00	-	-	-1608L	10250.00	-	-
	1 3/4"	50	-1404J	9350.00	-	-	-1609M	15500.00	-	-
	2"	50	-1405K	12200.00	-	-	-1610N	17850.00	-	-
	2 1/2"	50	-1407M	17850.00	-	-	-	-	-	-
	3/4"	50	-1408N	10200.00	-	-	-	-	-	-
	1"	50	-1410Q	8900.00	-	-	-1613R	12000.00	-	-
	1 1/4"	50	-1411R	11700.00	-	-	-1614S	12050.00	-	-
	1 1/2"	50	-1412S	9400.00	-6573T	18750.00	-1615T	14050.00	-	-
	1 3/4"	50	-1413T	10650.00	-	-	-1616V	15150.00	-	-
	2"	50	-1414V	11050.00	-6575F	22100.00	-1617W	16350.00	-	-
5/8	2 1/4"	25	-1415W	15100.00	-	-	-1618X	17450.00	-	-
	2 1/2"	25	-1416X	13500.00	-	-	-1619Y	18650.00	-	-
	2 3/4"	25	-1417Y	21700.00	-	-	-	-	-	-
	3"	25	-1418Z	15100.00	-6577H	30150.00	-1622A	22150.00	-	-
	3 1/2"	25	-1421B	20150.00	-	-	-1623B	45400.00	-	-
	4"	25	-1422C	20450.00	-	-	-1624C	31650.00	-	-
	4 1/2"	25	-1423D	25200.00	-	-	-	-	-	-
	5 1/2"	25	-1425F	34050.00	-	-	-	-	-	-
	6"	25	-1426G	39250.00	-	-	-	-	-	-
	1 1/4"	25	-1429K	16700.00	-	-	-1625D	13600.00	-	-
3/4	1 1/2"	25	-1430L	16700.00	-	-	-1626E	24600.00	-	-
	1 3/4"	25	-1431M	25950.00	-	-	-	-	-	-
	2"	25	-1433P	18100.00	-	-	-1628G	23600.00	-	-
	2 1/4"	25	-1434Q	23900.00	-	-	-	-	-	-
	2 1/2"	25	-1435R	21700.00	-	-	-1630J	31950.00	-	-
	2 3/4"	25	-1436S	40600.00	-	-	-	-	-	-
	3"	25	-1437T	25450.00	-	-	-1631K	41900.00	-	-
	3 1/4"	25	-1438V	42800.00	-	-	-	-	-	-
	3 1/2"	25	-1439W	31550.00	-	-	-	-	-	-
	4"	25	-1440X	35650.00	-	-	-1633B	46250.00	-	-
1	5"	25	-1442Z	63500.00	-	-	-	-	-	-
	1 1/2"	25	-1452J	33100.00	-	-	-	-	-	-
	1 3/4"	25	-1453K	47200.00	-	-	-	-	-	-
	2"	25	-1454L	36250.00	-	-	-1635P	41350.00	-	-
	2 1/4"	25	-1455M	51450.00	-	-	-	-	-	-
	2 1/2"	25	-1456N	41350.00	-	-	-1642C	24850.00	-	-
	2 3/4"	25	-1457P	101400.00	-	-	-	-	-	-
	3"	25	-1458Q	44150.00	-	-	-1644E	26450.00	-	-
	3 1/2"	25	-1460S	80050.00	-	-	-	-	-	-
	4"	25	-1461T	77400.00	-	-	-	-	-	-
1	5"	25	-1463W	121700.00	-	-	-	-	-	-
	6"	25	-1464X	226800.00	-	-	-	-	-	-
1	2"	10	-1496E	194250.00	-	-	-	-	-	-
	4"	10	-1498G	542550.00	-	-	-	-	-	-

FASTENERS

QUALFAST

Socket Head Cap Screws - Inch

High Grade Alloy Steel to
BS EN ISO 898/1 Grade 12.9.
Suitable for all high tensile
applications.
Maximum operating
temperature (unplated): 300°C.



Thread Size	dk	k	S (hex)
3/16"	0.312"	0.187"	5/32"
1/4"	0.375"	0.250"	3/16"
5/16"	0.437"	0.312"	7/32"
3/8"	0.562"	0.375"	5/16"
7/16"	0.625"	0.437"	5/16"
1/2"	0.750"	0.500"	3/8"
5/8"	0.875"	0.625"	1/2"
3/4"	1.000"	0.750"	9/16"
7/8"	1.125"	0.875"	9/16"
1"	1.312"	1.000"	5/8"

Dimensions to **BS 2470**

NEW

1/8 to 1"

BSW Self Colour



Standard (Self-Colour)

Size	L	Order Code	Price/100 TB
3/8"		-0700A	2544.00
1/8 1/2"		-0701B	2695.00
200 3/4"		-0703D	3330.00
Box 1"		-0704E	3829.00
1/4"		-0705F	3330.00
3/8"		-0706G	2882.00
1/2"		-0707H	1478.00
5/8"		-0708J	3322.00
3/4"		-0709K	1661.00
3/16 1"		-0711M	1676.00
200 1 1/4"		-0712N	4030.00
Box 1 1/2"		-0713P	2917.00
1 3/4"		-0714Q	3774.00
2"		-0715R	4285.00
2 1/2"		-0716S	6550.00
3/8"		-0718V	2649.00
1/2"		-0719W	1567.00
5/8"		-0720X	1751.00
3/4"		-0721Y	1751.00
7/8"		-0722Z	3748.00
1"		-0724A	1913.00
1 1/4"		-0725B	2205.00
1/4 1 1/2"		-0726C	1701.00
200 1 3/4"		-0727D	4191.00
Box 2"		-0728E	3149.00
2 1/4"		-0729F	4740.00
2 1/2"		-0730G	4716.00
2 3/4"		-0731H	10300.00
3"		-0732J	9150.00
3 1/2"		-0734L	11250.00
4"		-0735M	12550.00
3/8"		-0736N	8700.00
1/2"		-0737P	3405.00
5/8"		-0738Q	4362.00
200 3/4"		-0739R	2496.00
Box 7/8"		-0740S	3622.00
1"		-0741T	2595.00
1 1/4"		-0742V	3980.00
5/16 1 1/2"		-0743W	3420.00
1 3/4"		-0744X	6550.00
2"		-0745Y	4073.00
2 1/4"		-0746Z	8950.00
2 1/2"		-0748A	5800.00
100 2 3/4"		-0749B	10000.00
Box 3"		-0750C	7350.00
3 1/2"		-0752E	14600.00
4"		-0753F	16100.00

Standard (Self-Colour)

Size	L	Order Code	Price/100 TB
1/2"		-0755H	7000.00
5/8"		-0756J	5350.00
200 3/4"		-0757K	3604.00
Box 1"		-0759M	3554.00
1 1/4"		-0760N	3964.00
1 1/2"		-0761P	4221.00
1 3/4"		-0762Q	6850.00
2"		-0763R	5400.00
3/8 2 1/4"		-0764S	10300.00
100 2 1/2"		-0765T	7700.00
Box 2 3/4"		-0766V	12600.00
3"		-0767W	8850.00
3 1/2"		-0769Y	12150.00
4"		-0770Z	13800.00
50 4 1/2"		-0772A	19450.00
Box 5"		-0773B	23300.00
6"		-0774C	56300.00
1"		-0777F	8700.00
1 1/4"		-0778G	11100.00
1 1/2"		-0779H	9800.00
2"		-0781K	11800.00
7/16 2 1/2"		-0783M	13900.00
50 3"		-0785P	15550.00
Box 3 1/2"		-0786Q	24800.00
4"		-0787R	20950.00
3/4"		-0789T	30000.00
100 1"		-0791W	9550.00
Box 1 1/4"		-0792X	10150.00
1 1/2"		-0793Y	10150.00
1 3/4"		-0794Z	16400.00
2"		-0796A	12250.00
2 1/4"		-0797B	21800.00
2 1/2"		-0798C	14000.00
1/2 2 3/4"		-0799D	19450.00
3"		-0800E	16150.00
50 3 1/4"		-0801F	24800.00
Box 3 1/2"		-0802G	21250.00
4"		-0803H	20250.00
4 1/2"		-0804J	37500.00
5"		-0805K	44300.00
6"		-0807M	57250.00
6 1/2"		-0808N	187900.00
7"		-0809P	206850.00
8"		-0810Q	236900.00

Standard (Self-Colour)

Size	L	Order Code	Price/100 TB
1"		-0811R	31100.00
1 1/4"		-0812S	31700.00
1 1/2"		-0813T	18900.00
1 3/4"		-0814V	30000.00
2"		-0816X	18900.00
2 1/4"		-0817Y	37700.00
2 1/2"		-0818Z	23300.00
5/8 2 3/4"		-0820A	34050.00
25 3"		-0821B	24200.00
Box 3 1/2"		-0823D	46800.00
4"		-0824E	38300.00
4 1/2"		-0825F	74350.00
5"		-0826G	87900.00
6"		-0828J	112950.00
8"		-0832N	257050.00
1"		-0834G	37300.00
1 1/4"		-0834Q	46500.00
1 1/2"		-0835R	46750.00
1 3/4"		-0836S	41950.00
2"		-0838T	34400.00
2 1/4"		-0839V	41800.00
2 1/2"		-0840W	39800.00
3/4 3"		-0842Y	42600.00
3 1/2"		-0844A	99900.00
25 4"		-0845B	93250.00
Box 4 1/2"		-0846C	124050.00
5"		-0847D	96400.00
5 1/2"		-0848E	210200.00
6"		-0849F	233850.00
7"		-0851H	223050.00
8"		-0852J	210200.00
1 1/2"		-0859A	124650.00
1 3/4"		-0859G	127000.00
7/8 2"		-0859R	145650.00
2 1/2"		-0861T	131650.00
10 3"		-0862V	150150.00
Box 4"		-0865Y	209050.00
2"		-0877K	268000.00
2 1/2"		-0879M	261450.00
3"		-0880N	298950.00
1 4"		-0883R	333500.00
10 6"		-0886V	351500.00
Box 8"		-0890V	617800.00


PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

GROUP 600 SOCKET HEAD CAP SCREWS

QUALFAST

Socket Head Cap Screws - Inch

High Grade Alloy Steel to **BS EN ISO 898/1 Grade 12.9**. Suitable for all high tensile applications. Maximum operating temperature (unplated): 300°C.



Thread Size	dk	k	S (hex)
3/16"	0.312"	0.187"	5/32"
1/4"	0.375"	0.250"	3/16"
5/16"	0.437"	0.312"	7/32"
3/8"	0.562"	0.375"	5/16"
7/16"	0.625"	0.437"	5/16"
1/2"	0.750"	0.500"	3/8"
5/8"	0.875"	0.625"	1/2"
8BA	0.14"	0.087"	1/16"
6BA	0.187"	0.110"	5/64"
4BA	0.219"	0.142"	3/32"
2BA	0.312"	0.187"	5/32"

Dimensions to BS 2470

NEW

BSF - Self Colour



Standard (Self-Colour)

Size	L	Order Code QFT-601	Price/100 TB
3/16"	5/8"	-0502C	4100.00
	3/4"	-0503D	4200.00
	1"	-0504E	4500.00
	1 1/4"	-0505F	4600.00
200 Box	1 1/2"	-0506G	8000.00
	2"	-0507H	3900.00
	2 1/2"	-0511M	3900.00
	5/8"	-0512N	4500.00
	3/4"	-0513P	4500.00
	7/8"	-0514Q	4500.00
	1"	-0515R	4600.00
	1 1/4"	-0516S	4700.00
1/4"	1 1/2"	-0517T	7700.00
	1 3/4"	-0518V	7700.00
	2"	-0519W	8000.00
	2 1/4"	-0520X	11900.00
200 Box	2 1/2"	-0521Y	11900.00
	2 3/4"	-0522Z	14400.00
	3"	-0524A	19500.00
	3 1/2"	-0525F	29000.00
	1/2"	-0529F	7400.00
	5/8"	-0530G	6200.00
	3/4"	-0531H	7000.00
	7/8"	-0533K	6700.00
200 Box	1 1/4"	-0534L	8050.00
	1 1/2"	-0535M	9250.00
	1 3/4"	-0536N	6900.00
	2"	-0537P	13050.00
5/16"	2 1/4"	-0538Q	15250.00
	2 1/2"	-0539R	16600.00
	2 3/4"	-0540S	18900.00
	3"	-0541T	18800.00
100 Box	3 1/2"	-0542V	16300.00

Standard (Self-Colour)

Size	L	Order Code QFT-601	Price/100 TB
200 Box	1/2"	-0545Y	11650.00
	3/4"	-0548A	10200.00
	1"	-0550C	9550.00
	1 1/4"	-0551D	11700.00
3/8"	1 1/2"	-0552E	12300.00
	1 3/4"	-0553F	10900.00
	2"	-0554G	17850.00
	2 1/2"	-0556J	21550.00
200 Box	3"	-0558L	22900.00
	3 1/2"	-0560N	30250.00
	4"	-0561P	38200.00
	5"	-0563R	40200.00
50 Box	1"	-0565T	14000.00
	1 1/2"	-0567W	13600.00
	2"	-0568X	13800.00
	3"	-0569Y	52000.00
100 Box	1"	-0574C	27200.00
	1 1/4"	-0575D	28700.00
	1 1/2"	-0576E	28150.00
	1 3/4"	-0577F	27000.00
1/2"	2"	-0578G	33600.00
	2 1/2"	-0580J	38550.00
	3"	-0582L	45900.00
	4"	-0584N	75900.00
50 Box	4 1/2"	-0585P	55450.00
	5"	-0586Q	70950.00
	1"	-0591W	84000.00
	1 1/2"	-0593Y	50600.00
5/8"	2"	-0597B	57450.00
	2 1/2"	-0599D	72600.00
	3"	-0601F	80250.00
	4"	-0603H	84000.00
25 Box	6"	-0608N	69700.00
	1 1/2"	-0615W	58800.00
	2"	-0617Y	128300.00
	2 1/2"	-0620A	112050.00
3/4"	3"	-0622C	139450.00

BA - Self Colour



Standard (Self-Colour)

Size	L	Order Code QFT-601	Price/100 TB
8BA	3/8"	-0464S	14500.00
	1/2"	-0465T	14500.00
	3/4"	-0466V	9500.00
	1"	-0467W	13500.00
6BA	1 1/4"	-0450C	13500.00
	3/8"	-0452E	13500.00
	1 1/2"	-0454G	13500.00
	3/4"	-0456J	14500.00
4BA	1"	-0458L	15000.00
	1 1/4"	-0459M	13500.00
	1 1/2"	-0432J	4600.00
	5/16"	-0433K	4350.00
2BA	3/8"	-0434L	3500.00
	5/8"	-0437P	5250.00
	3/4"	-0438Q	4500.00
	7/8"	-0439R	3050.00
	1"	-0440S	4600.00
	1 1/4"	-0441T	3400.00
	1 1/2"	-0442V	7100.00
	2"	-0444X	7100.00
	1/4"	-0410L	4200.00
	5/16"	-0411M	2850.00
	3/8"	-0412N	5900.00
	1/2"	-0414Q	2500.00
	5/8"	-0415R	3650.00
	3/4"	-0416S	2600.00
	1"	-0418V	3050.00
	1 1/4"	-0419W	4600.00
	1 1/2"	-0420X	4850.00
	1 3/4"	-0421Y	6900.00
	2"	-0422Z	6200.00

KENNEDY Fix-it Kits

Socket Head Cap Screws

Metric Kit Contents:

M5 x 16, M5 x 20, M6 x 20, M6 x 25, M8 x 25, M8 x 30, M10 x 25, M10 x 30, M12 x 20, M12 x 25, M12 x 30mm.

UNF Kit Contents:

3/16 x 1/2, 3/16 x 3/4, 3/16 x 1, 1/4 x 3/4, 1/4 x 1, 1/4 x 1 1/4, 5/16 x 3/4, 5/16 x 1, 5/16 x 1 1/2, 3/8 x 3/4, 3/8 x 1, 3/8 x 1 1/2.



Type	Average Quantity	Weight each	Order Code KEN-615	Price/1 TB
Metric	100	1.15kg	-4630K	1275.00
UNF	100	1.20kg	-4640K	1236.00

Group 615

KENNEDY Professional Wrench Sets

Pro-Torq Hex Wrench Sets

Supplied on robust plastic clips. Keeps all sizes together and readily available. Conveniently folds up to a handy pocket size with penknife type storage. Wrench size stamped on clip.



Size	Order Code KEN-601	Price/1 TB
5/64" - 1/4"	-1020K	376.00
1.5 - 8mm	-3020K	452.00