




Socket Head Countersunk Screws

High Grade Alloy Steel to **BS EN ISO 898/1 Grade 10.9**. Suitable for all high tensile applications. Maximum operating temperature (unplated): 300°C. For applications that require a flush finished surface. Precisely controlled countersink angle allows maximum flushness and sidewall contact.



A = Maximum theoretical sharp corner.

Inclined angle under head:

Up to M20 = 90°

Above M20 = 60°




Thread Size	Dimensions (mm)		
	A	H	W (hex)
M2.5	5.00	1.00	1.5
M3	6.72	1.86	2.0
M4	8.96	2.48	2.5
M5	11.20	3.10	3.0
M6	13.44	3.72	4.0
M8	17.92	4.96	5.0

M2.5 to M8			ISO Metric - Self Colour		ISO Metric BZP		ISO Metric A2 Stainless	
								
			Standard (Self-Colour)		Bright Zinc Plated (BZP)		A2 Stainless Steel	
Size	L	Box Qty	Order Code QFT-604	Price/100 TB	Order Code QFT-604	Price/100 TB	Order Code QFT-606	Price/100 TB
M2.5	5	200	-	-	-	-	-7010A	1248.00
	6	200	-	-	-	-	-7011B	1148.00
	12	200	-	-	-	-	-7014E	1198.00
	6	200	-2020A	1151.00	-0400A	950.00	-7020A	2301.00
M3	8	200	-2021B	959.00	-	-	-7021B	1919.00
	10	200	-2022C	963.00	-0400C	950.00	-7022C	1926.00
	12	200	-2023D	1139.00	-0400D	1100.00	-7023D	2278.00
	15	200	-2024E	1401.00	-	-	-	-
M4	16	200	-2025F	2070.00	-0400G	1200.00	-7025F	4139.00
	18	200	-2026G	3863.00	-	-	-	-
	20	200	-2027H	2205.00	-	-	-7027H	4410.00
	25	200	-2028J	3400.00	-	-	-7028J	6800.00
M5	30	200	-2029K	4965.00	-	-	-7029K	9950.00
	6	200	-	-	-	-	-7030A	1800.00
	8	200	-2030L	780.00	-0403B	1300.00	-7030L	1561.00
	10	200	-2031M	785.00	-0403C	950.00	-7031M	1569.00
M6	12	200	-2032N	848.00	-0403D	1000.00	-7032N	1696.00
	15	200	-2033P	1401.00	-	-	-	-
	16	200	-2034Q	947.00	-0403R	1200.00	-7033P	1894.00
	18	200	-2035R	1988.00	-	-	-	-
M8	20	200	-2036S	1175.00	-0404E	1300.00	-7034Q	2349.00
	25	200	-2037T	1791.00	-0405F	1500.00	-7037T	3582.00
	30	200	-2038V	2484.00	-0406G	1700.00	-7038V	4967.00
	35	200	-2039W	4876.00	-	-	-7039W	9800.00
M10	40	200	-2040X	4155.00	-	-	-7040X	8350.00
	45	200	-2040Z	6100.00	-	-	-	-
	50	200	-2041D	6750.00	-	-	-	-
	8	200	-2041Y	860.00	-0599Z	1300.00	-7042Y	1720.00
M12	10	200	-2042Z	804.00	-0600A	1400.00	-7043Z	1608.00
	12	200	-2044A	836.00	-0601B	1500.00	-7044A	1672.00
	14	200	-2044W	2064.00	-	-	-	-
	15	200	-2045B	1357.00	-	-	-	-
M16	16	200	-2046C	900.00	-0603D	1700.00	-7046C	1800.00
	18	200	-2047D	2196.00	-	-	-	-
	20	200	-2048E	1035.00	-0604E	1800.00	-7048E	2070.00
	25	200	-2049F	1067.00	-0605F	1900.00	-7049F	2134.00
M20	30	200	-2050G	1839.00	-0606G	2100.00	-7050G	3677.00
	35	200	-2051H	2758.00	-	-	-7051H	5550.00
	40	200	-2052J	3068.00	-0607H	2500.00	-7052J	6150.00
	45	200	-2053K	3545.00	-	-	-	-
M25	50	200	-2054L	3614.00	-0608J	3100.00	-7054L	7250.00
	60	200	-2054N	5850.00	-0609K	3400.00	-7055M	11700.00
	80	200	-	-	-	-	-7055T	7650.00
	10	200	-2055M	1517.00	-	-	-7056N	1839.00
M30	12	200	-2056N	920.00	-0700A	1500.00	-	-
	14	200	-2057P	872.00	-0700B	1650.00	-7057P	1744.00
	15	200	-2058M	1628.00	-	-	-	-
	16	200	-2058Q	1146.00	-0703D	1750.00	-7059R	1752.00
M36	16	200	-2059R	876.00	-	-	-	-
	18	200	-2060S	1881.00	-0705F	1850.00	-7061T	1934.00
	20	200	-2061T	967.00	-0706G	1950.00	-7062V	2268.00
	25	200	-2062V	1134.00	-0707H	2300.00	-7063W	3486.00
M42	30	200	-2063W	1743.00	-0708J	2600.00	-7064X	4193.00
	35	200	-2064X	2097.00	-0709K	2700.00	-7065Y	4346.00
	40	200	-2065Y	2173.00	-0710L	2800.00	-7066Z	6100.00
	45	200	-2066Z	3032.00	-0711M	2900.00	-7068A	6250.00
M48	50	200	-2068A	3117.00	-	-	-	-
	55	200	-2068F	4807.00	-0712N	3100.00	-7069B	6850.00
	60	200	-2068N	3402.00	-	-	-7070C	16200.00
	70	200	-2068Q	8100.00	-	-	-7070P	19950.00
M56	75	200	-2068X	7600.00	-	-	-	-
	10	200	-2069B	1859.00	-0800A	1750.00	-	-
	12	200	-2070C	1632.00	-	-	-	-
	15	200	-2071D	3467.00	-0801B	1850.00	-7072E	2381.00
M64	16	200	-2072E	1190.00	-	-	-	-
	18	200	-2073F	3206.00	-0802C	1950.00	-7074G	2509.00
	20	200	-2074G	1254.00	-0803D	2100.00	-7075H	2746.00
	25	200	-2075H	1373.00	-0804E	2300.00	-7076J	3964.00
M72	30	200	-2076J	1982.00	-0805F	2500.00	-7077K	4840.00
	35	200	-2077K	2420.00	-0806G	2650.00	-7078L	5200.00
	40	200	-2078L	2587.00	-0807H	2950.00	-7079M	7200.00
	45	200	-2079M	3594.00	-0808J	3100.00	-7080N	7950.00
M84	50	200	-2080N	3965.00	-	-	-	-

CONTINUED ON NEXT PAGE...

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

High Grade Alloy Steel to **BS EN ISO 898/1 Grade 10.9**. Suitable for all high tensile applications.
Maximum operating temperature (unplated): 300°C. For applications that require a flush finished surface. Precisely controlled countersink angle allows maximum flushness and sidewall contact.



A = Maximum theoretical sharp corner.
Inclined angle under head:
Up to M20 = 90°
Above M20 = 60°



Thread Size	Dimensions (mm)		
	A	H	W (hex)
M8	17.92	4.96	5.0
M10	22.40	6.20	6.0
M12	26.88	7.44	8.0
M14	26.00	9.95	10.0
M16	33.60	8.80	10.0
M20	40.32	9.48	12.0

		ISO Metric - Self Colour		ISO Metric BZP		ISO Metric A2 Stainless	
							
		Standard (Self-Colour)		Bright Zinc Plated (BZP)		A2 Stainless Steel	
Size	L Box Qty	Order Code QFT-604	Price/100 TB	Order Code QFT-604	Price/100 TB	Order Code QFT-606	Price/100 TB
M8 con't	55 100	-2081P	6000.00	-	-	-	-
	60 100	-2082Q	5600.00	-0810L	3500.00	-7082Q	11150.00
	65 100	-	-	-	-	-7083R	13250.00
	70 100	-2083R	7350.00	-0812M	4500.00	-7084S	14700.00
	80 50	-2083V	10050.00	-0814P	4750.00	-7085G	20100.00
	90 10	-2083T	12000.00	-	-	-	-
	95 10	-2083W	13100.00	-	-	-	-
	100 10	-2083Z	14850.00	-	-	-7086H	29650.00
	12 200	-2084S	3895.00	-	-	-	-
	15 200	-2085T	5400.00	-	-	-	-
M10	16 200	-2086V	2643.00	-0899B	2100.00	-7086V	5300.00
	18 200	-	-	-	-	-	-
	20 200	-2088X	2325.00	-0900A	2300.00	-7087W	4650.00
	25 200	-2089Y	1700.00	-0901B	2400.00	-7089Y	3399.00
	30 200	-2090Z	1975.00	-0902C	2600.00	-7090Z	3949.00
	35 200	-2092A	2456.00	-0903D	2800.00	-7092A	4911.00
	40 100	-2093B	2492.00	-0904E	3100.00	-7093B	4984.00
	45 100	-2094C	8250.00	-0905F	3500.00	-7093C	16500.00
	50 100	-2095D	3722.00	-0906G	3600.00	-7094C	7450.00
	55 100	-2096E	6300.00	-0907H	3950.00	-	-
M12	60 100	-2097F	5900.00	-0908J	4100.00	-7095D	11800.00
	65 50	-2098A	14400.00	-	-	-	-
	70 50	-2098G	7000.00	-0910L	5500.00	-	-
	75 50	-2099B	14600.00	-0911M	7500.00	-7097F	18100.00
	80 50	-2099H	9050.00	-	-	-	-
	90 50	-2100J	10050.00	-	-	-	-
	100 50	-2101K	12000.00	-	-	-	-
	110 50	-2101L	20650.00	-	-	-	-
	120 50	-2101M	23800.00	-	-	-	-
	16 100	-2102L	5050.00	-1000A	2500.00	-7102L	10050.00
M14	20 100	-2103M	3248.00	-1001B	5750.00	-7103M	6500.00
	25 100	-2104N	3336.00	-1002C	4900.00	-7104N	6700.00
	30 100	-2105P	3511.00	-1003D	6900.00	-7105P	7050.00
	35 100	-2106Q	3817.00	-1004E	7050.00	-7106Q	7650.00
	40 100	-2107R	4166.00	-1005F	6950.00	-7107R	8350.00
	45 50	-2108S	5400.00	-1006G	7000.00	-7108S	10750.00
	50 50	-2109T	8500.00	-	-	-	-
	60 50	-2110V	8150.00	-1008J	8000.00	-7110V	16300.00
	65 50	-2111D	11350.00	-	-	-	-
	70 50	-2111W	11150.00	-	-	-	-
M16	75 50	-2112F	15650.00	-	-	-7112L	31300.00
	80 50	-2112X	13500.00	-1012P	8500.00	-7112X	27000.00
	90 50	-2113Y	19850.00	-1014R	9500.00	-7113Y	39700.00
	100 50	-2114Z	19850.00	-	-	-	-
	120 50	-2115R	35550.00	-	-	-	-
	35 50	-2116D	37750.00	-	-	-	-
	40 50	-2116G	41750.00	-	-	-	-
	50 50	-2117J	36450.00	-	-	-	-
	30 50	-2118C	11000.00	-1230G	5500.00	-	-
	35 50	-2119D	7050.00	-	-	-	-
M20	40 50	-2120E	7100.00	-1232J	5750.00	-	-
	45 50	-2121F	11550.00	-1232K	7999.00	-	-
	50 50	-2122G	11200.00	-1233K	8500.00	-	-
	55 25	-2123H	15100.00	-	-	-	-
	60 25	-2124J	8950.00	-1234L	9000.00	-	-
	70 25	-2125K	15050.00	-	-	-	-
	75 25	-2126A	22000.00	-	-	-	-
	80 25	-2126L	24300.00	-	-	-	-
	90 25	-2127M	34300.00	-	-	-	-
	100 25	-2128N	48550.00	-	-	-	-
M20	120 25	-2130Q	53750.00	-	-	-	-
	40 25	-2137Y	21200.00	-	-	-	-
	45 25	-2138Z	29950.00	-	-	-	-
	50 25	-2139A	21200.00	-	-	-	-
	55 25	-2141F	23200.00	-	-	-	-
	60 25	-2142C	22950.00	-	-	-	-
	70 25	-2143D	30800.00	-	-	-	-
	80 25	-2144E	30450.00	-	-	-	-
	90 25	-2145F	37100.00	-	-	-	-
	100 25	-2146G	40850.00	-	-	-	-




SOCKET HEAD COUNTERSUNK SCREWS

QUALFAST

Socket Head Countersunk Screws - Inch - Self Colour

High Grade Alloy Steel to **BS EN ISO 898/1 Grade 10.9**. Suitable for all high tensile applications. Maximum operating temperature (unplated): 300°C. For applications that require a flush finished surface. Precisely controlled countersink angle allows maximum flushness and sidewall contact.



A = Maximum theoretical sharp corner.

Inclined angle under head:
Up to M20 = 91°/89°

BSW, BSF

Thread Size	Dimensions (mm)		
	A	H	W (hex)
3/16"	.356	.084	3/32"
1/4"	.475	.112	5/32"
5/16"	.594	.140	3/16"
3/8"	.712	.168	7/32"
7/16"	.831	.196	1/4"
1/2"	.950	.225	5/16"
5/8"	1.187	.281	3/8"
3/4"	1.425	.337	3/8"


BA

Inclined angle
under head:
= 91°/89°

Thread Size	Dimensions (mm)		
	A	H	W (hex)
2BA	.351	.083	3/32"
4BA	.269	.063	1/16"
6BA	.211	.050	.050


UNC, UNF

Thread Size	Dimensions (mm)		
	A	H	W (hex)
4	.255	.083	1/16"
6	.307	.097	5/64"
8	.359	.112	3/32"
10	.411	.127	1/8"
1/4"	.531	.161	5/32"
5/16"	.656	.198	3/16"
3/8"	.781	.234	7/32"
1/2"	.938	.251	5/16"




Standard (Self-Colour)

Size	L	Order Code	Price/100
		QFT-605	TB
4	1/4"	-2204E	2847.00
100	3/8"	-2205F	2903.00
Box	1/2"	-2206G	4363.00
	3/4"	-2207H	4661.00
6	1/4"	-2213P	3783.00
100	3/8"	-2214Q	3194.00
Box	1/2"	-2215R	2498.00
	3/4"	-2216S	4790.00
	3/8"	-2218V	2166.00
	1/2"	-2219W	2237.00
8	5/8"	-2220G	9200.00
100	3/4"	-2220X	5400.00
Box	1"	-2221Y	4237.00
	3/8"	-2224A	2592.00
	1/2"	-2225B	2573.00
10	5/8"	-2226C	2929.00
100	3/4"	-2227D	3189.00
Box	1"	-2229F	1805.00
	1/4"	-2239R	6900.00
	3/8"	-2231H	4828.00
	1/2"	-2232J	2460.00
1/4"	5/8"	-2233K	2255.00
100	3/4"	-2234L	2488.00
Box	1"	-2235M	2819.00
	1 1/4"	-2236N	4151.00
	1 1/2"	-2237P	3875.00
	1/2"	-2241T	3772.00
	5/8"	-2242V	3455.00
	3/4"	-2243W	3323.00
5/16"	1"	-2245Y	3795.00
100	1 1/4"	-2246Z	7950.00
Box	1 1/2"	-2248A	10500.00
	2"	-2250C	10500.00
	2 1/2"	-2252E	11300.00
	3/4"	-2254G	3824.00
	1"	-2256J	4018.00
3/8"	1 1/4"	-2257K	4563.00
100	1 1/2"	-2258L	5250.00
Box	2"	-2260A	11450.00
	2 1/2"	-2261P	30150.00
100	3/4"	-2266V	16650.00
Box	1/2"	-2268X	9150.00
	1"	-2267W	7900.00
1/2"	1 1/2"	-2269Y	10050.00
	1 3/4"	-2270B	25500.00
50	2"	-2270Y	14350.00
Box	3"	-2271L	22050.00




A2 Stainless Steel

Size	L	Order Code	Price/100
		QFT-606	TB
10	3/8"	-7700A	4466.00
100	1/2"	-7701B	4057.00
Box	3/4"	-7702C	6600.00
	1"	-7703D	7350.00
	1/4"	-7705F	8550.00
100	3/4"	-7706G	6500.00
Box	1 1/2"	-7708J	13500.00
	3/8"	-7715R	16800.00




A2 Stainless Steel

Size	L	Order Code	Price/100
		QFT-606	TB
2	1/4"	-7500A	8250.00
4	3/4"	-7530A	5700.00
100	3/8"	-7531B	5850.00
Box	1/2"	-7532C	8750.00
6	1/4"	-7570A	7600.00
100	1/2"	-7572C	4996.00
Box	5/8"	-7573D	5250.00
	3/8"	-7591B	4331.00
	1/2"	-7592C	4474.00
8	3/4"	-7593D	10750.00
100	1"	-7594E	8500.00
Box	1 1/4"	-7595F	9750.00
	3/8"	-7610A	5200.00
10	1/2"	-7611B	5150.00
100	3/4"	-7612C	6400.00
Box	1 1/2"	-7614E	9750.00
	1/2"	-7630A	4920.00
1/4"	3/4"	-7632C	4975.00
100	1"	-7633D	5650.00
Box	1 1/2"	-7634E	7750.00
	5/16"	-7641B	6650.00
100	1"	-7642C	7600.00
	3/8"	-7651B	7650.00
100	1"	-7652C	8050.00
Box	1 1/2"	-7653D	10450.00




Standard (Self-Colour)

Size	L	Order Code	Price/100
		QFT-605	TB
	3/8"	-2382C	2233.00
	1/2"	-2383D	2029.00
10	5/8"	-2384E	2886.00
100	3/4"	-2385F	3278.00
Box	1"	-2386G	3672.00
	1/2"	-2390L	4260.00
	5/8"	-2391M	3844.00
1/4"	3/4"	-2392N	3241.00
100	1"	-2393P	3671.00
Box	1 1/2"	-2394Q	6750.00
	3/4"	-2397T	3905.00
5/16"	1"	-2399W	4492.00
100	1 1/4"	-2400X	7350.00
Box	1 1/2"	-2401Y	7000.00
	3/4"	-2404A	4614.00
	3/8"	-2405B	7200.00
100	1 1/4"	-2406C	11500.00
Box	1 1/2"	-2407D	8400.00
	1"	-2411H	17250.00
1/2"	1 1/4"	-2412J	21300.00
100	1 1/2"	-2413K	12650.00
Box	2"	-2415M	40450.00




Standard (Self-Colour)

Size	L	Order Code	Price/100
		QFT-605	TB
	3/8"	-1882C	2541.00
	1/2"	-1883D	2111.00
	5/8"	-1884E	3289.00
	3/4"	-1885F	2541.00
3/16"	1"	-1886G	2918.00
200	1 1/4"	-1887H	8600.00
Box	1 1/2"	-1888J	9550.00
	1 3/4"	-1888T	9850.00
	1/2"	-1890L	2319.00
	5/8"	-1891M	3207.00
	3/4"	-1892N	2344.00
	1"	-1894Q	2685.00
1/4"	1 1/4"	-1895R	4331.00
200	1 1/2"	-1896S	
Box	1 3/4"	-1897T	8600.00
	2"	-1898V	7700.00
	2 1/2"	-1899W	8400.00
	5/16"	-1900X	4025.00
200	5/8"	-1901Y	5250.00
Box	3/4"	-1902Z	3007.00
	1"	-1905B	3432.00
5/16"	1 1/4"	-1906C	7000.00
	1 1/2"	-1907D	6100.00
	1 3/4"	-1908E	3960.00
	2"	-1909F	9300.00
100	2 1/2"	-1910G	15000.00
	1/2"	-1911H	15500.00
200	5/8"	-1912J	12550.00
Box	3/4"	-1913K	4995.00
	1"	-1915M	3640.00
3/8"	1 1/4"	-1916N	6400.00
	1 1/2"	-1917P	5400.00
100	1 3/4"	-1918Q	13650.00
	2"	-1919R	10350.00
50	2 1/2"	-1920S	17400.00
	3"	-1921T	21400.00
7/16"	1"	-1922V	8800.00
200	3/4"	-1925Y	14500.00
Box	1"	-1926Z	7500.00
	1 1/2"	-1928A	11700.00
	1 1/2"	-1929B	9200.00
100	1 3/4"	-1930C	15850.00
	2"	-1931D	13200.00
50	2 1/2"	-1932E	19200.00
	3"	-1933F	31450.00
50	1"	-1934G	49350.00
Box	1 1/4"	-1935H	23300.00
	1 1/2"	-1936J	27300.00
5/8"	1 3/4"	-1937K	25950.00
	2"	-1938L	31300.00
	2 1/2"	-1939M	24900.00
	3"	-1940N	65400.00
25	3 1/2"	-1941P	85400.00
Box	4"	-1943R	87500.00
	4 1/2"	-1941W	72200.00
	1"	-1950A	70100.00
	1 1/4"	-1950E	70050.00
	1 1/2"	-1950Z	82900.00
3/4"	2"	-1951K	91150.00
25	3"	-1953C	80600.00
Box	4"	-1957H	116500.00



Standard (Self-Colour)

Size	L	Order Code	Price/100
		QFT-605	TB
3/16"	3/8"	-1747F	7950.00
200	3/4"	-1749Y	3961.00
Box	1"	-1751V	1962.00
	3/8"	-1757H	7100.00
	1/2"	-1758J	7100.00
	5/8"	-1759K	5150.00
1/4"	3/4"	-1760L	5150.00
	1"	-1762N	5750.00
200	1 1/4"	-1763N	8800.00
Box	1 1/2"	-1764Q	8800.00
	2"	-1766S	9000.00
	3/4"	-1770X	6300.00
	1"	-1772Z	7600.00
5/16"	1 1/4"	-1774A	12100.00
	1 1/2"	-1775B	
17350.00			
200	1 3/4"	-1776C	17350.00
Box	2"	-1777D	18600.00
	3/8"	-1781H	9600.00
300	1"	-1782J	8700.00
Box	1 1/4"	-1783K	10000.00
	1/2"	-1790S	17200.00
100	1 1/4"	-1791T	22450.00
Box	1 1/2"	-1792V	37500.00



Standard (Self-Colour)

Size	L	Order Code	Price/100
		QFT-605	TB
	1/4"	-1706G	4652.00
	3/8"	-1708J	3793.00
	1/2"	-1710L	3662.00
2BA	5/8"	-1711M	4398.00
	3/4"	-1712N	4359.00
200	1"	-1714Q	4708.00
Box	1 1/4"	-1715R	8700.00
	1 1/2"	-1716S	7650.00
	5/16"	-1722Z	8500.00
	3/8"	-1724A	3876.00
4BA	1/2"	-1725B	3914.00
200	5/8"	-1726C	6700.00
Box	3/4"	-1727D	6700.00
	1"	-1728E	11500.00
6BA	1/4"	-1729F	7500.00
200	1/2"	-1732J	4397.00
Box	3/4"	-1734L	8300.00

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR