


# GROUP 950 PADLOCKS

## MATLOCK Security Ratings


All padlocks have a rating to indicate how secure they are, this is based on material, hardening, extra coating, shackle diameter, body width, and other security features such as anti-pick locks and 3, 4, 5 or 6 pin cylinders.



Rating	Uses
1 - 2	Minimum security for indoor and outdoor use on tackle boxes, suitcases and drawers etc.
3 - 4	Minimum to medium security for indoor and outdoor use on garages, cabinets, toolboxes, gates, truck doors, lockers, sheds, bicycles etc.
5 - 6	Medium security for indoor and outdoor use on garages, cabinets, toolboxes, gates, truck doors, lockers, sheds, bicycles etc.
7 - 8	Medium to maximum security for indoor and outdoor use on store front and factory gates, large tool chests, construction site storage etc.
9 - 10	Maximum security for indoor and outdoor use on store front and factory gates, large tool chests and construction site storage etc.

### Brass

Solid brass body with a hardened steel shackle and a double locking mechanism. For indoor and outdoor use on minimum to medium security items. 20mm: 3 pin cylinder. 30 and 40mm: 4 pin cylinder, 50 and 60mm: 5 pin cylinder. \*Single locking only.



#### HARDENED SHACKLE



Body Width	Shackle Diameter x Clearance	Rating (1 - 10)	Weight each	Order Code MTL-950	Price/1 TB
20mm	3.7 x 10.3mm	2*	50g	-6722K	155.00
30mm	4.8 x 15mm	3	100g	-6733K	235.00
30mm	4.8 x 50mm	3	130g	-6732K	301.00
40mm	4.8 x 22mm	3	170g	-6743K	291.00
40mm	7.0 x 50mm	4	190g	-6745K	369.00
50mm	7.0 x 26mm	4	280g	-6754K	623.00
60mm	8.8 x 27mm	4	430g	-6764K	736.00
Key Blank to suit 20mm			5g	-9900K	26.00
Key Blank to suit 30 & 40mm			5g	-9910K	26.00
Key Blank to suit 50 & 60mm			5g	-9920K	26.00

### Brass Slimline

Solid brass body with a hardened steel changeable shackle. For indoor and outdoor use on minimum to medium security items.





#### Key Change Every

20mm	6
25mm	12
30mm	24
40-50mm	36

Body Width	Shackle Diameter x Clearance	Rating (1 - 10)	Weight each	Order Code MTL-950	Price/1 TB
20mm	3.2 x 12mm	2	40g	-6820K	135.00
25mm	4.8 x 15mm	3	55g	-6825K	147.00
30mm	4.8 x 15mm	3	70g	-6830K	159.00
30mm	5 x 43mm	3	90g	-6832K	188.00
40mm	6 x 20mm	4	125g	-6840K	214.00
50mm	7 x 25mm	4	200g	-6850K	296.00

### Brass - Stainless Steel Shackle

Traditional style brass bodied padlock with a stainless steel shackle and a double locking mechanism. For indoor and outdoor use on many minimum to medium security items. 20mm: 3 pin cylinder, 30 and 40mm: 4 pin cylinder, 50 and 60mm: 5 pin cylinder. \* Single locking only



#### Key Change Every

20mm	50
30mm	200
40-60mm	1000

Body Width	Shackle Dia. x Clearance	Rating (1 - 10)	Weight each	Order Code MTL-950	Price/1 TB
20mm	3.7 x 10.3mm	2*	50g	-7022K	173.00
30mm	4.8 x 15mm	3	100g	-7033K	335.00
40mm	4.8 x 22mm	3	170g	-7043K	338.00
50mm	7.0 x 26mm	4	275g	-7054K	623.00
60mm	8.8 x 27mm	4	430g	-7064K	623.00
Key Blank to suit 20mm			5g	-9900K	26.00
Key Blank to suit 30 & 40mm			5g	-9910K	26.00
Key Blank to suit 50 & 60mm			5g	-9920K	26.00

### Laminated Brass - Combination Type

Laminated brass body with a brass shackle and a double locking mechanism. Available with four number tumbler (10,000 combinations) or three number tumbler (1,000 combinations). For indoor and outdoor use on minimum to medium security items.



Body Width	Shackle Dia. x Clearance	Rating (1 - 10)	Combination Number	Weight each	Order Code MTL-950	Price/1 TB
40mm	6 x 25mm	3	3	210g	-6203K	773.00
46mm	8 x 25mm	3	4	280g	-6263K	876.00

## MATLOCK Brass - Cross Key

Solid brass body with a hardened steel shackle and a double locking mechanism. Fitted with a dual lever 4 row 16 pin cylinder which has 1000 different key numbers. For indoor and outdoor use on minimum to medium security items.  
**Key change every 100,000.**




**HARDENED SHACKLE**



Body Width	Shackle Diameter x Clearance	Rating (1 - 10)	Weight each	Order Code MTL-950	Price/1 TB
40mm	6.8 x 25mm	4	255g	-3844K	648.00
50mm	8.8 x 32mm	5	380g	-3855K	728.00
60mm	11 x 35mm	5	540g	-3865K	913.00

## Brass Anti-Pick Padlock

Solid brass body with a hardened steel changeable shackle and a double locking mechanism. Fitted with a hardened steel cover plate and an anti-pick 6 pin brass cylinder. For indoor and outdoor use on minimum to medium security items.  
**Key change every 20,000.**



**HARDENED SHACKLE**



Body Width	Shackle Diameter x Clearance	Rating (1 - 10)	Weight each	Order Code MTL-950	Price/1 TB
38 x 76	6.3 x 25mm	4	310g	-3054K	600.00
38 x 76	6.3 x 75mm	4	335g	-3094K	736.00
50 x 76	9.5 x 25mm	6	420g	-3206K	850.00
50 x 76	9.5 x 50mm	6	445g	-3226K	922.00
50 x 76	9.5 x 75mm	6	475g	-3236K	973.00
Key Blank			5g	-9930K	26.00

## Brass - Anti-Pick Weatherproof

Solid brass body with a hardened stainless steel changeable shackle and a double locking mechanism. Fitted with a hardened steel cover plate and an anti-pick 6 pin brass cylinder. Completely weatherproof padlock which is suitable for use in the harshest corrosive conditions on minimum to medium security items.  
**Key change every 20,000.**



**HARDENED SHACKLE**



Body Width	Shackle Diameter x Clearance	Rating (1 - 10)	Weight each	Order Code MTL-950	Price/1 TB
38mm	6.3 x 25mm	4	310g	-3554K	665.00
38mm	6.3 x 50mm	4	320g	-3574K	793.00
45mm	8 x 25mm	5	370g	-3655K	819.00
45mm	8 x 50mm	5	385g	-3675K	886.00
50mm	9.5 x 25mm	6	415g	-3756K	972.00
50mm	9.5 x 50mm	6	450g	-3776K	1037.00
Key Blank			5g	-9930K	26.00

## Weather-Resistant - Long Shackle

Laminated steel body with hardened steel shackle, double locking mechanism and anti-pick cylinder. The PU coating makes this the most weather-resistant padlock. Ideally suitable for medium security for indoor and outdoor use in the harshest corrosive environments. For use on marine/brewery storage, haulage and warehouses etc. Available in a range of colours. All fitted with a weather-resistant key cover.




Body Width	Colour	Shackle Dia x Clearance	Rating (1 - 10)	Order Code MTL-950	Price/1 TB
<b>Long Shackle</b>					
45mm	Red	8.1 x 55mm	5	-7615K	417.00
54mm	Yellow	10.7 x 46mm	6	-7626K	528.00
Key Blank				-9950K	26.00

## Laminated Brass

Laminated brass body with a hardened steel shackle, a double locking mechanism and a pin cylinder. For indoor and outdoor use on minimum to medium security items.  
**Key change every 1,000.**

**HARDENED SHACKLE**




Body Width	Shackle Diameter x Clearance	Rating (1 - 10)	Weight each	Order Code MTL-950	Price/1 TB
40mm	6.3 x 20mm	4	240g	-5824K	464.00
50mm	8.8 x 25mm	4	400g	-5834K	773.00
Key Blank			5g	-9950K	26.00

## Laminated Steel

Laminated steel body with a hardened steel shackle, a double locking mechanism and a 5 pin cylinder. For indoor and outdoor use on medium to maximum security items.  
**Key change every 1,000 (30mm every 200).**



**HARDENED SHACKLE**



Body Width	Shackle Diameter x Clearance	Rating (1 - 10)	Weight each	Order Code MTL-950	Price/1 TB
30mm	5.2 x 18.5mm	4	220g	-5514K	194.00
40mm	6.3 x 25mm	5	265g	-5525K	240.00
44mm	7.0 x 25mm	5	330g	-5555K	264.00
50mm	8.8 x 25mm	7	500g	-5587K	369.00
65mm	11 x 34mm	8	600g	-5598K	567.00
Key Blank to suit 30mm			5g	-9940K	26.00
Key Blank to suit 40-65mm			5g	-9950K	26.00

**PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR**



## GROUP 950 PADLOCKS

### MATLOCK Solid Steel Heavy Duty

Hardened solid steel, chrome and duplex nickel plated body with a hardened changeable steel shackle.

Fitted with a double locking mechanism, hardened steel cover plate and an anti-pick six pin brass cylinder. For indoor and outdoor use on maximum security items.

Key change every 20,000.



Body Width	Shackle Diameter x Clearance	Rating (1 - 10)	Weight each	Order Code MTL-950	Price/1 TB
63.5 x 76	11 x 25mm	9	680g	-1509K	1199.00
63.5 x 76	11 x 50mm	9	725g	-1529K	1248.00
63.5 x 76	11 x 75mm	9	770g	-1539K	1301.00
Key Blank			5g	-9930K	26.00


### Aluminium - Anti-Pick Weatherproof

Solid anodised lightweight aluminium body with a hardened stainless steel changeable shackle. Fitted with an anti-pick 6 pin brass cylinder and a double locking mechanism. Weatherproof padlock which is suitable for use in the harshest corrosive conditions on medium security items.

Key change every 20,000.




**HARDENED SHACKLE**



Body Width	Shackle Diameter x Clearance	Rating (1 - 10)	Weight each	Order Code MTL-950	Price/1 TB
38mm	6.3 x 25mm	5	195g	-5005K	605.00
38mm	6.3 x 50mm	5	200g	-5025K	648.00
50mm	9.5 x 25mm	5	255g	-5205K	788.00
50mm	9.5 x 50mm	5	280g	-5225K	788.00
Key Blank			5g	-9930K	26.00

### Laminated Steel - Combination Type

Laminated steel, nickel plated body with a hardened steel shackle and a double locking mechanism. Available with four number tumbler (10,000 combinations) or three number tumbler (1,000 combinations). For indoor and outdoor use on minimum to medium security items.



Body Width	Shackle Dia. x Clearance	Rating (1 - 10)	Combination Number	Weight each	Order Code MTL-950	Price/1 TB
40mm	6 x 25mm	4	3	185g	-6004K	567.00
40mm	6 x 45mm	4	3	200g	-6024K	515.00
46mm	8 x 25mm	4	4	270g	-6064K	670.00

### Solid Steel Anti-Pick

Hardened solid steel, chrome and duplex nickel plated body with a hardened steel changeable shackle and a double locking mechanism. Fitted with a hardened steel cover plate and an anti-pick 6 pin brass cylinder. For indoor and outdoor use on medium to maximum security items.

Key change every 20,000.



Body Width	Shackle Diameter x Clearance	Rating (1 - 10)	Weight each	Order Code MTL-950	Price/1 TB
50 x 76	9.5 x 25mm	7	400g	-1107K	987.00
50 x 76	9.5 x 50mm	7	430g	-1127K	1040.00
50 x 76	9.5 x 75mm	7	460g	-1137K	1090.00
63.5 x 76	11 x 25mm	9	710g	-1209K	1481.00
63.5 x 76	11 x 50mm	9	755g	-1229K	1507.00
63.5 x 76	11 x 75mm	9	800g	-1239K	1604.00
Key Blank			5g	-9930K	26.00


### Solid Steel - Anti-Pick, Anti-Cut

Hardened solid steel, chrome and duplex nickel plated body with a molybdenum alloy anti-cut changeable steel shackle. Fitted with a double locking mechanism and an anti-pick six pin brass cylinder. For indoor and outdoor use on medium to maximum security items.

Key change every 20,000.



**ANTI-CUT SHACKLE**





Body Width	Shackle Diameter x Clearance	Rating (1 - 10)	Weight each	Order Code MTL-950	Price/1 TB
50 x 76	9.5 x 25mm	8	400g	-2508K	1106.00
50 x 76	9.5 x 50mm	8	430g	-2528K	1137.00
50 x 76	9.5 x 75mm	8	455g	-2538K	1221.00
63.5 x 76	11 x 25mm	9	710g	-2609K	1573.00
63.5 x 76	11 x 50mm	9	755g	-2629K	1598.00
63.5 x 76	11 x 75mm	9	800g	-2639K	1685.00
Key Blank			5g	-9930K	26.00

### Solid Steel - Anti-Pick Shrouded

Hardened solid steel, chrome and duplex nickel plated body with a hardened changeable steel shackle. Fitted with a double locking mechanism, hardened steel cover plate and an anti-pick six pin brass cylinder. For indoor and outdoor use on medium to maximum security items.

Key change every 20,000.



Body Width	Shackle Diameter x Clearance	Rating (1 - 10)	Weight each	Order Code MTL-950	Price/1 TB
50mm	9.5 x 25mm	7	480g	-2027K	1820.00
63.5mm	11 x 25mm	9	830g	-2039K	3636.00
Key Blank			5g	-9930K	26.00

## MATLOCK Weather-Resistant - Shrouded Shackle

Laminated steel body with hardened steel shackle, double locking mechanism and anti-pick cylinder. The PU coating makes this the most weather-resistant padlock. Ideally suitable for medium security for indoor and outdoor use in the harshest corrosive environments. For use on marine/brewery storage, haulage and warehouses etc. Available in a range of colours. All fitted with a weather-resistant key cover.



Body Width	Colour	Shackle Diameter x Clearance	Rating (1 - 10)	Order Code MTL-950	Price/1 TB
<b>Covered Shackle</b>					
50mm	Blue	8 x 33mm	6	-7716K	819.00
62mm	Black	10 x 30mm	8	-7728K	865.00
75mm	Yellow	11 x 34mm	9	-7759K	942.00
Key Blank				-9970K	26.00

## Weather-Resistant

Laminated steel body with hardened steel shackle, double locking mechanism and anti-pick cylinder. The PU coating makes this the most weather-resistant padlock. Ideally suitable for medium security for indoor and outdoor use in the harshest corrosive environments. For use on marine/brewery storage, haulage and warehouses etc. Available in a range of colours. All fitted with a weather-resistant key cover.



Body Width	Colour	Shackle Diameter x Clearance	Rating (1 - 10)	Order Code MTL-950	Price/1 TB
<b>Standard</b>					
45mm	Red	8.1 x 18mm	5	-7515K	369.00
54mm	Green	10.7 x 20mm	6	-7526K	484.00
69mm	Black	9 x 30mm	7	-7537K	558.00
Key Blank to suit 45 & 54mm				-9950K	26.00
Key Blank to suit 69mm				-9970K	26.00

## Safety Lockout Padlocks - Keyed Differently

Compact high security padlocks. Individually keyed to differ 6-pin lock which will not release the key until the shackle is closed. Non-conductive and non-sparking. Resistant to chemicals and corrosion. 6-pin precision-machined cylinder for extra security. Colour coded for easy identification with a photo-luminescent label. Each padlock is supplied boxed with one key and keyring.

### Dimensions:

**Body width:** 20 x 42mm.

**Shackle diameter x clearance:** 6.5 x 38mm.



Product Number	Colour	Order Code MTL-950	Price/1 TB
LOK007	Red	-7950K	1288.00
LOK008	Yellow	-7960K	1288.00
LOK009	Green	-7930K	1288.00
LOK010	Blue	-7920K	1288.00
LOK011	Black	-7910K	1288.00
LOK012	Orange	-7940K	1288.00

## SITESAFE Lockout Kit

### Electrical Lockout Kit

Contains the most commonly required MCB lockouts, tags and labels required for routine checks, repairs or essential maintenance.

**Contents:** 1x red safety padlock. 1x non-conductive hasp. 1x MCB lockout pin in. 1x MCB lockout pin out. 1x MCB lockout pin out wide. 2x universal MCB lockout. 1x ultra-fine permanent pen. 10x DO NOT OPERATE tags. Supplied complete in a belt bag.



Number Pieces	Description	Order Code SSF-950	Price/1 TB
18	Lockout Kit	-3240K	3348.00

**PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR**