Heavy Duty 'P' Handle Sack Truck

P' style handle for easy handling of heavy objects. Handle design keeps truck horizontal when laid flat. All tubular steel construction. Large 250mm pneumatic wheels for stable transport over uneven or stepped surfaces. Self-assembly wheels.

Capacity: 200kg.







Capacity

200kg	8.8kg	-0003A
Heavy Duty	Sack Trucks	_

each

High quality tubular steel frame with solid rubber tyres and hand grips on the handles. Self-assembly wheels.

Capacity: 100 and 200kg.





1912.00

Order Code PRO-985

Capacity	Colour	Weight each	Order Code CTL-985	Price/1 TB
100kg 200kg	Blue Red	10.3kg 11.7kg	-2000D -2010E	1571.00 2150.00

Stair Climbing Sack Truck MATLOCK

Tubular steel with double framed sides for increased rigidity. Looped handles provide knuckle protection and positive grip in various positions. Fitted with 400mm long footiron, three star wheeling with 125mm diameter polypropylene tyred wheels for regular contact with stairs and curbs.



Stair Climbing Sack Truck

Tubular steel with double-framed sides for increased rigidity. Looped handles provide knuckle protection and positive grip in various positions. Curved crossbar - suitable for carrying cylindrical

items. Fitted with 255mm long foot iron which has upturned back edge. Three star wheeling with 150mm diameter rubber tyred wheels for regular contact with stairs and curbs.

Height x width: 1275 x 620mm.

Capacity: 200kg.



Capacity	Weight	Order Code	Price/1
	each	MTL-985	TB
200kg	16.5kg	-2000K	7106.00

Capacity: 150kg.





Capacity	Weight
150kg	8 OOkg



Order Code	Price/1
MTL-985	TB
-3360K	4378.00

Three Position Platform/Sack Truck

Large 200mm solid rubber sack truck wheels. Two 360° platform truck castors for easy manoeuvrability. Removable handle for easy storage. Flat packed for user assembly.



-0004A

2318.00

8688.00

Folding Trolleys

MAINTENANCE

Non-slip PVC load surface. Tubular steel handle folds flat for minimal storage space requirements. 2x fixed and 2x swivel castors for easy movement. PVC buffer strip on the platform edge to protect doors and furniture. Ideal for office environments.

Platform size: 150kg: 738 x 479mm. 300kg: 875 x 575mm. **Capacities:** 150 and 300kg.





Capacity	Weight	Order Code PRO-985	Price/1 TB	
150kg	8.5kg	-0006A	2781.00	
300kg	15.2kg	-0007A	5253.00	

MATLUCK Heavy Duty 3-in-1 Truck

80kg

Versatile hand truck which converts to a platform truck or 45° barrow. Fitted with two 200mm diameter solid rubber, roller bearing tyred wheels and two 125mm diameter rubber tyred swivel castors.

8.6kg



-1000K

22.3kg

350kg

Non-integrated working platform fitted with foldaway rear guard. Meets the requirements of **HSE Guidance Note PM28 (3rd Edition December 2005)**. An economical and safe way to carry out non-routine maintenance tasks. Lifts 200kg or one man with tools. Comes with rated fived safety harness anchor point within

Comes with rated fixed safety harness anchor point within the safety cage. Fits most forklift trucks, is manufactured from steel and finished in safety yellow.

Specifications:

800 x 800mm carry basket. Fitted with foldaway rear guard. Locking fork restraint. Lift up front gate bar. Fixed anchor point.

Fork size: 170 x 70mm.



Description	Carry	Weight	Order Code	Price/1
	Basket (mm)	each	MTL-985	TB
Access Platform	800 x 800	68kg	-1430A	48925.00

Pallet Truck

Fully sealed hydraulic system with pressure relief and overload valves. 3 position trigger lift-neutral-lower. Bushed in key areas with grease points and entry/exit rollers. Certified **EN1757-2**.

Capacity: 2500kg.





RUTLAND Quality Gardening Tools

Garden Wheelbarrow

Standard - suitable for all garden and domestic use. Three piece tubular steel frame. 0.7mm pressed steel pan with rolled safety edges. Plastic handles for user comfort. Green stove enamelled, corrosion-resistant easy clean finish. Pneumatic tyred disc wheel.

Capacity: 85ltr (3cu.ft.).

