















Quick Reference

Through the eye and face protection range, there are a number of quick reference logos to help you choose which level of safety is right for you. Below are the logos and their meanings.

	Adjustable frames for a superior fit.		Polycarbonate lenses are more impact-resistant and lighter than most types of lens.		Extended brow guard moulded into the top of the lens gives a near perfect orbital seal against debris.
	Wrap around single lens provides unobstructed field of vision.		Has a lower impact energy rating and is more flexible compared to polycarbonate.		For greater protection from debris towards the side of the eyes.
	Resistant to flames and heat - not flame-proof.		This provides increased safety, while retaining excellent visibility.		Glasses which have a larger lens to cover the cheek bone.
	Designed to minimise dust contamination.		Gives a level of protection against harmful UV rays.		Resistant to chemical splashes - not chemical proof.
					Hard coated for excellent durability and scratch resistance resulting in unobstructed viewing.

SITESAFE Anti-Mist Safety Spectacles

Saturn
One-piece clear polycarbonate lens with anti-mist treatment. Lightweight black nylon frame with built-in brow guard. Built-in side protection with integral nose bridge and adjustable temple length. Low energy impact protection with 400nm UV protection. Hang cord attachment points. Class 1.



CE **NEW**
EN166 F

Lens Type	Frame Colour	Order Code	Price/1 TB
Clear	Black	SSF-960 -7610K	149.00

Anti-Mist Safety Spectacles

Voyager
Two piece clear polycarbonate lenses with anti-mist treatment. Built-in brow guard and side shields with integral nose bridge. Low energy impact protection with total UV protection. Class 1.



CE
EN166 F

Lens Type	Frame Colour	Order Code	Price/1 TB
Clear	Black	SSF-960 -8200K	179.00

Anti-Mist Safety Spectacles

Apollo
One piece amber tinted polycarbonate lens with anti-mist treatment and ultra lightweight design (26g). Built-in side protection with soft silicone nose bridge and adjustable temple length. Low energy impact protection with total UV protection. Hang cord attachment points. Class 1.




CE

Lens Type	Frame Colour	Order Code	Price/1 TB
Amber tinted	Black	SSF-960 -5200K	157.00

KENNEDY Anti-Scratch/Anti-Mist Safety Spectacles

Panther
Low energy impact protection. Ultra light anallergenic frame with low friction length adjustment at the temples and front angle adjustment. Class 1 optical quality. Arms have hang cord attachment points.




CE EN166 F IS1708

Lens Type	Frame Colour	Order Code	Price/1 TB
Anti-Scratch/Fog	Black	KEN-960 -8010K	378.00

Over Spectacles

Aurora
Totally polycarbonate over spectacles with built-in side shields and brow guard and no metallic parts. Low energy impact protection at extreme environmental temperatures with UV protection. Can be worn over most glasses. Hang cord attachment points. Class 1.



CE
EN166 F

Lens Type	Frame Colour	Order Code	Price/1 TB
Clear	Clear	SSF-960 -0800K	87.00

Scratch Resistant Safety Spectacles

Viper
UV protection against electrical arc discharges caused by a short circuit.



CE
EN166 F

Lens Type	Frame Colour	Order Code	Price/1 TB
Clear	Blue	KEN-960 -8050K	331.00

TUFFSAFE Anti-Mist/Scratch Resistant Safety Spectacles

Imola

Clear single wide angle lens for an unobstructed field of vision and protection against low energy impacts from the front and side. Impact protection at extreme temperatures. Built-in side protection for added safety, ultra lightweight design with brow guard and soft nose pads and temple ends for a comfortable fit. Class 1 optical quality for distortion-free continuous use.



Lens Type	Model	Order Code	Price/1 TB
Clear	Imola	TFF-960 -3740K	304.00

Anti-Mist/Scratch Resistant Safety Spectacles

Le Mans

Frameless safety spectacles with a clear single wide angle lens for an unobstructed field of vision and protection against low energy impacts from the front and side. Impact protection at extreme temperatures. Ultra lightweight design. Class 1 optical quality for distortion free continuous use. Conform to: EN 166 EN 170.




CE
 EN166
 EN170

Lens Type	Model	Order Code	Price/1 TB
Clear	Le Mans	TFF-960 -3800K	304.00

KENNEDY Scratch Resistant/Anti-Mist Safety Spectacles

Leopard

Low energy impact protection. No metallic parts. Polycarbonate one piece frame with adjustable temple length, built-in brow guard and built-in side shields for increased lateral protection. Class 1 optical quality. Ultra lightweight design.



CE
 EN175 FT
 IS1708

Lens Type	Frame Colour	Order Code	Price/1 TB
Anti-Scratch/Fog	Clear	KEN-960 -8090K	361.00

SITESAFE Anti-Mist Safety Spectacles

Luna

One piece clear polycarbonate lens with anti-mist treatment and ultra lightweight design (26g). Built-in side protection with integral nose bridge adjustable temple length and lens inclination. Low energy impact protection with total UV protection. Hang cord attachment points. Class 1.



CE
 EN166 F

Lens Type	Frame Colour	Order Code	Price/1 TB
Clear	Black	SSF-960 -6610K	149.00

Anti-Mist Safety Spectacles

Mercury

One-piece clear polycarbonate lens. Lightweight black nylon frame with built-in brow guard. Integral nose bridge and adjustable temple length. Low energy impact protection. Class 1.



CE
 EN166 F

Lens Type	Frame Colour	Order Code	Price/1 TB
Clear	Black	SSF-960 -7000K	168.00

RUTLAND Safety Spectacles

Strata

A twin lens wrap around safety spectacle with hard coated lenses and burgundy soft frame coating for comfort and fit. Available with clear polycarbonate lenses.



CE
 EN166 F
 IS1706

Lens Type	Frame Colour	Order Code	Price/1 TB
Clear	Black	RTL-960 -7430K	416.00

TUFFSAFE

**Anti-Mist
Safety Spectacles**

Wrap around safety spectacles have wide angle clear lens that provide a sharp clear view and protect against low energy impacts. UV protection, anti-mist and scratch resistant lens, ultra lightweight twin lens design. Brow ventilation with soft nose pads and temple ends for a comfort. Low energy impact protection at extreme temperatures.



Class 1 optical quality for distortion free continuous use. Conform to:
EN 166 EN 170.



Wrap
Around



Anti-mist



UV
Protection



Scratch
Resistant

Lens Colour	Model	Order Code	Price/1 TB
Amber	Silverstone	TFF-960 -3600K	335.00

Anti-Mist/Scratch Resistant Safety Spectacles

Daytona

The wide angle single-piece lens provides low energy impact protection without obscuring field of view. Ultra lightweight design. Class 1 optical quality for distortion-free continuous use. Conform to:
EN 166 EN 170.



Wrap
Around



Anti-mist



UV
Protection




Scratch
Resistant

Lens Colour	Model	Order Code	Price/1 TB
Grey	Daytona	TFF-960 -3720K	304.00

Anti-Mist/Scratch Resistant Safety Spectacles

Monaco

The wide angle single-piece lens provides low energy impact protection without obscuring field of view. UV protection, anti-mist and scratch resistant lens, ultra lightweight design. Class 1 optical quality for distortion free continuous use. Conform to: **EN 166 EN 170.**



Wrap
Around



Anti-mist



UV
Protection



Scratch
Resistant

Lens Colour	Model	Order Code	Price/1 TB
Clear	Monaco	TFF-960 -3700K	304.00

Safety Spectacles

Star

Wide angle lens and impact protection at extreme temperatures. Scratch resistant. Ultra lightweight design. Anti-mist treatment. Class 1 optical quality for distortion-free continuous use. Rubber end tips and nose bridge for user comfort. Neck lanyard included.



Wrap
Around



Anti-mist



UV
Protection

Lens Colour	Model	Order Code	Price/1 TB
Clear	Star	TFF-960 -3860K	180.00

SITESAFE

**Anti-Mist
Safety Spectacles**

Europa

Two-piece black polycarbonate wrap around lenses providing low energy impact protection, total UV protection, an anti-mist coating. The ultra lightweight high strength frame has a soft silicone nose bridge and adjustable temple length to ensure user comfort. Hang cord attachment points. Class 1.



Wrap
Around



Anti-mist



UV
Protection



Scratch
Resistant

Frame/Lens Colour	Model	Order Code	Price/1 TB
Black	Europa	SSF-960 -5420K	180.00

Scratch Resistant Safety Spectacles

Black one-piece design with wrap around scratch resistant lenses giving low impact protection and UV protection for outdoor use. Class 1.



Wrap
Around



Anti-mist



UV
Protection



Scratch
Resistant

Frame/Lens Colour	Model	Order Code	Price/1 TB
Black Yellow	Astrid Cassini	SSF-960 -7800K -7820K	170.00 160.00

Scratch Resistant Safety Spectacles

One-piece wrap around polycarbonate spectacle which is light in weight and features hard coated anti-mist and scratch resistant lenses.



Wrap
Around



Anti-mist



UV
Protection



Scratch
Resistant

Frame/Lens Colour	Model	Order Code	Price/1 TB
Clear Yellow	Zenith Mir	SSF-960 -8400K -8420K	261.00 155.00

Safety Spectacles

Andromeda

Single clear wrap around polycarbonate lens, scratch resistant, low impact protection and UV protection.



Wrap
Around



Anti-mist



UV
Protection

Lens Colour	Model	Order Code	Price/1 TB
Clear	Andromeda	SSF-960 -7830K	258.00

SITESAFE Anti-Mist Safety Spectacles

Challenger

Two-piece clear polycarbonate lens with anti-mist treatment and ultra lightweight design (26g). Built-in side protection with soft silicone nose bridge and adjustable temple length.

Low energy impact protection with total UV protection.

Hang cord attachment points.

Class 1.



TUFFSAFE Anti-Mist Safety Goggles

XL21

Safety goggles with clear single-piece polycarbonate lens and anti-mist coating. Mounted in a PVC housing with easy flow indirect ventilation and adjustable elasticated strap.

Low energy impact protection with total UV protection.

Hang cord attachment points.

Class 1.



CE EN166

Mechanical Strength F

Description	Frame Colour	Order Code	Price/1 TB
Goggles	Clear	TFF-960-1250K	382.00


SITESAFE Safety Goggles

Designed to protect the wearer from eye injury against moderate unspecified mechanical impact hazards. Anti-dust and impact resistant. Direct ventilation.

Low energy impact protection with total UV protection.

Hang cord attachment points.

Class 1.



CE EN166

Optical Class 1

Mechanical Strength B

Frame Colour	Weight each	Order Code	Price/1 TB
Green	70g	SSF-960-0500K	145.00

Chemical Splash Resistant, Anti-Dust Safety Goggles

Anti-chemical-splash and impact resistant. Designed to protect the wearer from eye injury against moderate unspecified mechanical impact hazards and liquid splash. Indirect ventilation.

Low energy impact protection with total UV protection.

Hang cord attachment points.

Class 1.



CE EN166

Optical Class 1

Mechanical Strength B


Frame Colour	Weight each	Order Code	Price/1 TB
Green	80g	SSF-960-0520K	157.00

Anti-Mist Safety Spectacles

Retro-R

Moulded one-piece wrap around polycarbonate anti-mist lens with multi-adjust, soft, non-allergenic nose bridge. No frame means maximum unobstructed peripheral vision. Side arms also feature lateral adjustment for maximum versatility and comfort. Supplied with neck cord.

CE approved to EN166F.



Adjustable side arms

CE EN166

Lens Type	Frame Colour	Order Code	Price/1 TB
Polycarbonate	Blue	SSF-960-7400K	226.00

KENNEDY Soft Spectacle Case & Spectacle Neck Cord

Case: Soft spectacle case with spring opening.

Neck Cord: Spectacle neck cord with adjustable side buckle.



Type	Order Code	Price/1 TB
Soft Spectacle Case	KEN-960-9560K	265.00
Spectacle Neck Cord	-9620K	141.00

KENNEDY
QUALITY INDUSTRIAL TOOLING

**Scratch Resistant/
Anti-Mist Safety Goggles**

All goggles have a wide field of vision, built-in brow and cheek protection, soft PVC frame with an anatomically shaped bridge to adapt to all faces. All lenses provide UV protection. All frames will protect against liquid droplets and/or splashes. Fitted with wide anallergic elastic headbands and a one-piece replaceable scratch resistant, anti-mist clear lenses.

Tiger

Medium energy impact protection. Smoke coloured frame with a polycarbonate lens and are lined with soft foam for user comfort and increased adherence. The lens is resistant to molten metals and hot solids (splashes of molten metals and penetration of hot solid). The frame has an indirect ventilation system and is resistant to liquids (drops and splashes) and penetration of hot solids.



Lens Type (Scratch resistant)	Frame Colour	Order Code KEN-960	Price/1 TB
Polycarbonate	Smoke	-8140K	970.00

Clear framed goggles are resistant to gross particles (dust particles >5 microns) and gas and fine particles (gas vapours, splashes, smokes and dust particles <5 microns).

Scorpion

Medium energy impact protection. Clear frame with a 2mm thick polycarbonate lens. The lens and the frame is resistant to molten metals and hot solids (splashes of molten metals and penetration of hot solids).

Lion

Low energy impact protection at extreme temperatures. Clear frame with an extremely flexible acetate lens.



Type	Lens (Scratch resistant)	Frame Colour	Order Code KEN-960	Price/1 TB
Scorpion	Polycarbonate	Clear	-8070K	533.00
Lion	Acetate	Clear	-8080K	623.00

Accessories

Spare Lens Type	Order Code KEN-960	Price/1 TB
Polycarbonate	-8100K	440.00
Acetate	-8110K	450.00

Anti-Gas/Flame Resistant Safety Goggles

Condor

Medium energy impact protection. Suitable for foundry work. The frame, lens and elastic strap are manufactured from flame resistant material. Fitted with a flexible nose bridge to adapt to all faces. Large peripheral viewing area. One piece 2mm anti-mist, scratch resistant, clear polycarbonate lens with an extra wide elastic headband. Can be fitted over most prescription glasses. The frame is resistant to liquids (drops and splashes), gross particles (dust particles >5 microns), gas and fine particles (gas vapours, splashes, smokes and dust particles <5 microns and molten metals and hot solids (splashes of molten metals and penetration of hot solids).



CE
EN166 F

Lens Type	Frame Colour	Order Code KEN-960	Price/1 TB
Scratch Resistant	Red	-8130K	1269.00
Spare Lens		-8120K	455.00

Scratch Resistant/Anti-Mist Safety Goggles

Cobra

Low energy impact protection at extreme temperatures. UV protection against electrical arc discharges caused by a short circuit. Ultra light nylon frame with length adjustment the temples and front angle adjustment for low friction, lined with soft foam for user comfort and increased adherence. One-piece, scratch resistant, anti-mist clear polycarbonate lens. As well as the arms having hang cord attachment points, a black universal hang cord is included with the goggles. Resistant to liquids (drops and splashes) and gross particles (dust particles >5 microns).



CE
EN166 FT

Lens Type	Frame Colour	Order Code KEN-960	Price/1 TB
Scratch Resistant	Blue	-8060K	851.00

KENNEDY
QUALITY INSURANCE SPECIALIST

**Scratch Resistant/
Anti-Mist Safety Goggles**

All goggles have a wide field of vision, built-in brow and cheek protection, soft PVC frame with an anatomically shaped bridge to adapt to all faces. All lenses provide UV protection. All frames will protect against liquid droplets and/or splashes. Fitted with wide anallergic elastic headbands and a one-piece replaceable scratch resistant, anti-mist clear lenses.

Tiger

Medium energy impact protection. Smoke coloured frame with a polycarbonate lens and are lined with soft foam for user comfort and increased adherence. The lens is resistant to molten metals and hot solids (splashes of molten metals and penetration of hot solid). The frame has an indirect ventilation system and is resistant to liquids (drops and splashes) and penetration of hot solids.



Lens Type (Scratch resistant)	Frame Colour	Order Code KEN-960	Price/1 TB
Polycarbonate	Smoke	-8140K	970.00

Clear framed goggles are resistant to gross particles (dust particles >5 microns) and gas and fine particles (gas vapours, splashes, smokes and dust particles <5 microns).

Scorpion

Medium energy impact protection. Clear frame with a 2mm thick polycarbonate lens. The lens and the frame is resistant to molten metals and hot solids (splashes of molten metals and penetration of hot solids).

Lion

Low energy impact protection at extreme temperatures. Clear frame with an extremely flexible acetate lens.



Type	Lens (Scratch resistant)	Frame Colour	Order Code KEN-960	Price/1 TB
Scorpion	Polycarbonate	Clear	-8070K	533.00
Lion	Acetate	Clear	-8080K	623.00

Accessories

Spare Lens Type	Order Code KEN-960	Price/1 TB
Polycarbonate	-8100K	440.00
Acetate	-8110K	450.00

Anti-Gas/Flame Resistant Safety Goggles

Condor

Medium energy impact protection. Suitable for foundry work. The frame, lens and elastic strap are manufactured from flame resistant material. Fitted with a flexible nose bridge to adapt to all faces. Large peripheral viewing area. One piece 2mm anti-mist, scratch resistant, clear polycarbonate lens with an extra wide elastic headband. Can be fitted over most prescription glasses. The frame is resistant to liquids (drops and splashes), gross particles (dust particles >5 microns), gas and fine particles (gas vapours, splashes, smokes and dust particles <5 microns and molten metals and hot solids (splashes of molten metals and penetration of hot solids).



**Wide
Headband**


CE
EN166 F

Lens Type	Frame Colour	Order Code KEN-960	Price/1 TB
Scratch Resistant	Red	-8130K	1269.00
Spare Lens		-8120K	455.00


Scratch Resistant/Anti-Mist Safety Goggles

Cobra

Low energy impact protection at extreme temperatures. UV protection against electrical arc discharges caused by a short circuit. Ultra light nylon frame with length adjustment the temples and front angle adjustment for low friction, lined with soft foam for user comfort and increased adherence. One-piece, scratch resistant, anti-mist clear polycarbonate lens. As well as the arms having hang cord attachment points, a black universal hang cord is included with the goggles. Resistant to liquids (drops and splashes) and gross particles (dust particles >5 microns).



Hang Cord



Foam Face Seal



CE
EN166 FT

Lens Type	Frame Colour	Order Code KEN-960	Price/1 TB
Scratch Resistant	Blue	-8060K	851.00